

FILED IN THE
U.S. DISTRICT COURT
EASTERN DISTRICT OF WASHINGTON

Oct 18, 2022

SEAN F. McAVOY, CLERK

UNITED STATES DISTRICT COURT
EASTERN DISTRICT OF WASHINGTON

OKANOGAN HIGHLANDS
ALLIANCE and STATE OF
WASHINGTON,

Plaintiffs,

v.

CROWN RESOURCES
CORPORATION and KINROSS
GOLD U.S.A., INC.,

Defendants.

CASE NO: 2:20-CV-00147-MKD

ORDER GRANTING STIPULATED
MOTION CONCERNING CROWN
RESOURCES CORPORATION’S
PARTIAL LIABILITY UNDER THE
CLEAN WATER ACT AND
STIPULATED MOTION TO
EXPEDITE

ECF Nos. 122, 123

Before the Court is Plaintiffs Okanogan Highlands Alliance and State of Washington (collectively “Plaintiffs”) and Defendant Crown Resources Corporation’s (“Crown”) Stipulated Motion Concerning Crown Resources Corporation’s Partial Liability Under the Clean Water Act, ECF No. 122, and accompanying Stipulated Motion to Expedite, ECF No. 123. Plaintiffs and Crown have stipulated to Crown’s liability under the federal Clean Water Act, 33 U.S.C. § 1251 et seq., for certain violations of the combined State Waste Discharge/National

1 Pollutant Discharge Elimination System permit number WA0052434 for the
2 Buckhorn Mountain Mine in north-central Washington State (the “Permit”).

3 The Court has reviewed the motions and the record and finds good cause to
4 grant Plaintiffs and Crown’s motion.

5 Accordingly, **IT IS ORDERED:**

6 **1.** The Plaintiffs Okanogan Highlands Alliance and State of Washington
7 and Defendant Crown Resources Corporation’s Stipulated Motion Concerning
8 Crown Resources Corporation’s Partial Liability Under the Clean Water Act, **ECF**
9 **No. 122**, is **GRANTED**.

10 **2.** The Plaintiffs Okanogan Highlands Alliance and State of Washington
11 and Defendant Crown Resources Corporation’s Stipulated Motion to Expedite,
12 **ECF No. 123**, is **GRANTED**.

13 **3.** The table that is attached as Exhibit A to the Plaintiffs and Crown’s
14 Stipulated Motion, ECF No. 122-1, and as Attachment A to this Order (hereinafter
15 “the Table”) accurately sets forth water quality monitoring data that Crown
16 gathered and submitted to the Washington State Department of Ecology on
17 Discharge Monitoring Reports, as required by the Permit, is admissible, and can be
18 used by any Party;

19 **4.** Subject only to its right to appeal the previous summary judgment
20 order in this case, ECF No. 70, and its defenses based on standing, Crown is liable

1 under the Clean Water Act for each and every monitoring period (each and every
2 row) set forth in the Table, which lists monitoring periods when Crown was in
3 violation of Condition S1.A.7 of the Permit and the Clean Water Act because the
4 monitoring data set forth in each row of column E of the Table exceeds the
5 numeric effluent limitation described in each row of column F of the Table;

6 **5.** Nothing in the Plaintiff or Crown's stipulations or this Order shall
7 limit Crown's ability to appeal the Court's Order Granting Plaintiffs' First Motions
8 for Partial Summary Judgment, ECF No. 70;

9 **6.** Plaintiffs shall withdraw their motions for partial summary judgment
10 on liability, ECF Nos. 107 and 112, no later than **October 23, 2022**. However,
11 Plaintiffs retain the right to file a motion for summary judgment on any matter not
12 resolved by the Plaintiffs and Crown's stipulations and this Order, including
13 standing, so long as any motions are consistent with the Court's orders in this case;

14 **7.** Nothing in the Plaintiffs and Crown's stipulations or this Order shall
15 limit any Party's ability to obtain a ruling on liability or relief for any alleged
16 Permit violations that are not resolved by the Plaintiffs and Crown's stipulations
17 and this Order. Plaintiffs specifically retain the right to pursue a ruling on liability
18 or relief against Defendant Kinross Gold U.S.A., Incorporated for any Permit
19 violations, including those established by Discharge Monitoring Reports, and to
20 pursue a ruling on liability or relief against Crown for any Permit violations that

1 are established by Discharge Monitoring Reports and not listed in the Table or that
2 accrue after July 31, 2022. Additionally, nothing in the Plaintiffs or Crowns'
3 stipulations or this Order shall limit any Party's ability to make any argument as to
4 the appropriate remedy or penalty for any Permit violations, or to assert any other
5 argument or defense, including defenses based on standing, so long as it is not
6 inconsistent with and does not undermine Plaintiffs or Crowns' stipulations or this
7 Order;

8 **8.** Nothing in the Plaintiffs or Crowns' stipulations or this Order shall
9 limit any Party's ability to seek discovery on any matter otherwise allowable under
10 the Federal Rules of Civil Procedure; and

11 **9.** Nothing in the Plaintiffs or Crowns' stipulations or this Order shall
12 limit any Party's ability to introduce evidence on any matter otherwise allowable
13 under the Federal Rules of Civil Procedure or the Federal Rule of Evidence, so
14 long as the evidence is not introduced for the purpose of challenging or contesting
15 the matters stipulated to herein.

16 **IT IS SO ORDERED.** The District Court Executive is directed to enter this
17 Order, set a case management deadline for October 23, 2022, and provide copies to
18 the parties.

19 DATED October 18, 2022.

s/Mary K. Dimke

MARY K. DIMKE

UNITED STATES DISTRICT JUDGE

Attachment A

	A	B	C	D	E	F	G
1	Monitoring Period (Month and Year)*	Parameter Sampled	Units Reported	Monitoring Station	Value Reported on Discharge Monitoring Report (DMR)	Average Monthly Numeric Effluent Limit	Days in Monitoring Period
2	July-22	Chloride	Milligrams/L (mg/L)	GW2	10.7	2	31
3	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.67	0.32	31
4	July-22	Sulfate	Milligrams/L (mg/L)	GW2	94.2	72	31
5	July-22	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	301	290	31
6	July-22	Chloride	Milligrams/L (mg/L)	JJ15	18.9	2	31
7	July-22	Chloride	Milligrams/L (mg/L)	JJ16	4.16	2	31
8	July-22	Specific Conductance (Field)	Micromhos/cm	JJ16	765	486	31
9	July-22	Sulfate	Milligrams/L (mg/L)	JJ16	259	69.5	31
10	July-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	528	290	31
11	July-22	Chloride	Milligrams/L (mg/L)	JJ20	8.4	2	31
12	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.15	1.33	31
13	July-22	Sulfate	Milligrams/L (mg/L)	JJ20	78.1	69.5	31
14	July-22	Chloride	Milligrams/L (mg/L)	JJ26	21.2	2	31
15	July-22	Specific Conductance (Field)	Micromhos/cm	JJ26	491.1	486	31
16	July-22	Sulfate	Milligrams/L (mg/L)	JJ26	78.6	69.5	31
17	July-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	310	290	31
18	July-22	Chloride	Milligrams/L (mg/L)	MW14	20.4	2	31
19	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.89	1.33	31
20	July-22	Specific Conductance (Field)	Micromhos/cm	MW14	941	486	31
21	July-22	Sulfate	Milligrams/L (mg/L)	MW14	383	69.5	31
22	July-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	691	290	31
23	July-22	Chloride	Milligrams/L (mg/L)	MW15	13.6	2	31
24	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.04	1.33	31
25	July-22	Specific Conductance (Field)	Micromhos/cm	MW15	684.4	486	31
26	July-22	Sulfate	Milligrams/L (mg/L)	MW15	219	69.5	31

Exhibit A to Stipulated Motion re: Crown's Partial Liability under the Clean Water Act
U.S. District Court for the E.D. Wash. Case No. 2:20-cv-00147-MKD

Page 1 of 115

* The number after the dashes in Column A refer to a year in the range 2015 to 2022

Attachment A

	A	B	C	D	E	F	G
27	July-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	496	290	31
28	July-22	Chloride	Milligrams/L (mg/L)	MW18	5.16	2	31
29	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.1	1.33	31
30	July-22	Specific Conductance (Field)	Micromhos/cm	MW18	648.1	486	31
31	July-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	392	290	31
32	July-22	Chloride	Milligrams/L (mg/L)	MW2R	11	2	31
33	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.4	1.33	31
34	July-22	Specific Conductance (Field)	Micromhos/cm	MW2R	790	486	31
35	July-22	Sulfate	Milligrams/L (mg/L)	MW2R	322	69.5	31
36	July-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	588	290	31
37	July-22	Chloride	Milligrams/L (mg/L)	MW7	7.95	2	31
38	July-22	Chloride	Milligrams/L (mg/L)	MW9	8.92	2	31
39	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.7	0.32	31
40	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.764	0.32	31
41	July-22	Chloride	Milligrams/L (mg/L)	SW2	7.02	2	31
42	July-22	Chloride	Milligrams/L (mg/L)	SW7	5.16	2	31
43	July-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.45	0.32	31
44	July-22	Chloride	Milligrams/L (mg/L)	SW8	11.2	2	31
45	July-22	Chloride	Milligrams/L (mg/L)	SW9a	4.28	2	31
46	July-22	Sulfate	Milligrams/L (mg/L)	SW9a	145	72	31
47	June-22	Chloride	Milligrams/L (mg/L)	GW2	10.4	2	30
48	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.57	0.32	30
49	June-22	Sulfate	Milligrams/L (mg/L)	GW2	91.6	72	30
50	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	311	290	30
51	June-22	Chloride	Milligrams/L (mg/L)	JJ14	22	2	30
52	June-22	Specific Conductance (Field)	Micromhos/cm	JJ14	503.7	486	30
53	June-22	Sulfate	Milligrams/L (mg/L)	JJ14	75.6	69.5	30
54	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	346	290	30
55	June-22	Chloride	Milligrams/L (mg/L)	JJ15	19.1	2	30
56	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ15	312	290	30
57	June-22	Chloride	Milligrams/L (mg/L)	JJ16	4.39	2	30

Attachment A

	A	B	C	D	E	F	G
58	June-22	Specific Conductance (Field)	Micromhos/cm	JJ16	669.8	486	30
59	June-22	Sulfate	Milligrams/L (mg/L)	JJ16	213	69.5	30
60	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	457	290	30
61	June-22	Chloride	Milligrams/L (mg/L)	JJ20	8.9	2	30
62	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.86	1.33	30
63	June-22	Sulfate	Milligrams/L (mg/L)	JJ20	76.5	69.5	30
64	June-22	Chloride	Milligrams/L (mg/L)	JJ26	18.5	2	30
65	June-22	Sulfate	Milligrams/L (mg/L)	JJ26	78.2	69.5	30
66	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	333	290	30
67	June-22	Chloride	Milligrams/L (mg/L)	MW14	16.9	2	30
68	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.68	1.33	30
69	June-22	Specific Conductance (Field)	Micromhos/cm	MW14	872	486	30
70	June-22	Sulfate	Milligrams/L (mg/L)	MW14	319	69.5	30
71	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	619	290	30
72	June-22	Chloride	Milligrams/L (mg/L)	MW15	13.1	2	30
73	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.7	1.33	30
74	June-22	Specific Conductance (Field)	Micromhos/cm	MW15	712.9	486	30
75	June-22	Sulfate	Milligrams/L (mg/L)	MW15	228	69.5	30
76	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	519	290	30
77	June-22	Chloride	Milligrams/L (mg/L)	MW18	5.17	2	30
78	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	8.4	1.33	30
79	June-22	Specific Conductance (Field)	Micromhos/cm	MW18	652.4	486	30
80	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	394	290	30
81	June-22	Chloride	Milligrams/L (mg/L)	MW2R	10.6	2	30
82	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.22	1.33	30
83	June-22	Specific Conductance (Field)	Micromhos/cm	MW2R	799	486	30
84	June-22	Sulfate	Milligrams/L (mg/L)	MW2R	303	69.5	30
85	June-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	561	290	30
86	June-22	Chloride	Milligrams/L (mg/L)	MW7	8.71	2	30
87	June-22	Chloride	Milligrams/L (mg/L)	MW9	7.73	2	30
88	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.74	0.32	30

Attachment A

	A	B	C	D	E	F	G
89	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.348	0.32	30
90	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.546	0.32	30
91	June-22	Chloride	Milligrams/L (mg/L)	SW2	7.91	2	30
92	June-22	Chloride	Milligrams/L (mg/L)	SW7	7.14	2	30
93	June-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.82	0.32	30
94	June-22	Chloride	Milligrams/L (mg/L)	SW8	11.2	2	30
95	June-22	Chloride	Milligrams/L (mg/L)	SW9a	3.84	2	30
96	June-22	Sulfate	Milligrams/L (mg/L)	SW9a	134	72	30
97	May-22	Chloride	Milligrams/L (mg/L)	GW2	10.9	2	31
98	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.61	0.32	31
99	May-22	Sulfate	Milligrams/L (mg/L)	GW2	87.4	72	31
100	May-22	Chloride	Milligrams/L (mg/L)	JJ14	20	2	31
101	May-22	Specific Conductance (Field)	Micromhos/cm	JJ14	497.9	486	31
102	May-22	Sulfate	Milligrams/L (mg/L)	JJ14	73.4	69.5	31
103	May-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	296	290	31
104	May-22	Chloride	Milligrams/L (mg/L)	JJ15	18.5	2	31
105	May-22	Chloride	Milligrams/L (mg/L)	JJ16	7.22	2	31
106	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.38	1.33	31
107	May-22	Specific Conductance (Field)	Micromhos/cm	JJ16	731	486	31
108	May-22	Sulfate	Milligrams/L (mg/L)	JJ16	277	69.5	31
109	May-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	494	290	31
110	May-22	Chloride	Milligrams/L (mg/L)	JJ20	9.81	2	31
111	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.34	1.33	31
112	May-22	Sulfate	Milligrams/L (mg/L)	JJ20	75.4	69.5	31
113	May-22	Chloride	Milligrams/L (mg/L)	JJ26	14.9	2	31
114	May-22	Sulfate	Milligrams/L (mg/L)	JJ26	72.3	69.5	31
115	May-22	Chloride	Milligrams/L (mg/L)	MW14	15.65	2	31
116	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.54	1.33	31
117	May-22	Specific Conductance (Field)	Micromhos/cm	MW14	810	486	31
118	May-22	Sulfate	Milligrams/L (mg/L)	MW14	287.5	69.5	31
119	May-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	549	290	31

Attachment A

	A	B	C	D	E	F	G
120	May-22	Chloride	Milligrams/L (mg/L)	MW15	10.85	2	31
121	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.925	1.33	31
122	May-22	Specific Conductance (Field)	Micromhos/cm	MW15	659.25	486	31
123	May-22	Sulfate	Milligrams/L (mg/L)	MW15	187.5	69.5	31
124	May-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	423	290	31
125	May-22	Chloride	Milligrams/L (mg/L)	MW18	4.69	2	31
126	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	8.345	1.33	31
127	May-22	Specific Conductance (Field)	Micromhos/cm	MW18	650.95	486	31
128	May-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	382.5	290	31
129	May-22	Chloride	Milligrams/L (mg/L)	MW2R	10.9	2	31
130	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.27	1.33	31
131	May-22	Specific Conductance (Field)	Micromhos/cm	MW2R	811.5	486	31
132	May-22	Sulfate	Milligrams/L (mg/L)	MW2R	312.5	69.5	31
133	May-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	560.5	290	31
134	May-22	Chloride	Milligrams/L (mg/L)	MW7	9.01	2	31
135	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.74	1.33	31
136	May-22	Chloride	Milligrams/L (mg/L)	MW9	7.34	2	31
137	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.91	0.32	31
138	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.08	0.32	31
139	May-22	Chloride	Milligrams/L (mg/L)	SW2	8.37	2	31
140	May-22	Chloride	Milligrams/L (mg/L)	SW7	7.61	2	31
141	May-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.31	0.32	31
142	May-22	Chloride	Milligrams/L (mg/L)	SW8	10.1	2	31
143	May-22	Chloride	Milligrams/L (mg/L)	SW9a	4.43	2	31
144	May-22	Sulfate	Milligrams/L (mg/L)	SW9a	153.5	72	31
145	May-22	Total Dissolved Solids	Milligrams/L (mg/L)	SW9a	291.5	290	31
146	April-22	Chloride	Milligrams/L (mg/L)	GW2	11.7	2	30
147	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.05	0.32	30
148	April-22	Sulfate	Milligrams/L (mg/L)	GW2	85.8	72	30
149	April-22	Chloride	Milligrams/L (mg/L)	JJ15	19.1	2	30
150	April-22	Chloride	Milligrams/L (mg/L)	JJ16	9.56	2	30

Attachment A

	A	B	C	D	E	F	G
151	April-22	Specific Conductance (Field)	Micromhos/cm	JJ16	749.6	486	30
152	April-22	Sulfate	Milligrams/L (mg/L)	JJ16	282	69.5	30
153	April-22	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	527	290	30
154	April-22	Chloride	Milligrams/L (mg/L)	JJ20	10.6	2	30
155	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.3	1.33	30
156	April-22	Sulfate	Milligrams/L (mg/L)	JJ20	75	69.5	30
157	April-22	Chloride	Milligrams/L (mg/L)	JJ26	12.7	2	30
158	April-22	Sulfate	Milligrams/L (mg/L)	JJ26	70.9	69.5	30
159	April-22	Chloride	Milligrams/L (mg/L)	MW14	16.3	2	30
160	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.4	1.33	30
161	April-22	Specific Conductance (Field)	Micromhos/cm	MW14	717.4	486	30
162	April-22	Sulfate	Milligrams/L (mg/L)	MW14	236	69.5	30
163	April-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	505	290	30
164	April-22	Chloride	Milligrams/L (mg/L)	MW15	12.4	2	30
165	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.07	1.33	30
166	April-22	Specific Conductance (Field)	Micromhos/cm	MW15	646.6	486	30
167	April-22	Sulfate	Milligrams/L (mg/L)	MW15	185	69.5	30
168	April-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	416	290	30
169	April-22	Chloride	Milligrams/L (mg/L)	MW18	4.2	2	30
170	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	8.73	1.33	30
171	April-22	Specific Conductance (Field)	Micromhos/cm	MW18	624.2	486	30
172	April-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	372	290	30
173	April-22	Chloride	Milligrams/L (mg/L)	MW2R	10.6	2	30
174	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.67	1.33	30
175	April-22	Specific Conductance (Field)	Micromhos/cm	MW2R	823	486	30
176	April-22	Sulfate	Milligrams/L (mg/L)	MW2R	324	69.5	30
177	April-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	591	290	30
178	April-22	Chloride	Milligrams/L (mg/L)	MW7	6.35	2	30
179	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.83	1.33	30
180	April-22	Chloride	Milligrams/L (mg/L)	MW9	8.33	2	30
181	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.56	1.33	30

Attachment A

	A	B	C	D	E	F	G
182	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.5	0.32	30
183	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.935	0.32	30
184	April-22	Chloride	Milligrams/L (mg/L)	SW2	7.84	2	30
185	April-22	Chloride	Milligrams/L (mg/L)	SW7	8.03	2	30
186	April-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.62	0.32	30
187	April-22	Chloride	Milligrams/L (mg/L)	SW8	10	2	30
188	April-22	Chloride	Milligrams/L (mg/L)	SW9a	4.42	2	30
189	April-22	Sulfate	Milligrams/L (mg/L)	SW9a	108	72	30
190	March-22	Chloride	Milligrams/L (mg/L)	GW2	9.88	2	31
191	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.91	0.32	31
192	March-22	Sulfate	Milligrams/L (mg/L)	GW2	88.7	72	31
193	March-22	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	304	290	31
194	March-22	Chloride	Milligrams/L (mg/L)	JJ15	18.9	2	31
195	March-22	Chloride	Milligrams/L (mg/L)	JJ18	2.04	2	31
196	March-22	Chloride	Milligrams/L (mg/L)	JJ20	9.49	2	31
197	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.12	1.33	31
198	March-22	Sulfate	Milligrams/L (mg/L)	JJ20	79.6	69.5	31
199	March-22	Chloride	Milligrams/L (mg/L)	MW14	14.4	2	31
200	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.29	1.33	31
201	March-22	Specific Conductance (Field)	Micromhos/cm	MW14	663	486	31
202	March-22	Sulfate	Milligrams/L (mg/L)	MW14	210	69.5	31
203	March-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	408	290	31
204	March-22	Chloride	Milligrams/L (mg/L)	MW15	18.8	2	31
205	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.42	1.33	31
206	March-22	Specific Conductance (Field)	Micromhos/cm	MW15	769.1	486	31
207	March-22	Sulfate	Milligrams/L (mg/L)	MW15	248	69.5	31
208	March-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	491	290	31
209	March-22	Chloride	Milligrams/L (mg/L)	MW18	4	2	31
210	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	8.96	1.33	31
211	March-22	Specific Conductance (Field)	Micromhos/cm	MW18	647.9	486	31
212	March-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	366	290	31

Attachment A

	A	B	C	D	E	F	G
213	March-22	Chloride	Milligrams/L (mg/L)	MW2R	13	2	31
214	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.46	1.33	31
215	March-22	Specific Conductance (Field)	Micromhos/cm	MW2R	838	486	31
216	March-22	Sulfate	Milligrams/L (mg/L)	MW2R	330	69.5	31
217	March-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	551	290	31
218	March-22	Chloride	Milligrams/L (mg/L)	MW7	4.98	2	31
219	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.9	1.33	31
220	March-22	Chloride	Milligrams/L (mg/L)	MW9	8.03	2	31
221	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.4	1.33	31
222	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.55	0.32	31
223	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.39	0.32	31
224	March-22	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	301	290	31
225	March-22	Chloride	Milligrams/L (mg/L)	SW2	7.65	2	31
226	March-22	Chloride	Milligrams/L (mg/L)	SW7	6.47	2	31
227	March-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.23	0.32	31
228	March-22	Chloride	Milligrams/L (mg/L)	SW8	10.2	2	31
229	February-22	Chloride	Milligrams/L (mg/L)	GW2	9.74	2	28
230	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.96	0.32	28
231	February-22	Sulfate	Milligrams/L (mg/L)	GW2	86.2	72	28
232	February-22	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	314	290	28
233	February-22	Chloride	Milligrams/L (mg/L)	JJ15	19.4	2	28
234	February-22	Chloride	Milligrams/L (mg/L)	JJ20	2.52	2	28
235	February-22	Chloride	Milligrams/L (mg/L)	MW14	15	2	28
236	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.24	1.33	28
237	February-22	Specific Conductance (Field)	Micromhos/cm	MW14	693.7	486	28
238	February-22	Sulfate	Milligrams/L (mg/L)	MW14	233	69.5	28
239	February-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	511	290	28
240	February-22	Chloride	Milligrams/L (mg/L)	MW15	19.2	2	28
241	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.4	1.33	28
242	February-22	Specific Conductance (Field)	Micromhos/cm	MW15	771.3	486	28
243	February-22	Sulfate	Milligrams/L (mg/L)	MW15	236	69.5	28

Attachment A

	A	B	C	D	E	F	G
244	February-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	521	290	28
245	February-22	Chloride	Milligrams/L (mg/L)	MW18	4.05	2	28
246	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.19	1.33	28
247	February-22	Specific Conductance (Field)	Micromhos/cm	MW18	618.7	486	28
248	February-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	396	290	28
249	February-22	Chloride	Milligrams/L (mg/L)	MW2R	13.4	2	28
250	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.33	1.33	28
251	February-22	Specific Conductance (Field)	Micromhos/cm	MW2R	851	486	28
252	February-22	Sulfate	Milligrams/L (mg/L)	MW2R	332	69.5	28
253	February-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	626	290	28
254	February-22	Chloride	Milligrams/L (mg/L)	MW7	6.04	2	28
255	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.82	1.33	28
256	February-22	Chloride	Milligrams/L (mg/L)	MW9	8.18	2	28
257	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.48	0.32	28
258	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.26	0.32	28
259	February-22	Chloride	Milligrams/L (mg/L)	SW2	7.69	2	28
260	February-22	Chloride	Milligrams/L (mg/L)	SW7	2.69	2	28
261	February-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.04	0.32	28
262	February-22	Chloride	Milligrams/L (mg/L)	SW8	9.74	2	28
263	January-22	Chloride	Milligrams/L (mg/L)	GW2	10.1	2	31
264	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.79	0.32	31
265	January-22	Sulfate	Milligrams/L (mg/L)	GW2	90.3	72	31
266	January-22	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	304	290	31
267	January-22	Chloride	Milligrams/L (mg/L)	JJ15	19.8	2	31
268	January-22	Chloride	Milligrams/L (mg/L)	JJ20	5.145	2	31
269	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.545	1.33	31
270	January-22	Chloride	Milligrams/L (mg/L)	MW14	15.1	2	31
271	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.28	1.33	31
272	January-22	Specific Conductance (Field)	Micromhos/cm	MW14	696.1	486	31
273	January-22	Sulfate	Milligrams/L (mg/L)	MW14	220	69.5	31
274	January-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	478	290	31

Attachment A

	A	B	C	D	E	F	G
275	January-22	Chloride	Milligrams/L (mg/L)	MW15	19.2	2	31
276	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.38	1.33	31
277	January-22	Specific Conductance (Field)	Micromhos/cm	MW15	760.2	486	31
278	January-22	Sulfate	Milligrams/L (mg/L)	MW15	242	69.5	31
279	January-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	502	290	31
280	January-22	Chloride	Milligrams/L (mg/L)	MW18	4.09	2	31
281	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	8.86	1.33	31
282	January-22	Specific Conductance (Field)	Micromhos/cm	MW18	616.2	486	31
283	January-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	372	290	31
284	January-22	Chloride	Milligrams/L (mg/L)	MW2R	15.2	2	31
285	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.29	1.33	31
286	January-22	Specific Conductance (Field)	Micromhos/cm	MW2R	846	486	31
287	January-22	Sulfate	Milligrams/L (mg/L)	MW2R	328	69.5	31
288	January-22	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	597	290	31
289	January-22	Chloride	Milligrams/L (mg/L)	MW7	5.05	2	31
290	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.67	1.33	31
291	January-22	Chloride	Milligrams/L (mg/L)	MW9	8.84	2	31
292	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.38	0.32	31
293	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.17	0.32	31
294	January-22	Chloride	Milligrams/L (mg/L)	SW2	7.4	2	31
295	January-22	Chloride	Milligrams/L (mg/L)	SW7	6.01	2	31
296	January-22	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.52	0.32	31
297	January-22	Chloride	Milligrams/L (mg/L)	SW8	10.2	2	31
298	December-21	Chloride	Milligrams/L (mg/L)	GW2	9.64	2	31
299	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.91	0.32	31
300	December-21	Sulfate	Milligrams/L (mg/L)	GW2	85	72	31
301	December-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	329	290	31
302	December-21	Chloride	Milligrams/L (mg/L)	JJ15	18.8	2	31
303	December-21	Chloride	Milligrams/L (mg/L)	JJ20	6.85	2	31
304	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.1	1.33	31
305	December-21	Chloride	Milligrams/L (mg/L)	JJ26	11.9	2	31

Attachment A

	A	B	C	D	E	F	G
306	December-21	Sulfate	Milligrams/L (mg/L)	JJ26	83.1	69.5	31
307	December-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	301	290	31
308	December-21	Chloride	Milligrams/L (mg/L)	MW14	15.2	2	31
309	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.33	1.33	31
310	December-21	Specific Conductance (Field)	Micromhos/cm	MW14	705.2	486	31
311	December-21	Sulfate	Milligrams/L (mg/L)	MW14	226	69.5	31
312	December-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	486	290	31
313	December-21	Chloride	Milligrams/L (mg/L)	MW15	20.5	2	31
314	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.45	1.33	31
315	December-21	Specific Conductance (Field)	Micromhos/cm	MW15	762.2	486	31
316	December-21	Sulfate	Milligrams/L (mg/L)	MW15	231	69.5	31
317	December-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	522	290	31
318	December-21	Chloride	Milligrams/L (mg/L)	MW18	3.88	2	31
319	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.39	1.33	31
320	December-21	Specific Conductance (Field)	Micromhos/cm	MW18	614.4	486	31
321	December-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	358	290	31
322	December-21	Chloride	Milligrams/L (mg/L)	MW2R	13.9	2	31
323	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.43	1.33	31
324	December-21	Specific Conductance (Field)	Micromhos/cm	MW2R	841	486	31
325	December-21	Sulfate	Milligrams/L (mg/L)	MW2R	330	69.5	31
326	December-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	599	290	31
327	December-21	Chloride	Milligrams/L (mg/L)	MW7	5.86	2	31
328	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.68	1.33	31
329	December-21	Chloride	Milligrams/L (mg/L)	MW9	9.47	2	31
330	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.12	0.32	31
331	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.12	0.32	31
332	December-21	Chloride	Milligrams/L (mg/L)	SW2	7.24	2	31
333	December-21	Chloride	Milligrams/L (mg/L)	SW7	5.48	2	31
334	December-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.73	0.32	31
335	December-21	Chloride	Milligrams/L (mg/L)	SW8	9.56	2	31
336	December-21	Chloride	Milligrams/L (mg/L)	SW9a	5.42	2	31

Attachment A

	A	B	C	D	E	F	G
337	December-21	Sulfate	Milligrams/L (mg/L)	SW9a	104	72	31
338	November-21	Chloride	Milligrams/L (mg/L)	GW2	9.69	2	30
339	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.8	0.32	30
340	November-21	Sulfate	Milligrams/L (mg/L)	GW2	87.5	72	30
341	November-21	Chloride	Milligrams/L (mg/L)	JJ15	18.9	2	30
342	November-21	Chloride	Milligrams/L (mg/L)	JJ20	10.2	2	30
343	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.13	1.33	30
344	November-21	Sulfate	Milligrams/L (mg/L)	JJ20	87.1	69.5	30
345	November-21	Chloride	Milligrams/L (mg/L)	JJ26	12.6	2	30
346	November-21	Sulfate	Milligrams/L (mg/L)	JJ26	88.9	69.5	30
347	November-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	306	290	30
348	November-21	Chloride	Milligrams/L (mg/L)	MW14	15.1	2	30
349	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.22	1.33	30
350	November-21	Specific Conductance (Field)	Micromhos/cm	MW14	699.1	486	30
351	November-21	Sulfate	Milligrams/L (mg/L)	MW14	225	69.5	30
352	November-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	429	290	30
353	November-21	Chloride	Milligrams/L (mg/L)	MW15	22.1	2	30
354	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.22	1.33	30
355	November-21	Specific Conductance (Field)	Micromhos/cm	MW15	780	486	30
356	November-21	Sulfate	Milligrams/L (mg/L)	MW15	237	69.5	30
357	November-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	488	290	30
358	November-21	Chloride	Milligrams/L (mg/L)	MW18	3.96	2	30
359	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	8.54	1.33	30
360	November-21	Specific Conductance (Field)	Micromhos/cm	MW18	619.2	486	30
361	November-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	425	290	30
362	November-21	Chloride	Milligrams/L (mg/L)	MW2R	18	2	30
363	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.29	1.33	30
364	November-21	Specific Conductance (Field)	Micromhos/cm	MW2R	878	486	30
365	November-21	Sulfate	Milligrams/L (mg/L)	MW2R	334	69.5	30
366	November-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	613	290	30
367	November-21	Chloride	Milligrams/L (mg/L)	MW7	7.92	2	30

Attachment A

	A	B	C	D	E	F	G
368	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.03	1.33	30
369	November-21	Chloride	Milligrams/L (mg/L)	MW9	9.02	2	30
370	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.73	0.32	30
371	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.929	0.32	30
372	November-21	Chloride	Milligrams/L (mg/L)	SW2	7.45	2	30
373	November-21	Chloride	Milligrams/L (mg/L)	SW7	6.42	2	30
374	November-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.68	0.32	30
375	November-21	Chloride	Milligrams/L (mg/L)	SW8	9.94	2	30
376	November-21	Chloride	Milligrams/L (mg/L)	SW9a	5.47	2	30
377	November-21	Sulfate	Milligrams/L (mg/L)	SW9a	111	72	30
378	October-21	Chloride	Milligrams/L (mg/L)	GW2	9.72	2	31
379	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.82	0.32	31
380	October-21	Sulfate	Milligrams/L (mg/L)	GW2	86.7	72	31
381	October-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	299	290	31
382	October-21	Chloride	Milligrams/L (mg/L)	JJ15	19.4	2	31
383	October-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ15	297	290	31
384	October-21	Chloride	Milligrams/L (mg/L)	JJ20	9.21	2	31
385	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.64	1.33	31
386	October-21	Sulfate	Milligrams/L (mg/L)	JJ20	80.4	69.5	31
387	October-21	Chloride	Milligrams/L (mg/L)	MW14	15.3	2	31
388	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.35	1.33	31
389	October-21	Specific Conductance (Field)	Micromhos/cm	MW14	716.7	486	31
390	October-21	Sulfate	Milligrams/L (mg/L)	MW14	218	69.5	31
391	October-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	499	290	31
392	October-21	Chloride	Milligrams/L (mg/L)	MW15	21.9	2	31
393	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.48	1.33	31
394	October-21	Specific Conductance (Field)	Micromhos/cm	MW15	797	486	31
395	October-21	Sulfate	Milligrams/L (mg/L)	MW15	229	69.5	31
396	October-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	553	290	31
397	October-21	Chloride	Milligrams/L (mg/L)	MW18	3.89	2	31
398	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.37	1.33	31

Attachment A

	A	B	C	D	E	F	G
399	October-21	Specific Conductance (Field)	Micromhos/cm	MW18	620.3	486	31
400	October-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	374	290	31
401	October-21	Chloride	Milligrams/L (mg/L)	MW2R	18.1	2	31
402	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.46	1.33	31
403	October-21	Specific Conductance (Field)	Micromhos/cm	MW2R	895	486	31
404	October-21	Sulfate	Milligrams/L (mg/L)	MW2R	322	69.5	31
405	October-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	642	290	31
406	October-21	Chloride	Milligrams/L (mg/L)	MW7	7.37	2	31
407	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.81	1.33	31
408	October-21	Chloride	Milligrams/L (mg/L)	MW9	10.2	2	31
409	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.38	1.33	31
410	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.55	0.32	31
411	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.881	0.32	31
412	October-21	Chloride	Milligrams/L (mg/L)	SW2	7.38	2	31
413	October-21	Chloride	Milligrams/L (mg/L)	SW7	5.65	2	31
414	October-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.79	0.32	31
415	October-21	Chloride	Milligrams/L (mg/L)	SW8	10	2	31
416	October-21	Chloride	Milligrams/L (mg/L)	SW9a	5.22	2	31
417	October-21	Sulfate	Milligrams/L (mg/L)	SW9a	113	72	31
418	September-21	Chloride	Milligrams/L (mg/L)	GW2	9.92	2	30
419	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.91	0.32	30
420	September-21	Sulfate	Milligrams/L (mg/L)	GW2	87.8	72	30
421	September-21	Chloride	Milligrams/L (mg/L)	JJ15	19.2	2	30
422	September-21	Chloride	Milligrams/L (mg/L)	JJ20	9.8	2	30
423	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.91	1.33	30
424	September-21	Sulfate	Milligrams/L (mg/L)	JJ20	84.7	69.5	30
425	September-21	Chloride	Milligrams/L (mg/L)	MW14	15.3	2	30
426	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.31	1.33	30
427	September-21	Specific Conductance (Field)	Micromhos/cm	MW14	760	486	30
428	September-21	Sulfate	Milligrams/L (mg/L)	MW14	251	69.5	30
429	September-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	534	290	30

Attachment A

	A	B	C	D	E	F	G
430	September-21	Chloride	Milligrams/L (mg/L)	MW15	21.5	2	30
431	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.73	1.33	30
432	September-21	Specific Conductance (Field)	Micromhos/cm	MW15	798	486	30
433	September-21	Sulfate	Milligrams/L (mg/L)	MW15	242	69.5	30
434	September-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	518	290	30
435	September-21	Chloride	Milligrams/L (mg/L)	MW18	3.84	2	30
436	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.54	1.33	30
437	September-21	Specific Conductance (Field)	Micromhos/cm	MW18	620.7	486	30
438	September-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	367	290	30
439	September-21	Chloride	Milligrams/L (mg/L)	MW2R	17.7	2	30
440	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.45	1.33	30
441	September-21	Specific Conductance (Field)	Micromhos/cm	MW2R	910	486	30
442	September-21	Sulfate	Milligrams/L (mg/L)	MW2R	343	69.5	30
443	September-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	652	290	30
444	September-21	Chloride	Milligrams/L (mg/L)	MW7	7.5	2	30
445	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.5	1.33	30
446	September-21	Chloride	Milligrams/L (mg/L)	MW9	9.52	2	30
447	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.35	1.33	30
448	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.44	0.32	30
449	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.8355	0.32	30
450	September-21	Chloride	Milligrams/L (mg/L)	SW2	7.27	2	30
451	September-21	Chloride	Milligrams/L (mg/L)	SW7	5.01	2	30
452	September-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.35	0.32	30
453	September-21	Chloride	Milligrams/L (mg/L)	SW8	10.2	2	30
454	September-21	Chloride	Milligrams/L (mg/L)	SW9a	4.8	2	30
455	September-21	Sulfate	Milligrams/L (mg/L)	SW9a	118	72	30
456	August-21	Chloride	Milligrams/L (mg/L)	GW2	10	2	31
457	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.63	0.32	31
458	August-21	Sulfate	Milligrams/L (mg/L)	GW2	89.5	72	31
459	August-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	305	290	31
460	August-21	Chloride	Milligrams/L (mg/L)	JJ15	19.4	2	31

Attachment A

	A	B	C	D	E	F	G
461	August-21	Chloride	Milligrams/L (mg/L)	JJ20	5.42	2	31
462	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.11	1.33	31
463	August-21	Chloride	Milligrams/L (mg/L)	MW14	17.1	2	31
464	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.5	1.33	31
465	August-21	Specific Conductance (Field)	Micromhos/cm	MW14	803	486	31
466	August-21	Sulfate	Milligrams/L (mg/L)	MW14	284	69.5	31
467	August-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	593	290	31
468	August-21	Chloride	Milligrams/L (mg/L)	MW15	20.8	2	31
469	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.61	1.33	31
470	August-21	Specific Conductance (Field)	Micromhos/cm	MW15	778	486	31
471	August-21	Sulfate	Milligrams/L (mg/L)	MW15	237	69.5	31
472	August-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	572	290	31
473	August-21	Chloride	Milligrams/L (mg/L)	MW18	3.93	2	31
474	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.73	1.33	31
475	August-21	Specific Conductance (Field)	Micromhos/cm	MW18	622	486	31
476	August-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	349	290	31
477	August-21	Chloride	Milligrams/L (mg/L)	MW2R	17.6	2	31
478	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.56	1.33	31
479	August-21	Specific Conductance (Field)	Micromhos/cm	MW2R	888	486	31
480	August-21	Sulfate	Milligrams/L (mg/L)	MW2R	346	69.5	31
481	August-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	655	290	31
482	August-21	Chloride	Milligrams/L (mg/L)	MW7	9.44	2	31
483	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.5	1.33	31
484	August-21	Sulfate	Milligrams/L (mg/L)	MW7	73.4	69.5	31
485	August-21	Chloride	Milligrams/L (mg/L)	MW9	9.34	2	31
486	August-21	Chloride	Milligrams/L (mg/L)	SW2	7.43	2	31
487	August-21	Chloride	Milligrams/L (mg/L)	SW7	4.89	2	31
488	August-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.14	0.32	31
489	August-21	Chloride	Milligrams/L (mg/L)	SW8	10.2	2	31
490	August-21	Chloride	Milligrams/L (mg/L)	SW9a	4.99	2	31
491	August-21	Sulfate	Milligrams/L (mg/L)	SW9a	122	72	31

Attachment A

	A	B	C	D	E	F	G
492	August-21	Total Dissolved Solids	Milligrams/L (mg/L)	SW9a	342	290	31
493	July-21	Chloride	Milligrams/L (mg/L)	GW2	10.3	2	31
494	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.45	0.32	31
495	July-21	Sulfate	Milligrams/L (mg/L)	GW2	90.8	72	31
496	July-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	298	290	31
497	July-21	Chloride	Milligrams/L (mg/L)	JJ15	18.4	2	31
498	July-21	Chloride	Milligrams/L (mg/L)	JJ20	9.23	2	31
499	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.39	1.33	31
500	July-21	Sulfate	Milligrams/L (mg/L)	JJ20	80.9	69.5	31
501	July-21	Chloride	Milligrams/L (mg/L)	MW14	19.6	2	31
502	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.76	1.33	31
503	July-21	Specific Conductance (Field)	Micromhos/cm	MW14	886	486	31
504	July-21	Sulfate	Milligrams/L (mg/L)	MW14	324	69.5	31
505	July-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	654	290	31
506	July-21	Chloride	Milligrams/L (mg/L)	MW15	18.4	2	31
507	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.5	1.33	31
508	July-21	Specific Conductance (Field)	Micromhos/cm	MW15	749.2	486	31
509	July-21	Sulfate	Milligrams/L (mg/L)	MW15	227	69.5	31
510	July-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	484	290	31
511	July-21	Chloride	Milligrams/L (mg/L)	MW18	3.9	2	31
512	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.48	1.33	31
513	July-21	Specific Conductance (Field)	Micromhos/cm	MW18	609	486	31
514	July-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	361	290	31
515	July-21	Chloride	Milligrams/L (mg/L)	MW2R	15.5	2	31
516	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.58	1.33	31
517	July-21	Specific Conductance (Field)	Micromhos/cm	MW2R	851	486	31
518	July-21	Sulfate	Milligrams/L (mg/L)	MW2R	331	69.5	31
519	July-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	611	290	31
520	July-21	Chloride	Milligrams/L (mg/L)	MW7	9.44	2	31
521	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.77	1.33	31
522	July-21	Sulfate	Milligrams/L (mg/L)	MW7	72.1	69.5	31

Attachment A

	A	B	C	D	E	F	G
523	July-21	Chloride	Milligrams/L (mg/L)	MW9	9.11	2	31
524	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.13	0.32	31
525	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.66	0.32	31
526	July-21	Chloride	Milligrams/L (mg/L)	SW2	7.38	2	31
527	July-21	Chloride	Milligrams/L (mg/L)	SW7	5.66	2	31
528	July-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.86	0.32	31
529	July-21	Chloride	Milligrams/L (mg/L)	SW8	10.4	2	31
530	July-21	Chloride	Milligrams/L (mg/L)	SW9a	4.94	2	31
531	July-21	Sulfate	Milligrams/L (mg/L)	SW9a	134	72	31
532	June-21	Chloride	Milligrams/L (mg/L)	GW2	11.1	2	30
533	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.91	0.32	30
534	June-21	Sulfate	Milligrams/L (mg/L)	GW2	91.1	72	30
535	June-21	Chloride	Milligrams/L (mg/L)	JJ14	23.6	2	30
536	June-21	Specific Conductance (Field)	Micromhos/cm	JJ14	538.4	486	30
537	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	363	290	30
538	June-21	Chloride	Milligrams/L (mg/L)	JJ15	18.6	2	30
539	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ15	322	290	30
540	June-21	Chloride	Milligrams/L (mg/L)	JJ20	8.53	2	30
541	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.16	1.33	30
542	June-21	Sulfate	Milligrams/L (mg/L)	JJ20	74.2	69.5	30
543	June-21	Chloride	Milligrams/L (mg/L)	JJ26	19.2	2	30
544	June-21	Specific Conductance (Field)	Micromhos/cm	JJ26	490.6	486	30
545	June-21	Sulfate	Milligrams/L (mg/L)	JJ26	72.6	69.5	30
546	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	319	290	30
547	June-21	Chloride	Milligrams/L (mg/L)	MW14	21.6	2	30
548	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.85	1.33	30
549	June-21	Specific Conductance (Field)	Micromhos/cm	MW14	924	486	30
550	June-21	Sulfate	Milligrams/L (mg/L)	MW14	324	69.5	30
551	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	692	290	30
552	June-21	Chloride	Milligrams/L (mg/L)	MW15	16.1	2	30
553	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.06	1.33	30

Attachment A

	A	B	C	D	E	F	G
554	June-21	Specific Conductance (Field)	Micromhos/cm	MW15	743.8	486	30
555	June-21	Sulfate	Milligrams/L (mg/L)	MW15	230	69.5	30
556	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	549	290	30
557	June-21	Chloride	Milligrams/L (mg/L)	MW18	3.96	2	30
558	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.15	1.33	30
559	June-21	Specific Conductance (Field)	Micromhos/cm	MW18	624.8	486	30
560	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	388	290	30
561	June-21	Chloride	Milligrams/L (mg/L)	MW2R	13.6	2	30
562	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.68	1.33	30
563	June-21	Specific Conductance (Field)	Micromhos/cm	MW2R	857	486	30
564	June-21	Sulfate	Milligrams/L (mg/L)	MW2R	320	69.5	30
565	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	650	290	30
566	June-21	Chloride	Milligrams/L (mg/L)	MW7	8.53	2	30
567	June-21	Chloride	Milligrams/L (mg/L)	MW9	8.97	2	30
568	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.03	0.32	30
569	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.658	0.32	30
570	June-21	Chloride	Milligrams/L (mg/L)	SW2	7.46	2	30
571	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	SW2	314	290	30
572	June-21	Chloride	Milligrams/L (mg/L)	SW7	5.49	2	30
573	June-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.53	0.32	30
574	June-21	Chloride	Milligrams/L (mg/L)	SW8	10.1	2	30
575	June-21	Chloride	Milligrams/L (mg/L)	SW9a	5.33	2	30
576	June-21	Sulfate	Milligrams/L (mg/L)	SW9a	151	72	30
577	June-21	Total Dissolved Solids	Milligrams/L (mg/L)	SW9a	291	290	30
578	May-21	Chloride	Milligrams/L (mg/L)	GB12	3.1	2	31
579	May-21	Specific Conductance (Field)	Micromhos/cm	GB12	724.75	486	31
580	May-21	Sulfate	Milligrams/L (mg/L)	GB12	259.5	69.5	31
581	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	513.5	290	31
582	May-21	Chloride	Milligrams/L (mg/L)	GW2	12.8	2	31
583	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.15	0.32	31
584	May-21	Sulfate	Milligrams/L (mg/L)	GW2	92.6	72	31

Attachment A

	A	B	C	D	E	F	G
585	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	329	290	31
586	May-21	Chloride	Milligrams/L (mg/L)	JJ14	22.9	2	31
587	May-21	Specific Conductance (Field)	Micromhos/cm	JJ14	507.8	486	31
588	May-21	Sulfate	Milligrams/L (mg/L)	JJ14	75.6	69.5	31
589	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	335	290	31
590	May-21	Chloride	Milligrams/L (mg/L)	JJ15	19.4	2	31
591	May-21	Chloride	Milligrams/L (mg/L)	JJ16	6.44	2	31
592	May-21	Specific Conductance (Field)	Micromhos/cm	JJ16	757.2	486	31
593	May-21	Sulfate	Milligrams/L (mg/L)	JJ16	308	69.5	31
594	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	547	290	31
595	May-21	Chloride	Milligrams/L (mg/L)	JJ20	8.03	2	31
596	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.86	1.33	31
597	May-21	Chloride	Milligrams/L (mg/L)	JJ26	19.9	2	31
598	May-21	Sulfate	Milligrams/L (mg/L)	JJ26	80.3	69.5	31
599	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	316	290	31
600	May-21	Chloride	Milligrams/L (mg/L)	MW14	19.65	2	31
601	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.655	1.33	31
602	May-21	Specific Conductance (Field)	Micromhos/cm	MW14	939.5	486	31
603	May-21	Sulfate	Milligrams/L (mg/L)	MW14	372.5	69.5	31
604	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	672.5	290	31
605	May-21	Chloride	Milligrams/L (mg/L)	MW15	11.95	2	31
606	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.035	1.33	31
607	May-21	Specific Conductance (Field)	Micromhos/cm	MW15	631.8	486	31
608	May-21	Sulfate	Milligrams/L (mg/L)	MW15	183.5	69.5	31
609	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	414.5	290	31
610	May-21	Chloride	Milligrams/L (mg/L)	MW18	4.26	2	31
611	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.55	1.33	31
612	May-21	Specific Conductance (Field)	Micromhos/cm	MW18	609.4	486	31
613	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	378.5	290	31
614	May-21	Chloride	Milligrams/L (mg/L)	MW2R	12	2	31
615	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.53	1.33	31

Attachment A

	A	B	C	D	E	F	G
616	May-21	Specific Conductance (Field)	Micromhos/cm	MW2R	814	486	31
617	May-21	Sulfate	Milligrams/L (mg/L)	MW2R	313.5	69.5	31
618	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	568.5	290	31
619	May-21	Chloride	Milligrams/L (mg/L)	MW7	8.34	2	31
620	May-21	Chloride	Milligrams/L (mg/L)	MW9	8.79	2	31
621	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.847	0.32	31
622	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW12	0.339	0.32	31
623	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.61	0.32	31
624	May-21	Chloride	Milligrams/L (mg/L)	SW2	7.97	2	31
625	May-21	Chloride	Milligrams/L (mg/L)	SW7	6.26	2	31
626	May-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.25	0.32	31
627	May-21	Chloride	Milligrams/L (mg/L)	SW8	10.8	2	31
628	May-21	Chloride	Milligrams/L (mg/L)	SW9a	4.51	2	31
629	May-21	Sulfate	Milligrams/L (mg/L)	SW9a	178	72	31
630	May-21	Total Dissolved Solids	Milligrams/L (mg/L)	SW9a	306	290	31
631	April-21	Specific Conductance (Field)	Micromhos/cm	GB12	652.1	486	30
632	April-21	Sulfate	Milligrams/L (mg/L)	GB12	231	69.5	30
633	April-21	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	451	290	30
634	April-21	Chloride	Milligrams/L (mg/L)	GW2	12.6	2	30
635	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.55	0.32	30
636	April-21	Sulfate	Milligrams/L (mg/L)	GW2	85.8	72	30
637	April-21	Chloride	Milligrams/L (mg/L)	JJ14	21.7	2	30
638	April-21	Specific Conductance (Field)	Micromhos/cm	JJ14	486.6	486	30
639	April-21	Sulfate	Milligrams/L (mg/L)	JJ14	78.3	69.5	30
640	April-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	303	290	30
641	April-21	Chloride	Milligrams/L (mg/L)	JJ15	18.9	2	30
642	April-21	Chloride	Milligrams/L (mg/L)	JJ16	7.25	2	30
643	April-21	Specific Conductance (Field)	Micromhos/cm	JJ16	807.5	486	30
644	April-21	Sulfate	Milligrams/L (mg/L)	JJ16	293	69.5	30
645	April-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	556	290	30
646	April-21	Chloride	Milligrams/L (mg/L)	JJ20	5.71	2	30

Attachment A

	A	B	C	D	E	F	G
647	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.91	1.33	30
648	April-21	Chloride	Milligrams/L (mg/L)	JJ26	15	2	30
649	April-21	Sulfate	Milligrams/L (mg/L)	JJ26	72.3	69.5	30
650	April-21	Chloride	Milligrams/L (mg/L)	MW14	14.95	2	30
651	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.125	1.33	30
652	April-21	Specific Conductance (Field)	Micromhos/cm	MW14	724.35	486	30
653	April-21	Sulfate	Milligrams/L (mg/L)	MW14	226.5	69.5	30
654	April-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	485	290	30
655	April-21	Chloride	Milligrams/L (mg/L)	MW15	14.45	2	30
656	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.38	1.33	30
657	April-21	Specific Conductance (Field)	Micromhos/cm	MW15	649.05	486	30
658	April-21	Sulfate	Milligrams/L (mg/L)	MW15	187.5	69.5	30
659	April-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	418	290	30
660	April-21	Chloride	Milligrams/L (mg/L)	MW18	4.115	2	30
661	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.995	1.33	30
662	April-21	Specific Conductance (Field)	Micromhos/cm	MW18	618.15	486	30
663	April-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	362	290	30
664	April-21	Chloride	Milligrams/L (mg/L)	MW2R	11.5	2	30
665	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.215	1.33	30
666	April-21	Specific Conductance (Field)	Micromhos/cm	MW2R	813	486	30
667	April-21	Sulfate	Milligrams/L (mg/L)	MW2R	313	69.5	30
668	April-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	551.5	290	30
669	April-21	Chloride	Milligrams/L (mg/L)	MW7	7.93	2	30
670	April-21	Chloride	Milligrams/L (mg/L)	MW9	9.66	2	30
671	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.33	1.33	30
672	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.62	0.32	30
673	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.321	0.32	30
674	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.2	0.32	30
675	April-21	Chloride	Milligrams/L (mg/L)	SW2	8.51	2	30
676	April-21	Chloride	Milligrams/L (mg/L)	SW7	5.14	2	30
677	April-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.58	0.32	30

Attachment A

	A	B	C	D	E	F	G
678	April-21	Chloride	Milligrams/L (mg/L)	SW8	9.21	2	30
679	March-21	Chloride	Milligrams/L (mg/L)	GW2	10.2	2	31
680	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.3	0.32	31
681	March-21	Sulfate	Milligrams/L (mg/L)	GW2	84	72	31
682	March-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	311	290	31
683	March-21	Chloride	Milligrams/L (mg/L)	JJ14	19.9	2	31
684	March-21	Specific Conductance (Field)	Micromhos/cm	JJ14	507.9	486	31
685	March-21	Sulfate	Milligrams/L (mg/L)	JJ14	79.6	69.5	31
686	March-21	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	299	290	31
687	March-21	Chloride	Milligrams/L (mg/L)	JJ15	19.2	2	31
688	March-21	Chloride	Milligrams/L (mg/L)	JJ20	3.69	2	31
689	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.62	1.33	31
690	March-21	Chloride	Milligrams/L (mg/L)	JJ26	13.8	2	31
691	March-21	Sulfate	Milligrams/L (mg/L)	JJ26	74.8	69.5	31
692	March-21	Chloride	Milligrams/L (mg/L)	MW14	13.5	2	31
693	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.17	1.33	31
694	March-21	Specific Conductance (Field)	Micromhos/cm	MW14	660.2	486	31
695	March-21	Sulfate	Milligrams/L (mg/L)	MW14	196	69.5	31
696	March-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	460	290	31
697	March-21	Chloride	Milligrams/L (mg/L)	MW15	22.8	2	31
698	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.52	1.33	31
699	March-21	Specific Conductance (Field)	Micromhos/cm	MW15	781	486	31
700	March-21	Sulfate	Milligrams/L (mg/L)	MW15	239	69.5	31
701	March-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	523	290	31
702	March-21	Chloride	Milligrams/L (mg/L)	MW18	4.13	2	31
703	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	10.6	1.33	31
704	March-21	Specific Conductance (Field)	Micromhos/cm	MW18	622.3	486	31
705	March-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	389	290	31
706	March-21	Chloride	Milligrams/L (mg/L)	MW2R	15	2	31
707	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.56	1.33	31
708	March-21	Specific Conductance (Field)	Micromhos/cm	MW2R	859	486	31

Attachment A

	A	B	C	D	E	F	G
709	March-21	Sulfate	Milligrams/L (mg/L)	MW2R	332	69.5	31
710	March-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	548	290	31
711	March-21	Chloride	Milligrams/L (mg/L)	MW7	5.44	2	31
712	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.65	1.33	31
713	March-21	Chloride	Milligrams/L (mg/L)	MW9	11.1	2	31
714	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.74	1.33	31
715	March-21	Sulfate	Milligrams/L (mg/L)	MW9	81.5	69.5	31
716	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.56	0.32	31
717	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.2	0.32	31
718	March-21	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	297	290	31
719	March-21	Chloride	Milligrams/L (mg/L)	SW2	7.88	2	31
720	March-21	Chloride	Milligrams/L (mg/L)	SW7	3.96	2	31
721	March-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.46	0.32	31
722	March-21	Chloride	Milligrams/L (mg/L)	SW8	9.38	2	31
723	February-21	Chloride	Milligrams/L (mg/L)	GW2	10.4	2	28
724	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.73	0.32	28
725	February-21	Sulfate	Milligrams/L (mg/L)	GW2	84.7	72	28
726	February-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	304	290	28
727	February-21	Chloride	Milligrams/L (mg/L)	JJ15	17.9	2	28
728	February-21	Chloride	Milligrams/L (mg/L)	JJ20	2.55	2	28
729	February-21	Chloride	Milligrams/L (mg/L)	MW14	14.4	2	28
730	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.11	1.33	28
731	February-21	Specific Conductance (Field)	Micromhos/cm	MW14	697.4	486	28
732	February-21	Sulfate	Milligrams/L (mg/L)	MW14	213	69.5	28
733	February-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	509	290	28
734	February-21	Chloride	Milligrams/L (mg/L)	MW15	22.6	2	28
735	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.25	1.33	28
736	February-21	Specific Conductance (Field)	Micromhos/cm	MW15	784	486	28
737	February-21	Sulfate	Milligrams/L (mg/L)	MW15	229	69.5	28
738	February-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	576	290	28
739	February-21	Chloride	Milligrams/L (mg/L)	MW18	3.98	2	28

Attachment A

	A	B	C	D	E	F	G
740	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	9.96	1.33	28
741	February-21	Specific Conductance (Field)	Micromhos/cm	MW18	626.1	486	28
742	February-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	368	290	28
743	February-21	Chloride	Milligrams/L (mg/L)	MW2R	15.8	2	28
744	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.34	1.33	28
745	February-21	Specific Conductance (Field)	Micromhos/cm	MW2R	873	486	28
746	February-21	Sulfate	Milligrams/L (mg/L)	MW2R	331	69.5	28
747	February-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	610	290	28
748	February-21	Chloride	Milligrams/L (mg/L)	MW7	7.43	2	28
749	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.71	1.33	28
750	February-21	Chloride	Milligrams/L (mg/L)	MW9	11.1	2	28
751	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.57	1.33	28
752	February-21	Sulfate	Milligrams/L (mg/L)	MW9	77.3	69.5	28
753	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.31	0.32	28
754	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.08	0.32	28
755	February-21	Chloride	Milligrams/L (mg/L)	SW2	7.55	2	28
756	February-21	Chloride	Milligrams/L (mg/L)	SW7	3.12	2	28
757	February-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1	0.32	28
758	February-21	Chloride	Milligrams/L (mg/L)	SW8	9.15	2	28
759	January-21	Chloride	Milligrams/L (mg/L)	GW2	10.3	2	31
760	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.32	0.32	31
761	January-21	Sulfate	Milligrams/L (mg/L)	GW2	85	72	31
762	January-21	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	347	290	31
763	January-21	Chloride	Milligrams/L (mg/L)	JJ15	18	2	31
764	January-21	Chloride	Milligrams/L (mg/L)	JJ20	3.89	2	31
765	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.62	1.33	31
766	January-21	Chloride	Milligrams/L (mg/L)	MW14	15.5	2	31
767	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.22	1.33	31
768	January-21	Specific Conductance (Field)	Micromhos/cm	MW14	729.6	486	31
769	January-21	Sulfate	Milligrams/L (mg/L)	MW14	236	69.5	31
770	January-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	519	290	31

Attachment A

	A	B	C	D	E	F	G
771	January-21	Chloride	Milligrams/L (mg/L)	MW15	23.6	2	31
772	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.98	1.33	31
773	January-21	Specific Conductance (Field)	Micromhos/cm	MW15	789	486	31
774	January-21	Sulfate	Milligrams/L (mg/L)	MW15	231	69.5	31
775	January-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	548	290	31
776	January-21	Chloride	Milligrams/L (mg/L)	MW18	3.98	2	31
777	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	10.3	1.33	31
778	January-21	Specific Conductance (Field)	Micromhos/cm	MW18	635.2	486	31
779	January-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	400	290	31
780	January-21	Chloride	Milligrams/L (mg/L)	MW2R	17.5	2	31
781	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.44	1.33	31
782	January-21	Specific Conductance (Field)	Micromhos/cm	MW2R	908	486	31
783	January-21	Sulfate	Milligrams/L (mg/L)	MW2R	336	69.5	31
784	January-21	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	653	290	31
785	January-21	Chloride	Milligrams/L (mg/L)	MW7	10.1	2	31
786	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.68	1.33	31
787	January-21	Sulfate	Milligrams/L (mg/L)	MW7	75.2	69.5	31
788	January-21	Chloride	Milligrams/L (mg/L)	MW9	10.3	2	31
789	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.08	1.33	31
790	January-21	Sulfate	Milligrams/L (mg/L)	MW9	73	69.5	31
791	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.2	0.32	31
792	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.15	0.32	31
793	January-21	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	293	290	31
794	January-21	Chloride	Milligrams/L (mg/L)	SW2	7.95	2	31
795	January-21	Chloride	Milligrams/L (mg/L)	SW7	4.36	2	31
796	January-21	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.78	0.32	31
797	January-21	Chloride	Milligrams/L (mg/L)	SW8	9.06	2	31
798	December-20	Chloride	Milligrams/L (mg/L)	GW2	10.5	2	31
799	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.52	0.32	31
800	December-20	Sulfate	Milligrams/L (mg/L)	GW2	84.1	72	31
801	December-20	Chloride	Milligrams/L (mg/L)	JJ15	17.4	2	31

Attachment A

	A	B	C	D	E	F	G
802	December-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ15	308	290	31
803	December-20	Chloride	Milligrams/L (mg/L)	JJ20	10.6	2	31
804	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.27	1.33	31
805	December-20	Sulfate	Milligrams/L (mg/L)	JJ20	82.9	69.5	31
806	December-20	Chloride	Milligrams/L (mg/L)	JJ26	13.2	2	31
807	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ26	1.42	1.33	31
808	December-20	Specific Conductance (Field)	Micromhos/cm	JJ26	508.8	486	31
809	December-20	Sulfate	Milligrams/L (mg/L)	JJ26	75.2	69.5	31
810	December-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	316	290	31
811	December-20	Chloride	Milligrams/L (mg/L)	MW14	16.5	2	31
812	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.29	1.33	31
813	December-20	Specific Conductance (Field)	Micromhos/cm	MW14	779	486	31
814	December-20	Sulfate	Milligrams/L (mg/L)	MW14	259	69.5	31
815	December-20	Chloride	Milligrams/L (mg/L)	MW15	22.9	2	31
816	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.42	1.33	31
817	December-20	Specific Conductance (Field)	Micromhos/cm	MW15	801	486	31
818	December-20	Sulfate	Milligrams/L (mg/L)	MW15	225	69.5	31
819	December-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	544	290	31
820	December-20	Chloride	Milligrams/L (mg/L)	MW18	3.94	2	31
821	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	10.7	1.33	31
822	December-20	Specific Conductance (Field)	Micromhos/cm	MW18	632.7	486	31
823	December-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	325	290	31
824	December-20	Chloride	Milligrams/L (mg/L)	MW2R	17.9	2	31
825	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.24	1.33	31
826	December-20	Specific Conductance (Field)	Micromhos/cm	MW2R	914	486	31
827	December-20	Sulfate	Milligrams/L (mg/L)	MW2R	321	69.5	31
828	December-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	646	290	31
829	December-20	Chloride	Milligrams/L (mg/L)	MW7	9.68	2	31
830	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.35	1.33	31
831	December-20	Sulfate	Milligrams/L (mg/L)	MW7	70.7	69.5	31
832	December-20	Chloride	Milligrams/L (mg/L)	MW9	10.5	2	31

Attachment A

	A	B	C	D	E	F	G
833	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.72	1.33	31
834	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.08	0.32	31
835	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.16	0.32	31
836	December-20	Chloride	Milligrams/L (mg/L)	SW2	7.74	2	31
837	December-20	Chloride	Milligrams/L (mg/L)	SW7	7.17	2	31
838	December-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.81	0.32	31
839	December-20	Total Dissolved Solids	Milligrams/L (mg/L)	SW7	302	290	31
840	December-20	Chloride	Milligrams/L (mg/L)	SW8	8.88	2	31
841	December-20	Chloride	Milligrams/L (mg/L)	SW9a	5.4	2	31
842	December-20	Sulfate	Milligrams/L (mg/L)	SW9a	102	72	31
843	November-20	Chloride	Milligrams/L (mg/L)	GW2	10.7	2	30
844	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.96	0.32	30
845	November-20	Sulfate	Milligrams/L (mg/L)	GW2	86.8	72	30
846	November-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	298	290	30
847	November-20	Chloride	Milligrams/L (mg/L)	JJ15	18.8	2	30
848	November-20	Chloride	Milligrams/L (mg/L)	JJ20	11.1	2	30
849	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.77	1.33	30
850	November-20	Sulfate	Milligrams/L (mg/L)	JJ20	85.3	69.5	30
851	November-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ20	309	290	30
852	November-20	Chloride	Milligrams/L (mg/L)	JJ26	14	2	30
853	November-20	Specific Conductance (Field)	Micromhos/cm	JJ26	505	486	30
854	November-20	Sulfate	Milligrams/L (mg/L)	JJ26	78.7	69.5	30
855	November-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	299	290	30
856	November-20	Chloride	Milligrams/L (mg/L)	MW14	18	2	30
857	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.42	1.33	30
858	November-20	Specific Conductance (Field)	Micromhos/cm	MW14	837	486	30
859	November-20	Sulfate	Milligrams/L (mg/L)	MW14	297	69.5	30
860	November-20	Chloride	Milligrams/L (mg/L)	MW15	23.4	2	30
861	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.97	1.33	30
862	November-20	Specific Conductance (Field)	Micromhos/cm	MW15	785	486	30
863	November-20	Sulfate	Milligrams/L (mg/L)	MW15	228	69.5	30

Attachment A

	A	B	C	D	E	F	G
864	November-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	518	290	30
865	November-20	Chloride	Milligrams/L (mg/L)	MW18	4.13	2	30
866	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	10.7	1.33	30
867	November-20	Specific Conductance (Field)	Micromhos/cm	MW18	629	486	30
868	November-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	365	290	30
869	November-20	Chloride	Milligrams/L (mg/L)	MW2R	20.1	2	30
870	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.64	1.33	30
871	November-20	Specific Conductance (Field)	Micromhos/cm	MW2R	911	486	30
872	November-20	Sulfate	Milligrams/L (mg/L)	MW2R	342	69.5	30
873	November-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	609	290	30
874	November-20	Chloride	Milligrams/L (mg/L)	MW7	9.99	2	30
875	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.01	1.33	30
876	November-20	Sulfate	Milligrams/L (mg/L)	MW7	74.5	69.5	30
877	November-20	Chloride	Milligrams/L (mg/L)	MW9	10.6	2	30
878	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.69	0.32	30
879	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.964	0.32	30
880	November-20	Chloride	Milligrams/L (mg/L)	SW2	7.69	2	30
881	November-20	Chloride	Milligrams/L (mg/L)	SW7	7.38	2	30
882	November-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.84	0.32	30
883	November-20	Chloride	Milligrams/L (mg/L)	SW8	9.26	2	30
884	November-20	Chloride	Milligrams/L (mg/L)	SW9a	5.43	2	30
885	November-20	Sulfate	Milligrams/L (mg/L)	SW9a	104	72	30
886	October-20	Chloride	Milligrams/L (mg/L)	GW2	11.2	2	31
887	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.64	0.32	31
888	October-20	Sulfate	Milligrams/L (mg/L)	GW2	86.8	72	31
889	October-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	310	290	31
890	October-20	Chloride	Milligrams/L (mg/L)	JJ15	19.6	2	31
891	October-20	Chloride	Milligrams/L (mg/L)	JJ20	11	2	31
892	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.76	1.33	31
893	October-20	Sulfate	Milligrams/L (mg/L)	JJ20	84.2	69.5	31
894	October-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ20	305	290	31

Attachment A

	A	B	C	D	E	F	G
895	October-20	Chloride	Milligrams/L (mg/L)	MW14	19.7	2	31
896	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.77	1.33	31
897	October-20	Specific Conductance (Field)	Micromhos/cm	MW14	909	486	31
898	October-20	Sulfate	Milligrams/L (mg/L)	MW14	321	69.5	31
899	October-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	613	290	31
900	October-20	Chloride	Milligrams/L (mg/L)	MW15	22.2	2	31
901	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	5.08	1.33	31
902	October-20	Specific Conductance (Field)	Micromhos/cm	MW15	780	486	31
903	October-20	Sulfate	Milligrams/L (mg/L)	MW15	221	69.5	31
904	October-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	509	290	31
905	October-20	Chloride	Milligrams/L (mg/L)	MW18	4.07	2	31
906	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	10.7	1.33	31
907	October-20	Specific Conductance (Field)	Micromhos/cm	MW18	635.9	486	31
908	October-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	391	290	31
909	October-20	Chloride	Milligrams/L (mg/L)	MW2R	19.4	2	31
910	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.96	1.33	31
911	October-20	Specific Conductance (Field)	Micromhos/cm	MW2R	910	486	31
912	October-20	Sulfate	Milligrams/L (mg/L)	MW2R	333	69.5	31
913	October-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	649	290	31
914	October-20	Chloride	Milligrams/L (mg/L)	MW7	8.59	2	31
915	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.4	1.33	31
916	October-20	Chloride	Milligrams/L (mg/L)	MW9	10.2	2	31
917	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.36	0.32	31
918	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.957	0.32	31
919	October-20	Chloride	Milligrams/L (mg/L)	SW2	7.69	2	31
920	October-20	Chloride	Milligrams/L (mg/L)	SW7	6.72	2	31
921	October-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.71	0.32	31
922	October-20	Chloride	Milligrams/L (mg/L)	SW8	9.63	2	31
923	October-20	Chloride	Milligrams/L (mg/L)	SW9a	4.93	2	31
924	October-20	Sulfate	Milligrams/L (mg/L)	SW9a	107	72	31
925	September-20	Chloride	Milligrams/L (mg/L)	GW2	11.7	2	30

Attachment A

	A	B	C	D	E	F	G
926	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.76	0.32	30
927	September-20	Sulfate	Milligrams/L (mg/L)	GW2	90.4	72	30
928	September-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	294	290	30
929	September-20	Chloride	Milligrams/L (mg/L)	JJ15	18.9	2	30
930	September-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ15	309	290	30
931	September-20	Chloride	Milligrams/L (mg/L)	JJ20	11	2	30
932	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.44	1.33	30
933	September-20	Sulfate	Milligrams/L (mg/L)	JJ20	84.2	69.5	30
934	September-20	Chloride	Milligrams/L (mg/L)	MW14	24.1	2	30
935	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.87	1.33	30
936	September-20	Specific Conductance (Field)	Micromhos/cm	MW14	883	486	30
937	September-20	Sulfate	Milligrams/L (mg/L)	MW14	367	69.5	30
938	September-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	675	290	30
939	September-20	Chloride	Milligrams/L (mg/L)	MW15	20	2	30
940	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	5.5	1.33	30
941	September-20	Specific Conductance (Field)	Micromhos/cm	MW15	679	486	30
942	September-20	Sulfate	Milligrams/L (mg/L)	MW15	215	69.5	30
943	September-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	438	290	30
944	September-20	Chloride	Milligrams/L (mg/L)	MW18	4.16	2	30
945	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	11.2	1.33	30
946	September-20	Specific Conductance (Field)	Micromhos/cm	MW18	612	486	30
947	September-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	315	290	30
948	September-20	Chloride	Milligrams/L (mg/L)	MW2R	18.3	2	30
949	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.9	1.33	30
950	September-20	Specific Conductance (Field)	Micromhos/cm	MW2R	830	486	30
951	September-20	Sulfate	Milligrams/L (mg/L)	MW2R	328	69.5	30
952	September-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	608	290	30
953	September-20	Chloride	Milligrams/L (mg/L)	MW7	10	2	30
954	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.95	1.33	30
955	September-20	Sulfate	Milligrams/L (mg/L)	MW7	70.5	69.5	30
956	September-20	Chloride	Milligrams/L (mg/L)	MW9	9.85	2	30

Attachment A

	A	B	C	D	E	F	G
957	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.27	0.32	30
958	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.957	0.32	30
959	September-20	Chloride	Milligrams/L (mg/L)	SW2	7.86	2	30
960	September-20	Chloride	Milligrams/L (mg/L)	SW7	6.62	2	30
961	September-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.45	0.32	30
962	September-20	Chloride	Milligrams/L (mg/L)	SW8	9.71	2	30
963	September-20	Chloride	Milligrams/L (mg/L)	SW9a	4.72	2	30
964	September-20	Sulfate	Milligrams/L (mg/L)	SW9a	113	72	30
965	August-20	Chloride	Milligrams/L (mg/L)	GW2	11.9	2	31
966	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.86	0.32	31
967	August-20	Sulfate	Milligrams/L (mg/L)	GW2	88.3	72	31
968	August-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	299	290	31
969	August-20	Chloride	Milligrams/L (mg/L)	JJ15	17.5	2	31
970	August-20	Chloride	Milligrams/L (mg/L)	JJ20	10.2	2	31
971	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.09	1.33	31
972	August-20	Sulfate	Milligrams/L (mg/L)	JJ20	75	69.5	31
973	August-20	Chloride	Milligrams/L (mg/L)	JJ26	19.1	2	31
974	August-20	Specific Conductance (Field)	Micromhos/cm	JJ26	531.6	486	31
975	August-20	Sulfate	Milligrams/L (mg/L)	JJ26	70.3	69.5	31
976	August-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	335	290	31
977	August-20	Chloride	Milligrams/L (mg/L)	MW14	26.3	2	31
978	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.91	1.33	31
979	August-20	Specific Conductance (Field)	Micromhos/cm	MW14	1062	486	31
980	August-20	Sulfate	Milligrams/L (mg/L)	MW14	383	69.5	31
981	August-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	748	290	31
982	August-20	Chloride	Milligrams/L (mg/L)	MW15	19.7	2	31
983	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	5.3	1.33	31
984	August-20	Specific Conductance (Field)	Micromhos/cm	MW15	778.4	486	31
985	August-20	Sulfate	Milligrams/L (mg/L)	MW15	227	69.5	31
986	August-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	491	290	31
987	August-20	Chloride	Milligrams/L (mg/L)	MW18	4.03	2	31

Attachment A

	A	B	C	D	E	F	G
988	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	10.9	1.33	31
989	August-20	Specific Conductance (Field)	Micromhos/cm	MW18	689.9	486	31
990	August-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	407	290	31
991	August-20	Chloride	Milligrams/L (mg/L)	MW2R	16.1	2	31
992	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.58	1.33	31
993	August-20	Specific Conductance (Field)	Micromhos/cm	MW2R	896	486	31
994	August-20	Sulfate	Milligrams/L (mg/L)	MW2R	316	69.5	31
995	August-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	605	290	31
996	August-20	Chloride	Milligrams/L (mg/L)	MW7	7.45	2	31
997	August-20	Chloride	Milligrams/L (mg/L)	MW9	9.33	2	31
998	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.85	0.32	31
999	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.91	0.32	31
1000	August-20	Chloride	Milligrams/L (mg/L)	SW2	8.18	2	31
1001	August-20	Chloride	Milligrams/L (mg/L)	SW7	6.44	2	31
1002	August-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.98	0.32	31
1003	August-20	Chloride	Milligrams/L (mg/L)	SW8	10.3	2	31
1004	August-20	Chloride	Milligrams/L (mg/L)	SW9a	3.35	2	31
1005	August-20	Sulfate	Milligrams/L (mg/L)	SW9a	88.4	72	31
1006	July-20	Chloride	Milligrams/L (mg/L)	GW2	12.1	2	31
1007	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.41	0.32	31
1008	July-20	Sulfate	Milligrams/L (mg/L)	GW2	85.9	72	31
1009	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	300	290	31
1010	July-20	Chloride	Milligrams/L (mg/L)	JJ14	21.4	2	31
1011	July-20	Specific Conductance (Field)	Micromhos/cm	JJ14	557.9	486	31
1012	July-20	Sulfate	Milligrams/L (mg/L)	JJ14	71.8	69.5	31
1013	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	352	290	31
1014	July-20	Chloride	Milligrams/L (mg/L)	JJ15	17.4	2	31
1015	July-20	Chloride	Milligrams/L (mg/L)	JJ16	3.14	2	31
1016	July-20	Specific Conductance (Field)	Micromhos/cm	JJ16	831.7	486	31
1017	July-20	Sulfate	Milligrams/L (mg/L)	JJ16	270	69.5	31
1018	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	568	290	31

Attachment A

	A	B	C	D	E	F	G
1019	July-20	Chloride	Milligrams/L (mg/L)	JJ20	6.49	2	31
1020	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.39	1.33	31
1021	July-20	Chloride	Milligrams/L (mg/L)	JJ26	18.5	2	31
1022	July-20	Specific Conductance (Field)	Micromhos/cm	JJ26	524.7	486	31
1023	July-20	Sulfate	Milligrams/L (mg/L)	JJ26	70.1	69.5	31
1024	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	316	290	31
1025	July-20	Chloride	Milligrams/L (mg/L)	MW14	27.1	2	31
1026	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.87	1.33	31
1027	July-20	Specific Conductance (Field)	Micromhos/cm	MW14	1077	486	31
1028	July-20	Sulfate	Milligrams/L (mg/L)	MW14	399	69.5	31
1029	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	775	290	31
1030	July-20	Chloride	Milligrams/L (mg/L)	MW15	20.5	2	31
1031	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.79	1.33	31
1032	July-20	Specific Conductance (Field)	Micromhos/cm	MW15	791.3	486	31
1033	July-20	Sulfate	Milligrams/L (mg/L)	MW15	228	69.5	31
1034	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	571	290	31
1035	July-20	Chloride	Milligrams/L (mg/L)	MW18	4.08	2	31
1036	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	12.6	1.33	31
1037	July-20	Specific Conductance (Field)	Micromhos/cm	MW18	664.8	486	31
1038	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	398	290	31
1039	July-20	Chloride	Milligrams/L (mg/L)	MW2R	13.2	2	31
1040	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.23	1.33	31
1041	July-20	Specific Conductance (Field)	Micromhos/cm	MW2R	860.8	486	31
1042	July-20	Sulfate	Milligrams/L (mg/L)	MW2R	312	69.5	31
1043	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	588	290	31
1044	July-20	Chloride	Milligrams/L (mg/L)	MW7	7.02	2	31
1045	July-20	Chloride	Milligrams/L (mg/L)	MW9	8.45	2	31
1046	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.77	0.32	31
1047	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.3	0.32	31
1048	July-20	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	306	290	31
1049	July-20	Chloride	Milligrams/L (mg/L)	SW2	7.52	2	31

Attachment A

	A	B	C	D	E	F	G
1050	July-20	Chloride	Milligrams/L (mg/L)	SW7	4.84	2	31
1051	July-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.4	0.32	31
1052	July-20	Chloride	Milligrams/L (mg/L)	SW8	9.79	2	31
1053	June-20	Chloride	Milligrams/L (mg/L)	GB12	2.58	2	30
1054	June-20	Specific Conductance (Field)	Micromhos/cm	GB12	824.9	486	30
1055	June-20	Sulfate	Milligrams/L (mg/L)	GB12	279	69.5	30
1056	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	565	290	30
1057	June-20	Chloride	Milligrams/L (mg/L)	GW2	14.3	2	30
1058	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.19	0.32	30
1059	June-20	Sulfate	Milligrams/L (mg/L)	GW2	88.8	72	30
1060	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	317	290	30
1061	June-20	Chloride	Milligrams/L (mg/L)	JJ14	18.4	2	30
1062	June-20	Specific Conductance (Field)	Micromhos/cm	JJ14	524.7	486	30
1063	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	331	290	30
1064	June-20	Chloride	Milligrams/L (mg/L)	JJ15	17.6	2	30
1065	June-20	Chloride	Milligrams/L (mg/L)	JJ16	5.11	2	30
1066	June-20	Specific Conductance (Field)	Micromhos/cm	JJ16	829.8	486	30
1067	June-20	Sulfate	Milligrams/L (mg/L)	JJ16	286	69.5	30
1068	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	599	290	30
1069	June-20	Chloride	Milligrams/L (mg/L)	JJ20	8.6	2	30
1070	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.77	1.33	30
1071	June-20	Chloride	Milligrams/L (mg/L)	JJ26	16.8	2	30
1072	June-20	Specific Conductance (Field)	Micromhos/cm	JJ26	489.1	486	30
1073	June-20	Sulfate	Milligrams/L (mg/L)	JJ26	70.1	69.5	30
1074	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	320	290	30
1075	June-20	Chloride	Milligrams/L (mg/L)	MW14	22.6	2	30
1076	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.41	1.33	30
1077	June-20	Specific Conductance (Field)	Micromhos/cm	MW14	964	486	30
1078	June-20	Sulfate	Milligrams/L (mg/L)	MW14	353	69.5	30
1079	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	720	290	30
1080	June-20	Chloride	Milligrams/L (mg/L)	MW15	12.5	2	30

Attachment A

	A	B	C	D	E	F	G
1081	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.91	1.33	30
1082	June-20	Specific Conductance (Field)	Micromhos/cm	MW15	686.8	486	30
1083	June-20	Sulfate	Milligrams/L (mg/L)	MW15	192	69.5	30
1084	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	465	290	30
1085	June-20	Chloride	Milligrams/L (mg/L)	MW18	4.69	2	30
1086	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	11.6	1.33	30
1087	June-20	Specific Conductance (Field)	Micromhos/cm	MW18	649.2	486	30
1088	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	376	290	30
1089	June-20	Chloride	Milligrams/L (mg/L)	MW2R	12	2	30
1090	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.74	1.33	30
1091	June-20	Specific Conductance (Field)	Micromhos/cm	MW2R	817.7	486	30
1092	June-20	Sulfate	Milligrams/L (mg/L)	MW2R	293	69.5	30
1093	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	570	290	30
1094	June-20	Chloride	Milligrams/L (mg/L)	MW7	8.85	2	30
1095	June-20	Chloride	Milligrams/L (mg/L)	MW9	8.09	2	30
1096	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.63	0.32	30
1097	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.69	0.32	30
1098	June-20	Chloride	Milligrams/L (mg/L)	SW2	9.55	2	30
1099	June-20	Chloride	Milligrams/L (mg/L)	SW7	5.6	2	30
1100	June-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.96	0.32	30
1101	June-20	Chloride	Milligrams/L (mg/L)	SW8	11.3	2	30
1102	June-20	Chloride	Milligrams/L (mg/L)	SW9a	4.76	2	30
1103	June-20	Sulfate	Milligrams/L (mg/L)	SW9a	151	72	30
1104	June-20	Total Dissolved Solids	Milligrams/L (mg/L)	SW9a	294	290	30
1105	May-20	Chloride	Milligrams/L (mg/L)	GB12	2.25	2	31
1106	May-20	Specific Conductance (Field)	Micromhos/cm	GB12	688.5	486	31
1107	May-20	Sulfate	Milligrams/L (mg/L)	GB12	215	69.5	31
1108	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	461	290	31
1109	May-20	Chloride	Milligrams/L (mg/L)	GW2	15.7	2	31
1110	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.4	0.32	31
1111	May-20	Sulfate	Milligrams/L (mg/L)	GW2	92	72	31

Attachment A

	A	B	C	D	E	F	G
1112	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	316	290	31
1113	May-20	Chloride	Milligrams/L (mg/L)	JJ14	17.9	2	31
1114	May-20	Specific Conductance (Field)	Micromhos/cm	JJ14	499.6	486	31
1115	May-20	Sulfate	Milligrams/L (mg/L)	JJ14	70.1	69.5	31
1116	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	328	290	31
1117	May-20	Chloride	Milligrams/L (mg/L)	JJ15	18.2	2	31
1118	May-20	Chloride	Milligrams/L (mg/L)	JJ16	4.8	2	31
1119	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.34	1.33	31
1120	May-20	Specific Conductance (Field)	Micromhos/cm	JJ16	703.8	486	31
1121	May-20	Sulfate	Milligrams/L (mg/L)	JJ16	228	69.5	31
1122	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	496	290	31
1123	May-20	Chloride	Milligrams/L (mg/L)	JJ18	2.15	2	31
1124	May-20	Chloride	Milligrams/L (mg/L)	JJ20	10.1	2	31
1125	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.61	1.33	31
1126	May-20	Chloride	Milligrams/L (mg/L)	JJ26	13.9	2	31
1127	May-20	Sulfate	Milligrams/L (mg/L)	JJ26	69.8	69.5	31
1128	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	297	290	31
1129	May-20	Chloride	Milligrams/L (mg/L)	MW14	17.7	2	31
1130	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.895	1.33	31
1131	May-20	Specific Conductance (Field)	Micromhos/cm	MW14	836.05	486	31
1132	May-20	Sulfate	Milligrams/L (mg/L)	MW14	306.5	69.5	31
1133	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	588.5	290	31
1134	May-20	Chloride	Milligrams/L (mg/L)	MW15	12.4	2	31
1135	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.31	1.33	31
1136	May-20	Specific Conductance (Field)	Micromhos/cm	MW15	654.65	486	31
1137	May-20	Sulfate	Milligrams/L (mg/L)	MW15	184.5	69.5	31
1138	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	427.5	290	31
1139	May-20	Chloride	Milligrams/L (mg/L)	MW18	5.11	2	31
1140	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	11.9	1.33	31
1141	May-20	Specific Conductance (Field)	Micromhos/cm	MW18	671.55	486	31
1142	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	383.5	290	31

Attachment A

	A	B	C	D	E	F	G
1143	May-20	Chloride	Milligrams/L (mg/L)	MW2R	11.6	2	31
1144	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.77	1.33	31
1145	May-20	Specific Conductance (Field)	Micromhos/cm	MW2R	786.85	486	31
1146	May-20	Sulfate	Milligrams/L (mg/L)	MW2R	292.5	69.5	31
1147	May-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	558.5	290	31
1148	May-20	Chloride	Milligrams/L (mg/L)	MW7	9.06	2	31
1149	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.72	1.33	31
1150	May-20	Chloride	Milligrams/L (mg/L)	MW9	8.25	2	31
1151	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.01	1.33	31
1152	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.04	0.32	31
1153	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW12	0.33	0.32	31
1154	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.68	0.32	31
1155	May-20	Chloride	Milligrams/L (mg/L)	SW2	9.61	2	31
1156	May-20	Chloride	Milligrams/L (mg/L)	SW7	8.11	2	31
1157	May-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.67	0.32	31
1158	May-20	Chloride	Milligrams/L (mg/L)	SW8	10.5	2	31
1159	May-20	Chloride	Milligrams/L (mg/L)	SW9a	4	2	31
1160	May-20	Sulfate	Milligrams/L (mg/L)	SW9a	139	72	31
1161	April-20	Specific Conductance (Field)	Micromhos/cm	GB12	670	486	30
1162	April-20	Sulfate	Milligrams/L (mg/L)	GB12	240	69.5	30
1163	April-20	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	477	290	30
1164	April-20	Chloride	Milligrams/L (mg/L)	GW2	13.7	2	30
1165	April-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.54	0.32	30
1166	April-20	Sulfate	Milligrams/L (mg/L)	GW2	81.4	72	30
1167	April-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	297	290	30
1168	April-20	Chloride	Milligrams/L (mg/L)	JJ16	4.45	2	30
1169	April-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.88	1.33	30
1170	April-20	Specific Conductance (Field)	Micromhos/cm	JJ16	717	486	30
1171	April-20	Sulfate	Milligrams/L (mg/L)	JJ16	307	69.5	30
1172	April-20	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	541	290	30
1173	April-20	Chloride	Milligrams/L (mg/L)	JJ20	10.6	2	30

Attachment A

	A	B	C	D	E	F	G
1174	April-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.09	1.33	30
1175	April-20	Chloride	Milligrams/L (mg/L)	MW14	15.65	2	30
1176	April-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.31	1.33	30
1177	April-20	Specific Conductance (Field)	Micromhos/cm	MW14	609	486	30
1178	April-20	Sulfate	Milligrams/L (mg/L)	MW14	209.5	69.5	30
1179	April-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	450	290	30
1180	April-20	Chloride	Milligrams/L (mg/L)	MW15	14.35	2	30
1181	April-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.4	1.33	30
1182	April-20	Specific Conductance (Field)	Micromhos/cm	MW15	659	486	30
1183	April-20	Sulfate	Milligrams/L (mg/L)	MW15	180	69.5	30
1184	April-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	428.5	290	30
1185	April-20	Chloride	Milligrams/L (mg/L)	MW2R	12.25	2	30
1186	April-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.125	1.33	30
1187	April-20	Specific Conductance (Field)	Micromhos/cm	MW2R	796	486	30
1188	April-20	Sulfate	Milligrams/L (mg/L)	MW2R	304	69.5	30
1189	April-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	569.5	290	30
1190	March-20	Chloride	Milligrams/L (mg/L)	GW2	11.9	2	31
1191	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.25	0.32	31
1192	March-20	Sulfate	Milligrams/L (mg/L)	GW2	79.1	72	31
1193	March-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	317	290	31
1194	March-20	Chloride	Milligrams/L (mg/L)	JJ15	17.9	2	31
1195	March-20	Chloride	Milligrams/L (mg/L)	JJ18	2.22	2	31
1196	March-20	Chloride	Milligrams/L (mg/L)	JJ20	4.41	2	31
1197	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.95	1.33	31
1198	March-20	Chloride	Milligrams/L (mg/L)	MW14	12.9	2	31
1199	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.31	1.33	31
1200	March-20	Specific Conductance (Field)	Micromhos/cm	MW14	589.7	486	31
1201	March-20	Sulfate	Milligrams/L (mg/L)	MW14	160	69.5	31
1202	March-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	394	290	31
1203	March-20	Chloride	Milligrams/L (mg/L)	MW15	19.4	2	31
1204	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	5.01	1.33	31

Attachment A

	A	B	C	D	E	F	G
1205	March-20	Specific Conductance (Field)	Micromhos/cm	MW15	782.6	486	31
1206	March-20	Sulfate	Milligrams/L (mg/L)	MW15	219	69.5	31
1207	March-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	532	290	31
1208	March-20	Chloride	Milligrams/L (mg/L)	MW18	5.63	2	31
1209	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	13.5	1.33	31
1210	March-20	Specific Conductance (Field)	Micromhos/cm	MW18	665.1	486	31
1211	March-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	416	290	31
1212	March-20	Chloride	Milligrams/L (mg/L)	MW2R	13.4	2	31
1213	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.95	1.33	31
1214	March-20	Specific Conductance (Field)	Micromhos/cm	MW2R	801.7	486	31
1215	March-20	Sulfate	Milligrams/L (mg/L)	MW2R	284	69.5	31
1216	March-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	581	290	31
1217	March-20	Chloride	Milligrams/L (mg/L)	MW7	9.56	2	31
1218	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.7	1.33	31
1219	March-20	Chloride	Milligrams/L (mg/L)	MW9	10.3	2	31
1220	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.34	1.33	31
1221	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	3.05	0.32	31
1222	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.472	0.32	31
1223	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.21	0.32	31
1224	March-20	Chloride	Milligrams/L (mg/L)	SW2	8.35	2	31
1225	March-20	Chloride	Milligrams/L (mg/L)	SW7	4.63	2	31
1226	March-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.82	0.32	31
1227	March-20	Chloride	Milligrams/L (mg/L)	SW8	8.67	2	31
1228	February-20	Chloride	Milligrams/L (mg/L)	GW2	12.1	2	29
1229	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.23	0.32	29
1230	February-20	Sulfate	Milligrams/L (mg/L)	GW2	79.7	72	29
1231	February-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	307	290	29
1232	February-20	Chloride	Milligrams/L (mg/L)	JJ15	17.3	2	29
1233	February-20	Chloride	Milligrams/L (mg/L)	JJ18	2.31	2	29
1234	February-20	Chloride	Milligrams/L (mg/L)	JJ20	10.8	2	29
1235	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.42	1.33	29

Attachment A

	A	B	C	D	E	F	G
1236	February-20	Chloride	Milligrams/L (mg/L)	MW14	14.5	2	29
1237	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.42	1.33	29
1238	February-20	Specific Conductance (Field)	Micromhos/cm	MW14	618.3	486	29
1239	February-20	Sulfate	Milligrams/L (mg/L)	MW14	184	69.5	29
1240	February-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	410	290	29
1241	February-20	Chloride	Milligrams/L (mg/L)	MW15	19.5	2	29
1242	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.83	1.33	29
1243	February-20	Specific Conductance (Field)	Micromhos/cm	MW15	789	486	29
1244	February-20	Sulfate	Milligrams/L (mg/L)	MW15	221	69.5	29
1245	February-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	534	290	29
1246	February-20	Chloride	Milligrams/L (mg/L)	MW18	5.77	2	29
1247	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	13.4	1.33	29
1248	February-20	Specific Conductance (Field)	Micromhos/cm	MW18	676.2	486	29
1249	February-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	389	290	29
1250	February-20	Chloride	Milligrams/L (mg/L)	MW2R	13.9	2	29
1251	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.88	1.33	29
1252	February-20	Specific Conductance (Field)	Micromhos/cm	MW2R	812.2	486	29
1253	February-20	Sulfate	Milligrams/L (mg/L)	MW2R	301	69.5	29
1254	February-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	543	290	29
1255	February-20	Chloride	Milligrams/L (mg/L)	MW7	8.73	2	29
1256	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.73	1.33	29
1257	February-20	Chloride	Milligrams/L (mg/L)	MW9	11.3	2	29
1258	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.31	1.33	29
1259	February-20	Sulfate	Milligrams/L (mg/L)	MW9	70.2	69.5	29
1260	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.453	0.32	29
1261	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.18	0.32	29
1262	February-20	Chloride	Milligrams/L (mg/L)	SW2	8.78	2	29
1263	February-20	Chloride	Milligrams/L (mg/L)	SW7	6.6	2	29
1264	February-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.84	0.32	29
1265	February-20	Chloride	Milligrams/L (mg/L)	SW8	8.63	2	29
1266	January-20	Chloride	Milligrams/L (mg/L)	GW2	11.7	2	31

Attachment A

	A	B	C	D	E	F	G
1267	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.77	0.32	31
1268	January-20	Sulfate	Milligrams/L (mg/L)	GW2	80.6	72	31
1269	January-20	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	327	290	31
1270	January-20	Chloride	Milligrams/L (mg/L)	JJ15	18	2	31
1271	January-20	Chloride	Milligrams/L (mg/L)	JJ18	2.28	2	31
1272	January-20	Chloride	Milligrams/L (mg/L)	JJ20	8.83	2	31
1273	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.06	1.33	31
1274	January-20	Chloride	Milligrams/L (mg/L)	MW14	14.3	2	31
1275	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.43	1.33	31
1276	January-20	Specific Conductance (Field)	Micromhos/cm	MW14	624.2	486	31
1277	January-20	Sulfate	Milligrams/L (mg/L)	MW14	178	69.5	31
1278	January-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	418	290	31
1279	January-20	Chloride	Milligrams/L (mg/L)	MW15	19.2	2	31
1280	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.54	1.33	31
1281	January-20	Specific Conductance (Field)	Micromhos/cm	MW15	785.8	486	31
1282	January-20	Sulfate	Milligrams/L (mg/L)	MW15	237	69.5	31
1283	January-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	517	290	31
1284	January-20	Chloride	Milligrams/L (mg/L)	MW18	5.95	2	31
1285	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	13.1	1.33	31
1286	January-20	Specific Conductance (Field)	Micromhos/cm	MW18	672.5	486	31
1287	January-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	399	290	31
1288	January-20	Chloride	Milligrams/L (mg/L)	MW2R	12.8	2	31
1289	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.83	1.33	31
1290	January-20	Specific Conductance (Field)	Micromhos/cm	MW2R	804.1	486	31
1291	January-20	Sulfate	Milligrams/L (mg/L)	MW2R	294	69.5	31
1292	January-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	567	290	31
1293	January-20	Chloride	Milligrams/L (mg/L)	MW7	4.93	2	31
1294	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.63	1.33	31
1295	January-20	Chloride	Milligrams/L (mg/L)	MW9	11.7	2	31
1296	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.34	1.33	31
1297	January-20	Sulfate	Milligrams/L (mg/L)	MW9	73.2	69.5	31

Attachment A

	A	B	C	D	E	F	G
1298	January-20	Total Dissolved Solids	Milligrams/L (mg/L)	MW9	303	290	31
1299	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.86	0.32	31
1300	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.514	0.32	31
1301	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.38	0.32	31
1302	January-20	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	321	290	31
1303	January-20	Chloride	Milligrams/L (mg/L)	SW2	8.72	2	31
1304	January-20	Chloride	Milligrams/L (mg/L)	SW7	6.31	2	31
1305	January-20	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.74	0.32	31
1306	January-20	Chloride	Milligrams/L (mg/L)	SW8	8.86	2	31
1307	December-19	Chloride	Milligrams/L (mg/L)	GW2	12.6	2	31
1308	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.82	0.32	31
1309	December-19	Sulfate	Milligrams/L (mg/L)	GW2	83.9	72	31
1310	December-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	307	290	31
1311	December-19	Chloride	Milligrams/L (mg/L)	JJ15	16.4	2	31
1312	December-19	Chloride	Milligrams/L (mg/L)	JJ18	2.24	2	31
1313	December-19	Chloride	Milligrams/L (mg/L)	JJ20	4.08	2	31
1314	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.6	1.33	31
1315	December-19	Chloride	Milligrams/L (mg/L)	MW14	13.6	2	31
1316	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.32	1.33	31
1317	December-19	Specific Conductance (Field)	Micromhos/cm	MW14	647.7	486	31
1318	December-19	Sulfate	Milligrams/L (mg/L)	MW14	195	69.5	31
1319	December-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	421	290	31
1320	December-19	Chloride	Milligrams/L (mg/L)	MW15	18.3	2	31
1321	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.02	1.33	31
1322	December-19	Specific Conductance (Field)	Micromhos/cm	MW15	778.6	486	31
1323	December-19	Sulfate	Milligrams/L (mg/L)	MW15	231	69.5	31
1324	December-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	526	290	31
1325	December-19	Chloride	Milligrams/L (mg/L)	MW18	5.75	2	31
1326	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	12.7	1.33	31
1327	December-19	Specific Conductance (Field)	Micromhos/cm	MW18	663.1	486	31
1328	December-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	386	290	31

Attachment A

	A	B	C	D	E	F	G
1329	December-19	Chloride	Milligrams/L (mg/L)	MW2R	11.5	2	31
1330	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.64	1.33	31
1331	December-19	Specific Conductance (Field)	Micromhos/cm	MW2R	802	486	31
1332	December-19	Sulfate	Milligrams/L (mg/L)	MW2R	301	69.5	31
1333	December-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	594	290	31
1334	December-19	Chloride	Milligrams/L (mg/L)	MW7	6.28	2	31
1335	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.81	1.33	31
1336	December-19	Chloride	Milligrams/L (mg/L)	MW9	11.8	2	31
1337	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.75	1.33	31
1338	December-19	Sulfate	Milligrams/L (mg/L)	MW9	70.9	69.5	31
1339	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.98	0.32	31
1340	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.01	0.32	31
1341	December-19	Chloride	Milligrams/L (mg/L)	SW2	8.96	2	31
1342	December-19	Chloride	Milligrams/L (mg/L)	SW7	4.41	2	31
1343	December-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.17	0.32	31
1344	December-19	Chloride	Milligrams/L (mg/L)	SW8	8.96	2	31
1345	November-19	Chloride	Milligrams/L (mg/L)	GW2	12.1	2	30
1346	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.5	0.32	30
1347	November-19	Sulfate	Milligrams/L (mg/L)	GW2	79.6	72	30
1348	November-19	Chloride	Milligrams/L (mg/L)	JJ15	16.5	2	30
1349	November-19	Chloride	Milligrams/L (mg/L)	JJ18	2.17	2	30
1350	November-19	Chloride	Milligrams/L (mg/L)	JJ20	5.16	2	30
1351	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.59	1.33	30
1352	November-19	Chloride	Milligrams/L (mg/L)	JJ26	12.2	2	30
1353	November-19	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	346	290	30
1354	November-19	Chloride	Milligrams/L (mg/L)	MW14	14.8	2	30
1355	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.48	1.33	30
1356	November-19	Specific Conductance (Field)	Micromhos/cm	MW14	694.2	486	30
1357	November-19	Sulfate	Milligrams/L (mg/L)	MW14	213	69.5	30
1358	November-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	478	290	30
1359	November-19	Chloride	Milligrams/L (mg/L)	MW15	17.8	2	30

Attachment A

	A	B	C	D	E	F	G
1360	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.65	1.33	30
1361	November-19	Specific Conductance (Field)	Micromhos/cm	MW15	765.4	486	30
1362	November-19	Sulfate	Milligrams/L (mg/L)	MW15	222	69.5	30
1363	November-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	552	290	30
1364	November-19	Chloride	Milligrams/L (mg/L)	MW18	5.17	2	30
1365	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	12.7	1.33	30
1366	November-19	Specific Conductance (Field)	Micromhos/cm	MW18	660.1	486	30
1367	November-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	396	290	30
1368	November-19	Chloride	Milligrams/L (mg/L)	MW2R	11.7	2	30
1369	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.59	1.33	30
1370	November-19	Specific Conductance (Field)	Micromhos/cm	MW2R	819	486	30
1371	November-19	Sulfate	Milligrams/L (mg/L)	MW2R	310	69.5	30
1372	November-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	574	290	30
1373	November-19	Chloride	Milligrams/L (mg/L)	MW7	10.4	2	30
1374	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.79	1.33	30
1375	November-19	Chloride	Milligrams/L (mg/L)	MW9	11.1	2	30
1376	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.54	1.33	30
1377	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.57	0.32	30
1378	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.32	0.32	30
1379	November-19	Chloride	Milligrams/L (mg/L)	SW2	8.72	2	30
1380	November-19	Chloride	Milligrams/L (mg/L)	SW7	6.12	2	30
1381	November-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.4	0.32	30
1382	November-19	Chloride	Milligrams/L (mg/L)	SW8	9.09	2	30
1383	October-19	Chloride	Milligrams/L (mg/L)	GW2	12	2	31
1384	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.39	0.32	31
1385	October-19	Sulfate	Milligrams/L (mg/L)	GW2	80.6	72	31
1386	October-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	321	290	31
1387	October-19	Chloride	Milligrams/L (mg/L)	JJ14	13.3	2	31
1388	October-19	Chloride	Milligrams/L (mg/L)	JJ15	17.1	2	31
1389	October-19	Chloride	Milligrams/L (mg/L)	JJ18	2.41	2	31
1390	October-19	Chloride	Milligrams/L (mg/L)	JJ20	12.8	2	31

Attachment A

	A	B	C	D	E	F	G
1391	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.01	1.33	31
1392	October-19	Sulfate	Milligrams/L (mg/L)	JJ20	80.8	69.5	31
1393	October-19	Chloride	Milligrams/L (mg/L)	JJ26	12.4	2	31
1394	October-19	Sulfate	Milligrams/L (mg/L)	JJ26	71.5	69.5	31
1395	October-19	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	294	290	31
1396	October-19	Chloride	Milligrams/L (mg/L)	MW14	16.3	2	31
1397	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.58	1.33	31
1398	October-19	Specific Conductance (Field)	Micromhos/cm	MW14	705.8	486	31
1399	October-19	Sulfate	Milligrams/L (mg/L)	MW14	247	69.5	31
1400	October-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	453	290	31
1401	October-19	Chloride	Milligrams/L (mg/L)	MW15	20.9	2	31
1402	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.83	1.33	31
1403	October-19	Specific Conductance (Field)	Micromhos/cm	MW15	795	486	31
1404	October-19	Sulfate	Milligrams/L (mg/L)	MW15	233	69.5	31
1405	October-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	527	290	31
1406	October-19	Chloride	Milligrams/L (mg/L)	MW18	5.11	2	31
1407	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	12.2	1.33	31
1408	October-19	Specific Conductance (Field)	Micromhos/cm	MW18	669.2	486	31
1409	October-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	435	290	31
1410	October-19	Chloride	Milligrams/L (mg/L)	MW2R	13.4	2	31
1411	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.8	1.33	31
1412	October-19	Specific Conductance (Field)	Micromhos/cm	MW2R	812	486	31
1413	October-19	Sulfate	Milligrams/L (mg/L)	MW2R	329	69.5	31
1414	October-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	573	290	31
1415	October-19	Chloride	Milligrams/L (mg/L)	MW7	10.4	2	31
1416	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.15	1.33	31
1417	October-19	Sulfate	Milligrams/L (mg/L)	MW7	70	69.5	31
1418	October-19	Chloride	Milligrams/L (mg/L)	MW9	10.7	2	31
1419	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.73	1.33	31
1420	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.4	0.32	31
1421	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.325	0.32	31

Attachment A

	A	B	C	D	E	F	G
1422	October-19	Chloride	Milligrams/L (mg/L)	SW2	9.06	2	31
1423	October-19	Chloride	Milligrams/L (mg/L)	SW7	7.63	2	31
1424	October-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.48	0.32	31
1425	October-19	Chloride	Milligrams/L (mg/L)	SW8	9.31	2	31
1426	October-19	Chloride	Milligrams/L (mg/L)	SW9a	5.28	2	31
1427	October-19	Sulfate	Milligrams/L (mg/L)	SW9a	126	72	31
1428	September-19	Chloride	Milligrams/L (mg/L)	GW2	11.9	2	30
1429	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.5	0.32	30
1430	September-19	Sulfate	Milligrams/L (mg/L)	GW2	84.3	72	30
1431	September-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	307	290	30
1432	September-19	Chloride	Milligrams/L (mg/L)	JJ15	17.9	2	30
1433	September-19	Chloride	Milligrams/L (mg/L)	JJ18	2.36	2	30
1434	September-19	Chloride	Milligrams/L (mg/L)	JJ20	7.85	2	30
1435	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.68	1.33	30
1436	September-19	Chloride	Milligrams/L (mg/L)	MW14	14.3	2	30
1437	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.49	1.33	30
1438	September-19	Specific Conductance (Field)	Micromhos/cm	MW14	686.1	486	30
1439	September-19	Sulfate	Milligrams/L (mg/L)	MW14	211	69.5	30
1440	September-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	483	290	30
1441	September-19	Chloride	Milligrams/L (mg/L)	MW15	21.7	2	30
1442	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.8	1.33	30
1443	September-19	Specific Conductance (Field)	Micromhos/cm	MW15	767	486	30
1444	September-19	Sulfate	Milligrams/L (mg/L)	MW15	220	69.5	30
1445	September-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	544	290	30
1446	September-19	Chloride	Milligrams/L (mg/L)	MW18	4.94	2	30
1447	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	13.5	1.33	30
1448	September-19	Specific Conductance (Field)	Micromhos/cm	MW18	653.2	486	30
1449	September-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	396	290	30
1450	September-19	Chloride	Milligrams/L (mg/L)	MW2R	14.4	2	30
1451	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.73	1.33	30
1452	September-19	Specific Conductance (Field)	Micromhos/cm	MW2R	776	486	30

Attachment A

	A	B	C	D	E	F	G
1453	September-19	Sulfate	Milligrams/L (mg/L)	MW2R	277	69.5	30
1454	September-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	535	290	30
1455	September-19	Chloride	Milligrams/L (mg/L)	MW7	10.6	2	30
1456	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.7	1.33	30
1457	September-19	Sulfate	Milligrams/L (mg/L)	MW7	72.1	69.5	30
1458	September-19	Chloride	Milligrams/L (mg/L)	MW9	8.22	2	30
1459	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.17	0.32	30
1460	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.195	0.32	30
1461	September-19	Chloride	Milligrams/L (mg/L)	SW2	8.87	2	30
1462	September-19	Chloride	Milligrams/L (mg/L)	SW7	5.96	2	30
1463	September-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.934	0.32	30
1464	September-19	Chloride	Milligrams/L (mg/L)	SW8	9.1	2	30
1465	September-19	Chloride	Milligrams/L (mg/L)	SW9a	4.58	2	30
1466	September-19	Sulfate	Milligrams/L (mg/L)	SW9a	106	72	30
1467	August-19	Chloride	Milligrams/L (mg/L)	GW2	13	2	31
1468	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.12	0.32	31
1469	August-19	Sulfate	Milligrams/L (mg/L)	GW2	85.1	72	31
1470	August-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	337	290	31
1471	August-19	Chloride	Milligrams/L (mg/L)	JJ15	17.6	2	31
1472	August-19	Chloride	Milligrams/L (mg/L)	JJ18	2.32	2	31
1473	August-19	Chloride	Milligrams/L (mg/L)	JJ20	11.5	2	31
1474	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.3	1.33	31
1475	August-19	Sulfate	Milligrams/L (mg/L)	JJ20	70.8	69.5	31
1476	August-19	Total Dissolved Solids	Milligrams/L (mg/L)	JJ20	291	290	31
1477	August-19	Chloride	Milligrams/L (mg/L)	JJ26	10.7	2	31
1478	August-19	Chloride	Milligrams/L (mg/L)	MW14	15.6	2	31
1479	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.52	1.33	31
1480	August-19	Specific Conductance (Field)	Micromhos/cm	MW14	712.3	486	31
1481	August-19	Sulfate	Milligrams/L (mg/L)	MW14	226	69.5	31
1482	August-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	464	290	31
1483	August-19	Chloride	Milligrams/L (mg/L)	MW15	21.2	2	31

Attachment A

	A	B	C	D	E	F	G
1484	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.75	1.33	31
1485	August-19	Specific Conductance (Field)	Micromhos/cm	MW15	788	486	31
1486	August-19	Sulfate	Milligrams/L (mg/L)	MW15	237	69.5	31
1487	August-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	566	290	31
1488	August-19	Chloride	Milligrams/L (mg/L)	MW18	4.78	2	31
1489	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	13.7	1.33	31
1490	August-19	Specific Conductance (Field)	Micromhos/cm	MW18	688.2	486	31
1491	August-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	406	290	31
1492	August-19	Chloride	Milligrams/L (mg/L)	MW2R	15.3	2	31
1493	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.9	1.33	31
1494	August-19	Specific Conductance (Field)	Micromhos/cm	MW2R	807	486	31
1495	August-19	Sulfate	Milligrams/L (mg/L)	MW2R	287	69.5	31
1496	August-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	513	290	31
1497	August-19	Chloride	Milligrams/L (mg/L)	MW7	11	2	31
1498	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.96	1.33	31
1499	August-19	Chloride	Milligrams/L (mg/L)	MW9	5.87	2	31
1500	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.13	0.32	31
1501	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.11	0.32	31
1502	August-19	Chloride	Milligrams/L (mg/L)	SW2	9.33	2	31
1503	August-19	Chloride	Milligrams/L (mg/L)	SW7	6.42	2	31
1504	August-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.791	0.32	31
1505	August-19	Chloride	Milligrams/L (mg/L)	SW8	9.54	2	31
1506	August-19	Chloride	Milligrams/L (mg/L)	SW9a	4.8	2	31
1507	August-19	Sulfate	Milligrams/L (mg/L)	SW9a	129	72	31
1508	August-19	Total Dissolved Solids	Milligrams/L (mg/L)	SW9a	292	290	31
1509	July-19	Chloride	Milligrams/L (mg/L)	GW2	13.3	2	31
1510	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.15	0.32	31
1511	July-19	Sulfate	Milligrams/L (mg/L)	GW2	82.9	72	31
1512	July-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	328	290	31
1513	July-19	Chloride	Milligrams/L (mg/L)	JJ15	17.3	2	31
1514	July-19	Chloride	Milligrams/L (mg/L)	JJ18	2.12	2	31

Attachment A

	A	B	C	D	E	F	G
1515	July-19	Chloride	Milligrams/L (mg/L)	JJ20	11.3	2	31
1516	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.13	1.33	31
1517	July-19	Sulfate	Milligrams/L (mg/L)	JJ20	70.9	69.5	31
1518	July-19	Chloride	Milligrams/L (mg/L)	MW14	16.4	2	31
1519	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.65	1.33	31
1520	July-19	Specific Conductance (Field)	Micromhos/cm	MW14	710.4	486	31
1521	July-19	Sulfate	Milligrams/L (mg/L)	MW14	234	69.5	31
1522	July-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	452	290	31
1523	July-19	Chloride	Milligrams/L (mg/L)	MW15	20.3	2	31
1524	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.55	1.33	31
1525	July-19	Specific Conductance (Field)	Micromhos/cm	MW15	768	486	31
1526	July-19	Sulfate	Milligrams/L (mg/L)	MW15	242	69.5	31
1527	July-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	483	290	31
1528	July-19	Chloride	Milligrams/L (mg/L)	MW18	4.68	2	31
1529	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	13.3	1.33	31
1530	July-19	Specific Conductance (Field)	Micromhos/cm	MW18	666.9	486	31
1531	July-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	426	290	31
1532	July-19	Chloride	Milligrams/L (mg/L)	MW2R	14.8	2	31
1533	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.41	1.33	31
1534	July-19	Specific Conductance (Field)	Micromhos/cm	MW2R	781	486	31
1535	July-19	Sulfate	Milligrams/L (mg/L)	MW2R	288	69.5	31
1536	July-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	535	290	31
1537	July-19	Chloride	Milligrams/L (mg/L)	MW7	12.7	2	31
1538	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.09	1.33	31
1539	July-19	Sulfate	Milligrams/L (mg/L)	MW7	76.4	69.5	31
1540	July-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW7	307	290	31
1541	July-19	Chloride	Milligrams/L (mg/L)	MW9	9.41	2	31
1542	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.16	0.32	31
1543	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.923	0.32	31
1544	July-19	Chloride	Milligrams/L (mg/L)	SW2	9.58	2	31
1545	July-19	Chloride	Milligrams/L (mg/L)	SW7	5.68	2	31

Attachment A

	A	B	C	D	E	F	G
1546	July-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.637	0.32	31
1547	July-19	Chloride	Milligrams/L (mg/L)	SW8	10.4	2	31
1548	July-19	Chloride	Milligrams/L (mg/L)	SW9a	5.24	2	31
1549	July-19	Sulfate	Milligrams/L (mg/L)	SW9a	126	72	31
1550	June-19	Chloride	Milligrams/L (mg/L)	GW2	14.5	2	30
1551	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.3	0.32	30
1552	June-19	Sulfate	Milligrams/L (mg/L)	GW2	88.1	72	30
1553	June-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	311	290	30
1554	June-19	Chloride	Milligrams/L (mg/L)	JJ15	16.8	2	30
1555	June-19	Chloride	Milligrams/L (mg/L)	JJ18	2.15	2	30
1556	June-19	Chloride	Milligrams/L (mg/L)	JJ20	10.7	2	30
1557	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.01	1.33	30
1558	June-19	Chloride	Milligrams/L (mg/L)	MW14	18.7	2	30
1559	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.88	1.33	30
1560	June-19	Specific Conductance (Field)	Micromhos/cm	MW14	766	486	30
1561	June-19	Sulfate	Milligrams/L (mg/L)	MW14	265	69.5	30
1562	June-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	519	290	30
1563	June-19	Chloride	Milligrams/L (mg/L)	MW15	15	2	30
1564	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.72	1.33	30
1565	June-19	Specific Conductance (Field)	Micromhos/cm	MW15	736.2	486	30
1566	June-19	Sulfate	Milligrams/L (mg/L)	MW15	214	69.5	30
1567	June-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	495	290	30
1568	June-19	Chloride	Milligrams/L (mg/L)	MW18	4.43	2	30
1569	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	14.3	1.33	30
1570	June-19	Specific Conductance (Field)	Micromhos/cm	MW18	669.9	486	30
1571	June-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	397	290	30
1572	June-19	Chloride	Milligrams/L (mg/L)	MW2R	13.4	2	30
1573	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.41	1.33	30
1574	June-19	Specific Conductance (Field)	Micromhos/cm	MW2R	768	486	30
1575	June-19	Sulfate	Milligrams/L (mg/L)	MW2R	291	69.5	30
1576	June-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	524	290	30

Attachment A

	A	B	C	D	E	F	G
1577	June-19	Chloride	Milligrams/L (mg/L)	MW7	12.6	2	30
1578	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.69	1.33	30
1579	June-19	Sulfate	Milligrams/L (mg/L)	MW7	74.8	69.5	30
1580	June-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW7	341	290	30
1581	June-19	Chloride	Milligrams/L (mg/L)	MW9	9.38	2	30
1582	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.25	0.32	30
1583	June-19	Total Dissolved Solids	Milligrams/L (mg/L)	SW12	292	290	30
1584	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.648	0.32	30
1585	June-19	Chloride	Milligrams/L (mg/L)	SW2	10.6	2	30
1586	June-19	Chloride	Milligrams/L (mg/L)	SW7	6.99	2	30
1587	June-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.32	0.32	30
1588	June-19	Chloride	Milligrams/L (mg/L)	SW8	11.8	2	30
1589	June-19	Chloride	Milligrams/L (mg/L)	SW9a	5.94	2	30
1590	June-19	Sulfate	Milligrams/L (mg/L)	SW9a	168	72	30
1591	May-19	Chloride	Milligrams/L (mg/L)	GB12	3.5	2	31
1592	May-19	Specific Conductance (Field)	Micromhos/cm	GB12	769.4	486	31
1593	May-19	Sulfate	Milligrams/L (mg/L)	GB12	286	69.5	31
1594	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	529	290	31
1595	May-19	Chloride	Milligrams/L (mg/L)	GW2	14.7	2	31
1596	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.11	0.32	31
1597	May-19	Sulfate	Milligrams/L (mg/L)	GW2	84.2	72	31
1598	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	314	290	31
1599	May-19	Chloride	Milligrams/L (mg/L)	JJ14	19	2	31
1600	May-19	Specific Conductance (Field)	Micromhos/cm	JJ14	491	486	31
1601	May-19	Sulfate	Milligrams/L (mg/L)	JJ14	71.1	69.5	31
1602	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	323	290	31
1603	May-19	Chloride	Milligrams/L (mg/L)	JJ15	16.2	2	31
1604	May-19	Chloride	Milligrams/L (mg/L)	JJ16	5.55	2	31
1605	May-19	Specific Conductance (Field)	Micromhos/cm	JJ16	788	486	31
1606	May-19	Sulfate	Milligrams/L (mg/L)	JJ16	300	69.5	31
1607	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	565	290	31

Attachment A

	A	B	C	D	E	F	G
1608	May-19	Chloride	Milligrams/L (mg/L)	JJ18	2.15	2	31
1609	May-19	Chloride	Milligrams/L (mg/L)	JJ20	10.6	2	31
1610	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.2	1.33	31
1611	May-19	Chloride	Milligrams/L (mg/L)	JJ26	13.7	2	31
1612	May-19	Chloride	Milligrams/L (mg/L)	MW14	19.1	2	31
1613	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.09	1.33	31
1614	May-19	Specific Conductance (Field)	Micromhos/cm	MW14	823	486	31
1615	May-19	Sulfate	Milligrams/L (mg/L)	MW14	287.5	69.5	31
1616	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	586.5	290	31
1617	May-19	Chloride	Milligrams/L (mg/L)	MW15	13.05	2	31
1618	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.635	1.33	31
1619	May-19	Specific Conductance (Field)	Micromhos/cm	MW15	679.45	486	31
1620	May-19	Sulfate	Milligrams/L (mg/L)	MW15	195.5	69.5	31
1621	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	449.5	290	31
1622	May-19	Chloride	Milligrams/L (mg/L)	MW18	3.945	2	31
1623	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	15.85	1.33	31
1624	May-19	Specific Conductance (Field)	Micromhos/cm	MW18	663.65	486	31
1625	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	401.5	290	31
1626	May-19	Chloride	Milligrams/L (mg/L)	MW2R	11.9	2	31
1627	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.545	1.33	31
1628	May-19	Specific Conductance (Field)	Micromhos/cm	MW2R	754.6	486	31
1629	May-19	Sulfate	Milligrams/L (mg/L)	MW2R	274	69.5	31
1630	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	529.5	290	31
1631	May-19	Chloride	Milligrams/L (mg/L)	MW7	10.3	2	31
1632	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.46	1.33	31
1633	May-19	Chloride	Milligrams/L (mg/L)	MW9	8.57	2	31
1634	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.5	0.32	31
1635	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.342	0.32	31
1636	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.21	0.32	31
1637	May-19	Chloride	Milligrams/L (mg/L)	SW2	10.9	2	31
1638	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	SW2	307	290	31

Attachment A

	A	B	C	D	E	F	G
1639	May-19	Chloride	Milligrams/L (mg/L)	SW7	7.14	2	31
1640	May-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.55	0.32	31
1641	May-19	Chloride	Milligrams/L (mg/L)	SW8	11.9	2	31
1642	May-19	Chloride	Milligrams/L (mg/L)	SW9a	5.91	2	31
1643	May-19	Sulfate	Milligrams/L (mg/L)	SW9a	191.5	72	31
1644	May-19	Total Dissolved Solids	Milligrams/L (mg/L)	SW9a	343.5	290	31
1645	April-19	Chloride	Milligrams/L (mg/L)	GW2	14	2	30
1646	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.38	0.32	30
1647	April-19	Sulfate	Milligrams/L (mg/L)	GW2	75.1	72	30
1648	April-19	Chloride	Milligrams/L (mg/L)	JJ14	18.5	2	30
1649	April-19	Sulfate	Milligrams/L (mg/L)	JJ14	76.1	69.5	30
1650	April-19	Chloride	Milligrams/L (mg/L)	JJ15	15.9	2	30
1651	April-19	Chloride	Milligrams/L (mg/L)	JJ16	14	2	30
1652	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	2.36	1.33	30
1653	April-19	Specific Conductance (Field)	Micromhos/cm	JJ16	1037	486	30
1654	April-19	Sulfate	Milligrams/L (mg/L)	JJ16	458	69.5	30
1655	April-19	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	778	290	30
1656	April-19	Chloride	Milligrams/L (mg/L)	JJ18	4.71	2	30
1657	April-19	Chloride	Milligrams/L (mg/L)	JJ20	11.7	2	30
1658	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.33	1.33	30
1659	April-19	Chloride	Milligrams/L (mg/L)	JJ26	11.5	2	30
1660	April-19	Chloride	Milligrams/L (mg/L)	MW14	19.7	2	30
1661	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.74	1.33	30
1662	April-19	Specific Conductance (Field)	Micromhos/cm	MW14	786.6	486	30
1663	April-19	Sulfate	Milligrams/L (mg/L)	MW14	261.5	69.5	30
1664	April-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	547.5	290	30
1665	April-19	Chloride	Milligrams/L (mg/L)	MW15	15	2	30
1666	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.41	1.33	30
1667	April-19	Specific Conductance (Field)	Micromhos/cm	MW15	646.5	486	30
1668	April-19	Sulfate	Milligrams/L (mg/L)	MW15	178.5	69.5	30
1669	April-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	407.5	290	30

Attachment A

	A	B	C	D	E	F	G
1670	April-19	Chloride	Milligrams/L (mg/L)	MW18	3.81	2	30
1671	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	14.45	1.33	30
1672	April-19	Specific Conductance (Field)	Micromhos/cm	MW18	655.4	486	30
1673	April-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	378.5	290	30
1674	April-19	Chloride	Milligrams/L (mg/L)	MW2R	12	2	30
1675	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.77	1.33	30
1676	April-19	Specific Conductance (Field)	Micromhos/cm	MW2R	773.5	486	30
1677	April-19	Sulfate	Milligrams/L (mg/L)	MW2R	281.5	69.5	30
1678	April-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	553	290	30
1679	April-19	Chloride	Milligrams/L (mg/L)	MW7	9.17	2	30
1680	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.72	1.33	30
1681	April-19	Chloride	Milligrams/L (mg/L)	MW9	9.15	2	30
1682	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.88	1.33	30
1683	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.46	0.32	30
1684	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.34	0.32	30
1685	April-19	Chloride	Milligrams/L (mg/L)	SW2	8.9	2	30
1686	April-19	Chloride	Milligrams/L (mg/L)	SW7	7.46	2	30
1687	April-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.99	0.32	30
1688	April-19	Chloride	Milligrams/L (mg/L)	SW8	9.44	2	30
1689	April-19	Chloride	Milligrams/L (mg/L)	SW9a	4.12	2	30
1690	April-19	Sulfate	Milligrams/L (mg/L)	SW9a	109.35	72	30
1691	March-19	Chloride	Milligrams/L (mg/L)	GW2	12.3	2	31
1692	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.1	0.32	31
1693	March-19	Sulfate	Milligrams/L (mg/L)	GW2	78.7	72	31
1694	March-19	Chloride	Milligrams/L (mg/L)	JJ15	14.7	2	31
1695	March-19	Chloride	Milligrams/L (mg/L)	JJ18	2.05	2	31
1696	March-19	Chloride	Milligrams/L (mg/L)	JJ20	8.45	2	31
1697	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.58	1.33	31
1698	March-19	Chloride	Milligrams/L (mg/L)	MW14	14.8	2	31
1699	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.16	1.33	31
1700	March-19	Specific Conductance (Field)	Micromhos/cm	MW14	569.9	486	31

Attachment A

	A	B	C	D	E	F	G
1701	March-19	Sulfate	Milligrams/L (mg/L)	MW14	144	69.5	31
1702	March-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	342	290	31
1703	March-19	Chloride	Milligrams/L (mg/L)	MW15	21.8	2	31
1704	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.61	1.33	31
1705	March-19	Specific Conductance (Field)	Micromhos/cm	MW15	774	486	31
1706	March-19	Sulfate	Milligrams/L (mg/L)	MW15	219	69.5	31
1707	March-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	487	290	31
1708	March-19	Chloride	Milligrams/L (mg/L)	MW18	3.69	2	31
1709	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	15.5	1.33	31
1710	March-19	Specific Conductance (Field)	Micromhos/cm	MW18	658.2	486	31
1711	March-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	366	290	31
1712	March-19	Chloride	Milligrams/L (mg/L)	MW2R	15.1	2	31
1713	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.49	1.33	31
1714	March-19	Specific Conductance (Field)	Micromhos/cm	MW2R	740.4	486	31
1715	March-19	Sulfate	Milligrams/L (mg/L)	MW2R	256	69.5	31
1716	March-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	498	290	31
1717	March-19	Chloride	Milligrams/L (mg/L)	MW7	6.39	2	31
1718	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.61	1.33	31
1719	March-19	Chloride	Milligrams/L (mg/L)	MW9	9.32	2	31
1720	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.99	1.33	31
1721	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.69	0.32	31
1722	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.321	0.32	31
1723	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.27	0.32	31
1724	March-19	Chloride	Milligrams/L (mg/L)	SW2	8.75	2	31
1725	March-19	Chloride	Milligrams/L (mg/L)	SW7	4.01	2	31
1726	March-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.87	0.32	31
1727	March-19	Chloride	Milligrams/L (mg/L)	SW8	8.58	2	31
1728	February-19	Chloride	Milligrams/L (mg/L)	GW2	11.4	2	28
1729	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.21	0.32	28
1730	February-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	305	290	28
1731	February-19	Chloride	Milligrams/L (mg/L)	JJ15	14.9	2	28

Attachment A

	A	B	C	D	E	F	G
1732	February-19	Chloride	Milligrams/L (mg/L)	JJ20	3.8	2	28
1733	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.91	1.33	28
1734	February-19	Chloride	Milligrams/L (mg/L)	MW14	14.7	2	28
1735	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.19	1.33	28
1736	February-19	Specific Conductance (Field)	Micromhos/cm	MW14	593.1	486	28
1737	February-19	Sulfate	Milligrams/L (mg/L)	MW14	151	69.5	28
1738	February-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	386	290	28
1739	February-19	Chloride	Milligrams/L (mg/L)	MW15	22	2	28
1740	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.58	1.33	28
1741	February-19	Specific Conductance (Field)	Micromhos/cm	MW15	770	486	28
1742	February-19	Sulfate	Milligrams/L (mg/L)	MW15	221	69.5	28
1743	February-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	531	290	28
1744	February-19	Chloride	Milligrams/L (mg/L)	MW18	3.37	2	28
1745	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	15.2	1.33	28
1746	February-19	Specific Conductance (Field)	Micromhos/cm	MW18	658.8	486	28
1747	February-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	429	290	28
1748	February-19	Chloride	Milligrams/L (mg/L)	MW2R	14.4	2	28
1749	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.24	1.33	28
1750	February-19	Specific Conductance (Field)	Micromhos/cm	MW2R	766.9	486	28
1751	February-19	Sulfate	Milligrams/L (mg/L)	MW2R	261	69.5	28
1752	February-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	528	290	28
1753	February-19	Chloride	Milligrams/L (mg/L)	MW7	6.74	2	28
1754	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.88	1.33	28
1755	February-19	Chloride	Milligrams/L (mg/L)	MW9	10.2	2	28
1756	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.72	1.33	28
1757	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.26	0.32	28
1758	February-19	Chloride	Milligrams/L (mg/L)	SW2	8.62	2	28
1759	February-19	Chloride	Milligrams/L (mg/L)	SW7	3.51	2	28
1760	February-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.618	0.32	28
1761	February-19	Chloride	Milligrams/L (mg/L)	SW8	8.36	2	28
1762	January-19	Chloride	Milligrams/L (mg/L)	GW2	11.8	2	31

Attachment A

	A	B	C	D	E	F	G
1763	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.05	0.32	31
1764	January-19	Sulfate	Milligrams/L (mg/L)	GW2	75.2	72	31
1765	January-19	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	317	290	31
1766	January-19	Chloride	Milligrams/L (mg/L)	JJ14	14.4	2	31
1767	January-19	Specific Conductance (Field)	Micromhos/cm	JJ14	486.4	486	31
1768	January-19	Sulfate	Milligrams/L (mg/L)	JJ14	69.9	69.5	31
1769	January-19	Chloride	Milligrams/L (mg/L)	JJ15	15.3	2	31
1770	January-19	Chloride	Milligrams/L (mg/L)	JJ20	6.17	2	31
1771	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.14	1.33	31
1772	January-19	Chloride	Milligrams/L (mg/L)	MW14	15.1	2	31
1773	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.32	1.33	31
1774	January-19	Specific Conductance (Field)	Micromhos/cm	MW14	600.6	486	31
1775	January-19	Sulfate	Milligrams/L (mg/L)	MW14	171	69.5	31
1776	January-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	394	290	31
1777	January-19	Chloride	Milligrams/L (mg/L)	MW15	24.7	2	31
1778	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.65	1.33	31
1779	January-19	Specific Conductance (Field)	Micromhos/cm	MW15	791	486	31
1780	January-19	Sulfate	Milligrams/L (mg/L)	MW15	243	69.5	31
1781	January-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	531	290	31
1782	January-19	Chloride	Milligrams/L (mg/L)	MW18	3.64	2	31
1783	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	15.1	1.33	31
1784	January-19	Specific Conductance (Field)	Micromhos/cm	MW18	663	486	31
1785	January-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	400	290	31
1786	January-19	Chloride	Milligrams/L (mg/L)	MW2R	17	2	31
1787	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.31	1.33	31
1788	January-19	Specific Conductance (Field)	Micromhos/cm	MW2R	755	486	31
1789	January-19	Sulfate	Milligrams/L (mg/L)	MW2R	287	69.5	31
1790	January-19	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	540	290	31
1791	January-19	Chloride	Milligrams/L (mg/L)	MW7	5.87	2	31
1792	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.52	1.33	31
1793	January-19	Chloride	Milligrams/L (mg/L)	MW9	9.46	2	31

Attachment A

	A	B	C	D	E	F	G
1794	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.06	1.33	31
1795	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	2.16	0.32	31
1796	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.17	0.32	31
1797	January-19	Chloride	Milligrams/L (mg/L)	SW2	8.9	2	31
1798	January-19	Chloride	Milligrams/L (mg/L)	SW7	4.04	2	31
1799	January-19	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.16	0.32	31
1800	January-19	Chloride	Milligrams/L (mg/L)	SW8	8.65	2	31
1801	December-18	Chloride	Milligrams/L (mg/L)	GW2	12.1	2	31
1802	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.74	0.32	31
1803	December-18	Sulfate	Milligrams/L (mg/L)	GW2	77.7	72	31
1804	December-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	303	290	31
1805	December-18	Chloride	Milligrams/L (mg/L)	JJ15	15.4	2	31
1806	December-18	Chloride	Milligrams/L (mg/L)	JJ18	2.05	2	31
1807	December-18	Chloride	Milligrams/L (mg/L)	JJ20	3.15	2	31
1808	December-18	Chloride	Milligrams/L (mg/L)	MW14	15.7	2	31
1809	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.38	1.33	31
1810	December-18	Specific Conductance (Field)	Micromhos/cm	MW14	642.5	486	31
1811	December-18	Sulfate	Milligrams/L (mg/L)	MW14	182	69.5	31
1812	December-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	420	290	31
1813	December-18	Chloride	Milligrams/L (mg/L)	MW15	26.3	2	31
1814	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.69	1.33	31
1815	December-18	Specific Conductance (Field)	Micromhos/cm	MW15	808	486	31
1816	December-18	Sulfate	Milligrams/L (mg/L)	MW15	243	69.5	31
1817	December-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	539	290	31
1818	December-18	Chloride	Milligrams/L (mg/L)	MW18	3.78	2	31
1819	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	14.3	1.33	31
1820	December-18	Specific Conductance (Field)	Micromhos/cm	MW18	677.2	486	31
1821	December-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	402	290	31
1822	December-18	Chloride	Milligrams/L (mg/L)	MW2R	14.3	2	31
1823	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.34	1.33	31
1824	December-18	Specific Conductance (Field)	Micromhos/cm	MW2R	806	486	31

Attachment A

	A	B	C	D	E	F	G
1825	December-18	Sulfate	Milligrams/L (mg/L)	MW2R	299	69.5	31
1826	December-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	550	290	31
1827	December-18	Chloride	Milligrams/L (mg/L)	MW7	8.3	2	31
1828	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.11	1.33	31
1829	December-18	Chloride	Milligrams/L (mg/L)	MW9	10.3	2	31
1830	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.99	0.32	31
1831	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.21	0.32	31
1832	December-18	Chloride	Milligrams/L (mg/L)	SW2	8.32	2	31
1833	December-18	Chloride	Milligrams/L (mg/L)	SW7	3.78	2	31
1834	December-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.784	0.32	31
1835	December-18	Chloride	Milligrams/L (mg/L)	SW8	8.44	2	31
1836	November-18	Chloride	Milligrams/L (mg/L)	GW2	12.3	2	30
1837	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.88	0.32	30
1838	November-18	Sulfate	Milligrams/L (mg/L)	GW2	79.6	72	30
1839	November-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	315	290	30
1840	November-18	Chloride	Milligrams/L (mg/L)	JJ15	15.4	2	30
1841	November-18	Chloride	Milligrams/L (mg/L)	JJ20	6.78	2	30
1842	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.45	1.33	30
1843	November-18	Chloride	Milligrams/L (mg/L)	JJ26	13.4	2	30
1844	November-18	Sulfate	Milligrams/L (mg/L)	JJ26	74.5	69.5	30
1845	November-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	295	290	30
1846	November-18	Chloride	Milligrams/L (mg/L)	MW14	18.3	2	30
1847	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.59	1.33	30
1848	November-18	Specific Conductance (Field)	Micromhos/cm	MW14	714.9	486	30
1849	November-18	Sulfate	Milligrams/L (mg/L)	MW14	210	69.5	30
1850	November-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	444	290	30
1851	November-18	Chloride	Milligrams/L (mg/L)	MW15	27.9	2	30
1852	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.94	1.33	30
1853	November-18	Specific Conductance (Field)	Micromhos/cm	MW15	818	486	30
1854	November-18	Sulfate	Milligrams/L (mg/L)	MW15	236	69.5	30
1855	November-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	554	290	30

Attachment A

	A	B	C	D	E	F	G
1856	November-18	Chloride	Milligrams/L (mg/L)	MW18	3.82	2	30
1857	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	14.8	1.33	30
1858	November-18	Specific Conductance (Field)	Micromhos/cm	MW18	676.8	486	30
1859	November-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	397	290	30
1860	November-18	Chloride	Milligrams/L (mg/L)	MW2R	20.5	2	30
1861	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.49	1.33	30
1862	November-18	Specific Conductance (Field)	Micromhos/cm	MW2R	868	486	30
1863	November-18	Sulfate	Milligrams/L (mg/L)	MW2R	320	69.5	30
1864	November-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	575	290	30
1865	November-18	Chloride	Milligrams/L (mg/L)	MW7	11.4	2	30
1866	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.67	1.33	30
1867	November-18	Sulfate	Milligrams/L (mg/L)	MW7	71.5	69.5	30
1868	November-18	Chloride	Milligrams/L (mg/L)	MW9	9.87	2	30
1869	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.52	0.32	30
1870	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.21	0.32	30
1871	November-18	Chloride	Milligrams/L (mg/L)	SW2	8.11	2	30
1872	November-18	Chloride	Milligrams/L (mg/L)	SW7	6.41	2	30
1873	November-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.76	0.32	30
1874	November-18	Chloride	Milligrams/L (mg/L)	SW8	8.36	2	30
1875	October-18	Chloride	Milligrams/L (mg/L)	GW2	12.3	2	31
1876	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.51	0.32	31
1877	October-18	Sulfate	Milligrams/L (mg/L)	GW2	79.1	72	31
1878	October-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	322	290	31
1879	October-18	Chloride	Milligrams/L (mg/L)	JJ15	14.7	2	31
1880	October-18	Chloride	Milligrams/L (mg/L)	JJ20	11	2	31
1881	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.47	1.33	31
1882	October-18	Sulfate	Milligrams/L (mg/L)	JJ20	69.7	69.5	31
1883	October-18	Chloride	Milligrams/L (mg/L)	JJ26	13.8	2	31
1884	October-18	Sulfate	Milligrams/L (mg/L)	JJ26	74.3	69.5	31
1885	October-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	294	290	31
1886	October-18	Chloride	Milligrams/L (mg/L)	MW14	19.5	2	31

Attachment A

	A	B	C	D	E	F	G
1887	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.72	1.33	31
1888	October-18	Specific Conductance (Field)	Micromhos/cm	MW14	726.3	486	31
1889	October-18	Sulfate	Milligrams/L (mg/L)	MW14	228	69.5	31
1890	October-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	496	290	31
1891	October-18	Chloride	Milligrams/L (mg/L)	MW15	27.1	2	31
1892	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.94	1.33	31
1893	October-18	Specific Conductance (Field)	Micromhos/cm	MW15	813	486	31
1894	October-18	Sulfate	Milligrams/L (mg/L)	MW15	237	69.5	31
1895	October-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	576	290	31
1896	October-18	Chloride	Milligrams/L (mg/L)	MW18	3.79	2	31
1897	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	14.9	1.33	31
1898	October-18	Specific Conductance (Field)	Micromhos/cm	MW18	668.6	486	31
1899	October-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	399	290	31
1900	October-18	Chloride	Milligrams/L (mg/L)	MW2R	20.9	2	31
1901	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.6	1.33	31
1902	October-18	Specific Conductance (Field)	Micromhos/cm	MW2R	878	486	31
1903	October-18	Sulfate	Milligrams/L (mg/L)	MW2R	315	69.5	31
1904	October-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	630	290	31
1905	October-18	Chloride	Milligrams/L (mg/L)	MW7	9.99	2	31
1906	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.59	1.33	31
1907	October-18	Chloride	Milligrams/L (mg/L)	MW9	9.57	2	31
1908	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.37	0.32	31
1909	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.15	0.32	31
1910	October-18	Chloride	Milligrams/L (mg/L)	SW2	7.56	2	31
1911	October-18	Chloride	Milligrams/L (mg/L)	SW7	6.47	2	31
1912	October-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.54	0.32	31
1913	October-18	Chloride	Milligrams/L (mg/L)	SW8	8.44	2	31
1914	October-18	Chloride	Milligrams/L (mg/L)	SW9a	4.94	2	31
1915	October-18	Sulfate	Milligrams/L (mg/L)	SW9a	84	72	31
1916	September-18	Chloride	Milligrams/L (mg/L)	GW2	12.2	2	30
1917	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.08	0.32	30

Attachment A

	A	B	C	D	E	F	G
1918	September-18	Sulfate	Milligrams/L (mg/L)	GW2	76.4	72	30
1919	September-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	305	290	30
1920	September-18	Chloride	Milligrams/L (mg/L)	JJ15	15.1	2	30
1921	September-18	Chloride	Milligrams/L (mg/L)	JJ20	10.1	2	30
1922	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.93	1.33	30
1923	September-18	Chloride	Milligrams/L (mg/L)	MW14	21.7	2	30
1924	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.71	1.33	30
1925	September-18	Specific Conductance (Field)	Micromhos/cm	MW14	838	486	30
1926	September-18	Sulfate	Milligrams/L (mg/L)	MW14	276	69.5	30
1927	September-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	570	290	30
1928	September-18	Chloride	Milligrams/L (mg/L)	MW15	28.35	2	30
1929	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.085	1.33	30
1930	September-18	Specific Conductance (Field)	Micromhos/cm	MW15	817	486	30
1931	September-18	Sulfate	Milligrams/L (mg/L)	MW15	239.5	69.5	30
1932	September-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	539.5	290	30
1933	September-18	Chloride	Milligrams/L (mg/L)	MW18	4.09	2	30
1934	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	16	1.33	30
1935	September-18	Specific Conductance (Field)	Micromhos/cm	MW18	691	486	30
1936	September-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	422	290	30
1937	September-18	Chloride	Milligrams/L (mg/L)	MW2R	21.4	2	30
1938	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.62	1.33	30
1939	September-18	Specific Conductance (Field)	Micromhos/cm	MW2R	889	486	30
1940	September-18	Sulfate	Milligrams/L (mg/L)	MW2R	331	69.5	30
1941	September-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	604	290	30
1942	September-18	Chloride	Milligrams/L (mg/L)	MW7	9.18	2	30
1943	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.35	1.33	30
1944	September-18	Chloride	Milligrams/L (mg/L)	MW9	9.37	2	30
1945	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.3	0.32	30
1946	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.085	0.32	30
1947	September-18	Chloride	Milligrams/L (mg/L)	SW2	7.58	2	30
1948	September-18	Chloride	Milligrams/L (mg/L)	SW7	3.88	2	30

Attachment A

	A	B	C	D	E	F	G
1949	September-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.609	0.32	30
1950	September-18	Chloride	Milligrams/L (mg/L)	SW8	9.19	2	30
1951	September-18	Chloride	Milligrams/L (mg/L)	SW9a	6.46	2	30
1952	September-18	Sulfate	Milligrams/L (mg/L)	SW9a	91	72	30
1953	August-18	Chloride	Milligrams/L (mg/L)	GW2	13.4	2	31
1954	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.7	0.32	31
1955	August-18	Sulfate	Milligrams/L (mg/L)	GW2	79.3	72	31
1956	August-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	306	290	31
1957	August-18	Chloride	Milligrams/L (mg/L)	JJ15	16.1	2	31
1958	August-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ15	294	290	31
1959	August-18	Chloride	Milligrams/L (mg/L)	JJ20	9.49	2	31
1960	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.34	1.33	31
1961	August-18	Chloride	Milligrams/L (mg/L)	MW14	28.9	2	31
1962	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.36	1.33	31
1963	August-18	Specific Conductance (Field)	Micromhos/cm	MW14	956	486	31
1964	August-18	Sulfate	Milligrams/L (mg/L)	MW14	369	69.5	31
1965	August-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	714	290	31
1966	August-18	Chloride	Milligrams/L (mg/L)	MW15	29	2	31
1967	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.12	1.33	31
1968	August-18	Specific Conductance (Field)	Micromhos/cm	MW15	812	486	31
1969	August-18	Sulfate	Milligrams/L (mg/L)	MW15	235	69.5	31
1970	August-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	536	290	31
1971	August-18	Chloride	Milligrams/L (mg/L)	MW18	4.9	2	31
1972	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	17.7	1.33	31
1973	August-18	Specific Conductance (Field)	Micromhos/cm	MW18	682.3	486	31
1974	August-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	437	290	31
1975	August-18	Chloride	Milligrams/L (mg/L)	MW2R	18	2	31
1976	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.09	1.33	31
1977	August-18	Specific Conductance (Field)	Micromhos/cm	MW2R	865	486	31
1978	August-18	Sulfate	Milligrams/L (mg/L)	MW2R	318	69.5	31
1979	August-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	612	290	31

Attachment A

	A	B	C	D	E	F	G
1980	August-18	Chloride	Milligrams/L (mg/L)	MW7	10.7	2	31
1981	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.94	1.33	31
1982	August-18	Chloride	Milligrams/L (mg/L)	MW9	9.42	2	31
1983	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.15	0.32	31
1984	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.14	0.32	31
1985	August-18	Chloride	Milligrams/L (mg/L)	SW2	8.32	2	31
1986	August-18	Chloride	Milligrams/L (mg/L)	SW7	4.61	2	31
1987	August-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.922	0.32	31
1988	August-18	Chloride	Milligrams/L (mg/L)	SW8	11.3	2	31
1989	August-18	Chloride	Milligrams/L (mg/L)	SW9a	4.25	2	31
1990	August-18	Sulfate	Milligrams/L (mg/L)	SW9a	74.5	72	31
1991	July-18	Chloride	Milligrams/L (mg/L)	GW2	15	2	31
1992	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.36	0.32	31
1993	July-18	Sulfate	Milligrams/L (mg/L)	GW2	85	72	31
1994	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	330	290	31
1995	July-18	Chloride	Milligrams/L (mg/L)	JJ14	22.3	2	31
1996	July-18	Specific Conductance (Field)	Micromhos/cm	JJ14	505.8	486	31
1997	July-18	Sulfate	Milligrams/L (mg/L)	JJ14	71.3	69.5	31
1998	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	325	290	31
1999	July-18	Chloride	Milligrams/L (mg/L)	JJ15	15.1	2	31
2000	July-18	Chloride	Milligrams/L (mg/L)	JJ16	4.67	2	31
2001	July-18	Specific Conductance (Field)	Micromhos/cm	JJ16	773	486	31
2002	July-18	Sulfate	Milligrams/L (mg/L)	JJ16	282	69.5	31
2003	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	556	290	31
2004	July-18	Chloride	Milligrams/L (mg/L)	JJ20	5.69	2	31
2005	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.1	1.33	31
2006	July-18	Chloride	Milligrams/L (mg/L)	JJ26	18.9	2	31
2007	July-18	Specific Conductance (Field)	Micromhos/cm	JJ26	502.6	486	31
2008	July-18	Sulfate	Milligrams/L (mg/L)	JJ26	79.2	69.5	31
2009	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ26	327	290	31
2010	July-18	Chloride	Milligrams/L (mg/L)	MW14	40.4	2	31

Attachment A

	A	B	C	D	E	F	G
2011	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.52	1.33	31
2012	July-18	Specific Conductance (Field)	Micromhos/cm	MW14	1048	486	31
2013	July-18	Sulfate	Milligrams/L (mg/L)	MW14	435	69.5	31
2014	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	802	290	31
2015	July-18	Chloride	Milligrams/L (mg/L)	MW15	29	2	31
2016	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.49	1.33	31
2017	July-18	Specific Conductance (Field)	Micromhos/cm	MW15	776	486	31
2018	July-18	Sulfate	Milligrams/L (mg/L)	MW15	229	69.5	31
2019	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	521	290	31
2020	July-18	Chloride	Milligrams/L (mg/L)	MW18	4.57	2	31
2021	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	17.8	1.33	31
2022	July-18	Specific Conductance (Field)	Micromhos/cm	MW18	678.1	486	31
2023	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	437	290	31
2024	July-18	Chloride	Milligrams/L (mg/L)	MW2R	14.8	2	31
2025	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.17	1.33	31
2026	July-18	Specific Conductance (Field)	Micromhos/cm	MW2R	794	486	31
2027	July-18	Sulfate	Milligrams/L (mg/L)	MW2R	316	69.5	31
2028	July-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	573	290	31
2029	July-18	Chloride	Milligrams/L (mg/L)	MW7	5.35	2	31
2030	July-18	Chloride	Milligrams/L (mg/L)	MW9	8.78	2	31
2031	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.857	0.32	31
2032	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.341	0.32	31
2033	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.44	0.32	31
2034	July-18	Chloride	Milligrams/L (mg/L)	SW2	7.99	2	31
2035	July-18	Chloride	Milligrams/L (mg/L)	SW7	4.52	2	31
2036	July-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.31	0.32	31
2037	July-18	Chloride	Milligrams/L (mg/L)	SW8	14.2	2	31
2038	June-18	Chloride	Milligrams/L (mg/L)	GW2	15.9	2	30
2039	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4.84	0.32	30
2040	June-18	Sulfate	Milligrams/L (mg/L)	GW2	81.5	72	30
2041	June-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	306	290	30

Attachment A

	A	B	C	D	E	F	G
2042	June-18	Chloride	Milligrams/L (mg/L)	JJ14	17.3	2	30
2043	June-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	299	290	30
2044	June-18	Chloride	Milligrams/L (mg/L)	JJ15	11.5	2	30
2045	June-18	Chloride	Milligrams/L (mg/L)	JJ16	4.92	2	30
2046	June-18	Specific Conductance (Field)	Micromhos/cm	JJ16	731.8	486	30
2047	June-18	Sulfate	Milligrams/L (mg/L)	JJ16	268	69.5	30
2048	June-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	529	290	30
2049	June-18	Chloride	Milligrams/L (mg/L)	JJ20	8.84	2	30
2050	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.13	1.33	30
2051	June-18	Chloride	Milligrams/L (mg/L)	JJ26	16	2	30
2052	June-18	Sulfate	Milligrams/L (mg/L)	JJ26	73.4	69.5	30
2053	June-18	Chloride	Milligrams/L (mg/L)	MW14	44.3	2	30
2054	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.91	1.33	30
2055	June-18	Specific Conductance (Field)	Micromhos/cm	MW14	1130	486	30
2056	June-18	Sulfate	Milligrams/L (mg/L)	MW14	455	69.5	30
2057	June-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	895	290	30
2058	June-18	Chloride	Milligrams/L (mg/L)	MW15	18.7	2	30
2059	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.77	1.33	30
2060	June-18	Specific Conductance (Field)	Micromhos/cm	MW15	650.8	486	30
2061	June-18	Sulfate	Milligrams/L (mg/L)	MW15	188	69.5	30
2062	June-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	450	290	30
2063	June-18	Chloride	Milligrams/L (mg/L)	MW18	4.23	2	30
2064	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	18.1	1.33	30
2065	June-18	Specific Conductance (Field)	Micromhos/cm	MW18	688.4	486	30
2066	June-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	445	290	30
2067	June-18	Chloride	Milligrams/L (mg/L)	MW2R	13.9	2	30
2068	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.85	1.33	30
2069	June-18	Specific Conductance (Field)	Micromhos/cm	MW2R	761	486	30
2070	June-18	Sulfate	Milligrams/L (mg/L)	MW2R	293	69.5	30
2071	June-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	556	290	30
2072	June-18	Chloride	Milligrams/L (mg/L)	MW7	3.97	2	30

Attachment A

	A	B	C	D	E	F	G
2073	June-18	Chloride	Milligrams/L (mg/L)	MW9	8.21	2	30
2074	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.57	0.32	30
2075	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.412	0.32	30
2076	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.18	0.32	30
2077	June-18	Chloride	Milligrams/L (mg/L)	SW2	7.4	2	30
2078	June-18	Chloride	Milligrams/L (mg/L)	SW7	4.86	2	30
2079	June-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.08	0.32	30
2080	June-18	Chloride	Milligrams/L (mg/L)	SW8	11.7	2	30
2081	May-18	Chloride	Milligrams/L (mg/L)	GB11	3.29	2	31
2082	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GB11	1.6	1.33	31
2083	May-18	Specific Conductance (Field)	Micromhos/cm	GB11	720.1	486	31
2084	May-18	Sulfate	Milligrams/L (mg/L)	GB11	304	69.5	31
2085	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	GB11	518	290	31
2086	May-18	Chloride	Milligrams/L (mg/L)	GB12	4.375	2	31
2087	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GB12	1.725	1.33	31
2088	May-18	Specific Conductance (Field)	Micromhos/cm	GB12	719.7	486	31
2089	May-18	Sulfate	Milligrams/L (mg/L)	GB12	276.5	69.5	31
2090	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	503.5	290	31
2091	May-18	Chloride	Milligrams/L (mg/L)	GW2	24.4	2	31
2092	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4	0.32	31
2093	May-18	Sulfate	Milligrams/L (mg/L)	GW2	96.3	72	31
2094	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	334	290	31
2095	May-18	Chloride	Milligrams/L (mg/L)	JJ14	15.3	2	31
2096	May-18	Chloride	Milligrams/L (mg/L)	JJ15	12.8	2	31
2097	May-18	Chloride	Milligrams/L (mg/L)	JJ16	5.4	2	31
2098	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.49	1.33	31
2099	May-18	Specific Conductance (Field)	Micromhos/cm	JJ16	663.5	486	31
2100	May-18	Sulfate	Milligrams/L (mg/L)	JJ16	306	69.5	31
2101	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	502	290	31
2102	May-18	Chloride	Milligrams/L (mg/L)	JJ20	7.69	2	31
2103	May-18	Chloride	Milligrams/L (mg/L)	JJ26	11.7	2	31

Attachment A

	A	B	C	D	E	F	G
2104	May-18	Sulfate	Milligrams/L (mg/L)	JJ26	70.7	69.5	31
2105	May-18	Chloride	Milligrams/L (mg/L)	MW14	30.3	2	31
2106	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.23	1.33	31
2107	May-18	Specific Conductance (Field)	Micromhos/cm	MW14	1085.5	486	31
2108	May-18	Sulfate	Milligrams/L (mg/L)	MW14	453.5	69.5	31
2109	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	806	290	31
2110	May-18	Chloride	Milligrams/L (mg/L)	MW15	16.6	2	31
2111	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.71	1.33	31
2112	May-18	Specific Conductance (Field)	Micromhos/cm	MW15	647.3	486	31
2113	May-18	Sulfate	Milligrams/L (mg/L)	MW15	182.5	69.5	31
2114	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	426	290	31
2115	May-18	Chloride	Milligrams/L (mg/L)	MW18	5.675	2	31
2116	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	18.5	1.33	31
2117	May-18	Specific Conductance (Field)	Micromhos/cm	MW18	722.4	486	31
2118	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	450	290	31
2119	May-18	Chloride	Milligrams/L (mg/L)	MW2R	12.3	2	31
2120	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4	1.33	31
2121	May-18	Specific Conductance (Field)	Micromhos/cm	MW2R	761	486	31
2122	May-18	Sulfate	Milligrams/L (mg/L)	MW2R	285.5	69.5	31
2123	May-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	518.5	290	31
2124	May-18	Chloride	Milligrams/L (mg/L)	MW7	5.32	2	31
2125	May-18	Chloride	Milligrams/L (mg/L)	MW9	7.69	2	31
2126	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.535	0.32	31
2127	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.89	0.32	31
2128	May-18	Chloride	Milligrams/L (mg/L)	SW2	6.54	2	31
2129	May-18	Chloride	Milligrams/L (mg/L)	SW7	4.45	2	31
2130	May-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.396	0.32	31
2131	May-18	Chloride	Milligrams/L (mg/L)	SW8	10.2	2	31
2132	April-18	Chloride	Milligrams/L (mg/L)	GW2	14.7	2	30
2133	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.11	0.32	30
2134	April-18	Sulfate	Milligrams/L (mg/L)	GW2	74	72	30

Attachment A

	A	B	C	D	E	F	G
2135	April-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	300	290	30
2136	April-18	Chloride	Milligrams/L (mg/L)	JJ14	16.7	2	30
2137	April-18	Specific Conductance (Field)	Micromhos/cm	JJ14	502.1	486	30
2138	April-18	Sulfate	Milligrams/L (mg/L)	JJ14	75.9	69.5	30
2139	April-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	302	290	30
2140	April-18	Chloride	Milligrams/L (mg/L)	JJ15	13.5	2	30
2141	April-18	Chloride	Milligrams/L (mg/L)	JJ18	2.63	2	30
2142	April-18	Chloride	Milligrams/L (mg/L)	JJ20	5.23	2	30
2143	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.81	1.33	30
2144	April-18	Chloride	Milligrams/L (mg/L)	MW14	15	2	30
2145	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.52	1.33	30
2146	April-18	Specific Conductance (Field)	Micromhos/cm	MW14	622	486	30
2147	April-18	Sulfate	Milligrams/L (mg/L)	MW14	193	69.5	30
2148	April-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	415	290	30
2149	April-18	Chloride	Milligrams/L (mg/L)	MW15	18.8	2	30
2150	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.01	1.33	30
2151	April-18	Specific Conductance (Field)	Micromhos/cm	MW15	719.1	486	30
2152	April-18	Sulfate	Milligrams/L (mg/L)	MW15	201	69.5	30
2153	April-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	482	290	30
2154	April-18	Chloride	Milligrams/L (mg/L)	MW18	5	2	30
2155	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	22.4	1.33	30
2156	April-18	Specific Conductance (Field)	Micromhos/cm	MW18	715.8	486	30
2157	April-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	467	290	30
2158	April-18	Chloride	Milligrams/L (mg/L)	MW2R	15.5	2	30
2159	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.35	1.33	30
2160	April-18	Specific Conductance (Field)	Micromhos/cm	MW2R	840	486	30
2161	April-18	Sulfate	Milligrams/L (mg/L)	MW2R	326	69.5	30
2162	April-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	596	290	30
2163	April-18	Chloride	Milligrams/L (mg/L)	MW7	7.42	2	30
2164	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.88	1.33	30
2165	April-18	Chloride	Milligrams/L (mg/L)	MW9	12	2	30

Attachment A

	A	B	C	D	E	F	G
2166	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	3.11	1.33	30
2167	April-18	Sulfate	Milligrams/L (mg/L)	MW9	69.6	69.5	30
2168	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.412	0.32	30
2169	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.97	0.32	30
2170	April-18	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	293	290	30
2171	April-18	Chloride	Milligrams/L (mg/L)	SW2	7.94	2	30
2172	April-18	Chloride	Milligrams/L (mg/L)	SW4	3.38	2	30
2173	April-18	Chloride	Milligrams/L (mg/L)	SW7	4.51	2	30
2174	April-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.45	0.32	30
2175	April-18	Chloride	Milligrams/L (mg/L)	SW8	8.09	2	30
2176	March-18	Chloride	Milligrams/L (mg/L)	GW2	12.8	2	31
2177	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.5	0.32	31
2178	March-18	Sulfate	Milligrams/L (mg/L)	GW2	76.9	72	31
2179	March-18	Chloride	Milligrams/L (mg/L)	JJ15	15.3	2	31
2180	March-18	Chloride	Milligrams/L (mg/L)	JJ18	2.96	2	31
2181	March-18	Chloride	Milligrams/L (mg/L)	JJ20	4.72	2	31
2182	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.01	1.33	31
2183	March-18	Chloride	Milligrams/L (mg/L)	MW14	15.5	2	31
2184	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.43	1.33	31
2185	March-18	Specific Conductance (Field)	Micromhos/cm	MW14	623.3	486	31
2186	March-18	Sulfate	Milligrams/L (mg/L)	MW14	181	69.5	31
2187	March-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	422	290	31
2188	March-18	Chloride	Milligrams/L (mg/L)	MW15	20.7	2	31
2189	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.49	1.33	31
2190	March-18	Specific Conductance (Field)	Micromhos/cm	MW15	703.8	486	31
2191	March-18	Sulfate	Milligrams/L (mg/L)	MW15	195	69.5	31
2192	March-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	453	290	31
2193	March-18	Chloride	Milligrams/L (mg/L)	MW18	5.51	2	31
2194	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	22	1.33	31
2195	March-18	Specific Conductance (Field)	Micromhos/cm	MW18	752.4	486	31
2196	March-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	453	290	31

Attachment A

	A	B	C	D	E	F	G
2197	March-18	Chloride	Milligrams/L (mg/L)	MW2R	17.8	2	31
2198	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.15	1.33	31
2199	March-18	Specific Conductance (Field)	Micromhos/cm	MW2R	856	486	31
2200	March-18	Sulfate	Milligrams/L (mg/L)	MW2R	315	69.5	31
2201	March-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	584	290	31
2202	March-18	Chloride	Milligrams/L (mg/L)	MW7	9.63	2	31
2203	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	3.72	1.33	31
2204	March-18	Chloride	Milligrams/L (mg/L)	MW9	13.5	2	31
2205	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.49	1.33	31
2206	March-18	Sulfate	Milligrams/L (mg/L)	MW9	71.5	69.5	31
2207	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.556	0.32	31
2208	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.02	0.32	31
2209	March-18	Chloride	Milligrams/L (mg/L)	SW2	8.42	2	31
2210	March-18	Chloride	Milligrams/L (mg/L)	SW7	7.33	2	31
2211	March-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.48	0.32	31
2212	March-18	Chloride	Milligrams/L (mg/L)	SW8	8.49	2	31
2213	February-18	Chloride	Milligrams/L (mg/L)	GW2	11.8	2	28
2214	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	7.49	0.32	28
2215	February-18	Chloride	Milligrams/L (mg/L)	JJ15	14.1	2	28
2216	February-18	Chloride	Milligrams/L (mg/L)	JJ18	3.01	2	28
2217	February-18	Chloride	Milligrams/L (mg/L)	JJ20	12.8	2	28
2218	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	5.01	1.33	28
2219	February-18	Sulfate	Milligrams/L (mg/L)	JJ20	74.5	69.5	28
2220	February-18	Chloride	Milligrams/L (mg/L)	MW14	15	2	28
2221	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.13	1.33	28
2222	February-18	Specific Conductance (Field)	Micromhos/cm	MW14	680.3	486	28
2223	February-18	Sulfate	Milligrams/L (mg/L)	MW14	200	69.5	28
2224	February-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	449	290	28
2225	February-18	Chloride	Milligrams/L (mg/L)	MW15	17.1	2	28
2226	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	6.28	1.33	28
2227	February-18	Specific Conductance (Field)	Micromhos/cm	MW15	618.6	486	28

Attachment A

	A	B	C	D	E	F	G
2228	February-18	Sulfate	Milligrams/L (mg/L)	MW15	163	69.5	28
2229	February-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	370	290	28
2230	February-18	Chloride	Milligrams/L (mg/L)	MW18	5.21	2	28
2231	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	25.2	1.33	28
2232	February-18	Specific Conductance (Field)	Micromhos/cm	MW18	763	486	28
2233	February-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	488	290	28
2234	February-18	Chloride	Milligrams/L (mg/L)	MW2R	21.5	2	28
2235	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	5.14	1.33	28
2236	February-18	Specific Conductance (Field)	Micromhos/cm	MW2R	898	486	28
2237	February-18	Sulfate	Milligrams/L (mg/L)	MW2R	367	69.5	28
2238	February-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	577	290	28
2239	February-18	Chloride	Milligrams/L (mg/L)	MW7	10.8	2	28
2240	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	5.37	1.33	28
2241	February-18	Chloride	Milligrams/L (mg/L)	MW9	11.3	2	28
2242	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	2.57	1.33	28
2243	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.528	0.32	28
2244	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.09	0.32	28
2245	February-18	Chloride	Milligrams/L (mg/L)	SW2	7.02	2	28
2246	February-18	Chloride	Milligrams/L (mg/L)	SW7	8.79	2	28
2247	February-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.44	0.32	28
2248	February-18	Chloride	Milligrams/L (mg/L)	SW8	7.65	2	28
2249	January-18	Chloride	Milligrams/L (mg/L)	GW2	14.4	2	31
2250	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.72	0.32	31
2251	January-18	Sulfate	Milligrams/L (mg/L)	GW2	80.4	72	31
2252	January-18	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	303	290	31
2253	January-18	Chloride	Milligrams/L (mg/L)	JJ14	14.6	2	31
2254	January-18	Sulfate	Milligrams/L (mg/L)	JJ14	72.9	69.5	31
2255	January-18	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	291	290	31
2256	January-18	Chloride	Milligrams/L (mg/L)	JJ15	14.3	2	31
2257	January-18	Chloride	Milligrams/L (mg/L)	JJ18	2.83	2	31
2258	January-18	Chloride	Milligrams/L (mg/L)	JJ20	14.8	2	31

Attachment A

	A	B	C	D	E	F	G
2259	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.62	1.33	31
2260	January-18	Sulfate	Milligrams/L (mg/L)	JJ20	79.8	69.5	31
2261	January-18	Chloride	Milligrams/L (mg/L)	MW14	17.2	2	31
2262	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.69	1.33	31
2263	January-18	Specific Conductance (Field)	Micromhos/cm	MW14	677.9	486	31
2264	January-18	Sulfate	Milligrams/L (mg/L)	MW14	213	69.5	31
2265	January-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	440	290	31
2266	January-18	Chloride	Milligrams/L (mg/L)	MW15	17	2	31
2267	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	5.66	1.33	31
2268	January-18	Specific Conductance (Field)	Micromhos/cm	MW15	614.3	486	31
2269	January-18	Sulfate	Milligrams/L (mg/L)	MW15	164	69.5	31
2270	January-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	394	290	31
2271	January-18	Chloride	Milligrams/L (mg/L)	MW18	5.57	2	31
2272	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	24.3	1.33	31
2273	January-18	Specific Conductance (Field)	Micromhos/cm	MW18	767.8	486	31
2274	January-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	474	290	31
2275	January-18	Chloride	Milligrams/L (mg/L)	MW2R	19.8	2	31
2276	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.04	1.33	31
2277	January-18	Specific Conductance (Field)	Micromhos/cm	MW2R	879	486	31
2278	January-18	Sulfate	Milligrams/L (mg/L)	MW2R	347	69.5	31
2279	January-18	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	603	290	31
2280	January-18	Chloride	Milligrams/L (mg/L)	MW7	11.8	2	31
2281	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.7	1.33	31
2282	January-18	Chloride	Milligrams/L (mg/L)	MW9	11.4	2	31
2283	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.87	1.33	31
2284	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.83	0.32	31
2285	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.536	0.32	31
2286	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.86	0.32	31
2287	January-18	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	294	290	31
2288	January-18	Chloride	Milligrams/L (mg/L)	SW2	7.23	2	31
2289	January-18	Chloride	Milligrams/L (mg/L)	SW7	8.54	2	31

Attachment A

	A	B	C	D	E	F	G
2290	January-18	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.97	0.32	31
2291	January-18	Chloride	Milligrams/L (mg/L)	SW8	7.77	2	31
2292	December-17	Chloride	Milligrams/L (mg/L)	GW2	13.3	2	31
2293	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.78	0.32	31
2294	December-17	Sulfate	Milligrams/L (mg/L)	GW2	77.7	72	31
2295	December-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	303	290	31
2296	December-17	Chloride	Milligrams/L (mg/L)	JJ14	13.5	2	31
2297	December-17	Sulfate	Milligrams/L (mg/L)	JJ14	75.2	69.5	31
2298	December-17	Chloride	Milligrams/L (mg/L)	JJ15	14.9	2	31
2299	December-17	Chloride	Milligrams/L (mg/L)	JJ18	2.48	2	31
2300	December-17	Chloride	Milligrams/L (mg/L)	JJ20	12.4	2	31
2301	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.65	1.33	31
2302	December-17	Sulfate	Milligrams/L (mg/L)	JJ20	73.3	69.5	31
2303	December-17	Chloride	Milligrams/L (mg/L)	MW14	14.3	2	31
2304	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.65	1.33	31
2305	December-17	Specific Conductance (Field)	Micromhos/cm	MW14	649	486	31
2306	December-17	Sulfate	Milligrams/L (mg/L)	MW14	183	69.5	31
2307	December-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	423	290	31
2308	December-17	Chloride	Milligrams/L (mg/L)	MW15	20.7	2	31
2309	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.29	1.33	31
2310	December-17	Specific Conductance (Field)	Micromhos/cm	MW15	695.5	486	31
2311	December-17	Sulfate	Milligrams/L (mg/L)	MW15	194	69.5	31
2312	December-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	444	290	31
2313	December-17	Chloride	Milligrams/L (mg/L)	MW2R	17.9	2	31
2314	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.35	1.33	31
2315	December-17	Specific Conductance (Field)	Micromhos/cm	MW2R	940	486	31
2316	December-17	Sulfate	Milligrams/L (mg/L)	MW2R	334	69.5	31
2317	December-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	612	290	31
2318	December-17	Chloride	Milligrams/L (mg/L)	MW7	11.9	2	31
2319	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.89	1.33	31
2320	December-17	Chloride	Milligrams/L (mg/L)	MW9	9.66	2	31

Attachment A

	A	B	C	D	E	F	G
2321	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.66	0.32	31
2322	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.459	0.32	31
2323	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.88	0.32	31
2324	December-17	Chloride	Milligrams/L (mg/L)	SW2	7	2	31
2325	December-17	Chloride	Milligrams/L (mg/L)	SW7	7.62	2	31
2326	December-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.8	0.32	31
2327	December-17	Chloride	Milligrams/L (mg/L)	SW8	6.94	2	31
2328	November-17	Chloride	Milligrams/L (mg/L)	GW2	13	2	30
2329	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.17	0.32	30
2330	November-17	Sulfate	Milligrams/L (mg/L)	GW2	76	72	30
2331	November-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	304	290	30
2332	November-17	Chloride	Milligrams/L (mg/L)	JJ15	15.3	2	30
2333	November-17	Chloride	Milligrams/L (mg/L)	JJ18	2.46	2	30
2334	November-17	Chloride	Milligrams/L (mg/L)	JJ20	12.5	2	30
2335	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.92	1.33	30
2336	November-17	Sulfate	Milligrams/L (mg/L)	JJ20	71	69.5	30
2337	November-17	Chloride	Milligrams/L (mg/L)	MW14	15.5	2	30
2338	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.46	1.33	30
2339	November-17	Specific Conductance (Field)	Micromhos/cm	MW14	651	486	30
2340	November-17	Sulfate	Milligrams/L (mg/L)	MW14	200	69.5	30
2341	November-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	456	290	30
2342	November-17	Chloride	Milligrams/L (mg/L)	MW15	21.3	2	30
2343	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.5	1.33	30
2344	November-17	Specific Conductance (Field)	Micromhos/cm	MW15	775	486	30
2345	November-17	Sulfate	Milligrams/L (mg/L)	MW15	217	69.5	30
2346	November-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	502	290	30
2347	November-17	Chloride	Milligrams/L (mg/L)	MW2R	21.8	2	30
2348	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.08	1.33	30
2349	November-17	Specific Conductance (Field)	Micromhos/cm	MW2R	887	486	30
2350	November-17	Sulfate	Milligrams/L (mg/L)	MW2R	339	69.5	30
2351	November-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	636	290	30

Attachment A

	A	B	C	D	E	F	G
2352	November-17	Chloride	Milligrams/L (mg/L)	MW7	11.1	2	30
2353	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.43	1.33	30
2354	November-17	Chloride	Milligrams/L (mg/L)	MW9	8.78	2	30
2355	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.12	0.32	30
2356	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.58	0.32	30
2357	November-17	Chloride	Milligrams/L (mg/L)	SW2	6.17	2	30
2358	November-17	Chloride	Milligrams/L (mg/L)	SW7	6.86	2	30
2359	November-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.16	0.32	30
2360	November-17	Chloride	Milligrams/L (mg/L)	SW8	6.85	2	30
2361	November-17	Chloride	Milligrams/L (mg/L)	SW9a	5.99	2	30
2362	November-17	Sulfate	Milligrams/L (mg/L)	SW9a	85.9	72	30
2363	October-17	Chloride	Milligrams/L (mg/L)	GW2	13.2	2	31
2364	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.13	0.32	31
2365	October-17	Sulfate	Milligrams/L (mg/L)	GW2	79.1	72	31
2366	October-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	309	290	31
2367	October-17	Chloride	Milligrams/L (mg/L)	JJ15	14.4	2	31
2368	October-17	Chloride	Milligrams/L (mg/L)	JJ18	2.32	2	31
2369	October-17	Chloride	Milligrams/L (mg/L)	JJ20	12.3	2	31
2370	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	4.3	1.33	31
2371	October-17	Sulfate	Milligrams/L (mg/L)	JJ20	72.5	69.5	31
2372	October-17	Total Dissolved Solids	Milligrams/L (mg/L)	JJ20	306	290	31
2373	October-17	Chloride	Milligrams/L (mg/L)	MW14	16	2	31
2374	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.7	1.33	31
2375	October-17	Specific Conductance (Field)	Micromhos/cm	MW14	709.3	486	31
2376	October-17	Sulfate	Milligrams/L (mg/L)	MW14	214	69.5	31
2377	October-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	458	290	31
2378	October-17	Chloride	Milligrams/L (mg/L)	MW15	17.2	2	31
2379	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.22	1.33	31
2380	October-17	Specific Conductance (Field)	Micromhos/cm	MW15	690.8	486	31
2381	October-17	Sulfate	Milligrams/L (mg/L)	MW15	210	69.5	31
2382	October-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	439	290	31

Attachment A

	A	B	C	D	E	F	G
2383	October-17	Chloride	Milligrams/L (mg/L)	MW2R	21	2	31
2384	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.13	1.33	31
2385	October-17	Specific Conductance (Field)	Micromhos/cm	MW2R	908	486	31
2386	October-17	Sulfate	Milligrams/L (mg/L)	MW2R	341	69.5	31
2387	October-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	630	290	31
2388	October-17	Chloride	Milligrams/L (mg/L)	MW7	11.6	2	31
2389	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	4.14	1.33	31
2390	October-17	Sulfate	Milligrams/L (mg/L)	MW7	71.3	69.5	31
2391	October-17	Chloride	Milligrams/L (mg/L)	MW9	8.26	2	31
2392	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.01	0.32	31
2393	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.327	0.32	31
2394	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.58	0.32	31
2395	October-17	Chloride	Milligrams/L (mg/L)	SW2	6.88	2	31
2396	October-17	Chloride	Milligrams/L (mg/L)	SW7	5.77	2	31
2397	October-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.02	0.32	31
2398	October-17	Chloride	Milligrams/L (mg/L)	SW8	7.3	2	31
2399	October-17	Chloride	Milligrams/L (mg/L)	SW9a	5.66	2	31
2400	October-17	Sulfate	Milligrams/L (mg/L)	SW9a	88	72	31
2401	September-17	Chloride	Milligrams/L (mg/L)	GW2	15.3	2	30
2402	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.67	0.32	30
2403	September-17	Sulfate	Milligrams/L (mg/L)	GW2	80.1	72	30
2404	September-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	298	290	30
2405	September-17	Chloride	Milligrams/L (mg/L)	JJ15	14.8	2	30
2406	September-17	Chloride	Milligrams/L (mg/L)	JJ18	2.35	2	30
2407	September-17	Chloride	Milligrams/L (mg/L)	JJ20	11.9	2	30
2408	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.76	1.33	30
2409	September-17	Chloride	Milligrams/L (mg/L)	MW14	18.8	2	30
2410	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.8	1.33	30
2411	September-17	Specific Conductance (Field)	Micromhos/cm	MW14	766	486	30
2412	September-17	Sulfate	Milligrams/L (mg/L)	MW14	273	69.5	30
2413	September-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	539	290	30

Attachment A

	A	B	C	D	E	F	G
2414	September-17	Chloride	Milligrams/L (mg/L)	MW15	16.7	2	30
2415	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.03	1.33	30
2416	September-17	Specific Conductance (Field)	Micromhos/cm	MW15	670	486	30
2417	September-17	Sulfate	Milligrams/L (mg/L)	MW15	217	69.5	30
2418	September-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	442	290	30
2419	September-17	Chloride	Milligrams/L (mg/L)	MW2R	20.6	2	30
2420	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.08	1.33	30
2421	September-17	Specific Conductance (Field)	Micromhos/cm	MW2R	882	486	30
2422	September-17	Sulfate	Milligrams/L (mg/L)	MW2R	359	69.5	30
2423	September-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	635	290	30
2424	September-17	Chloride	Milligrams/L (mg/L)	MW7	11.9	2	30
2425	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.88	1.33	30
2426	September-17	Chloride	Milligrams/L (mg/L)	MW9	7.95	2	30
2427	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.88	0.32	30
2428	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.675	0.32	30
2429	September-17	Chloride	Milligrams/L (mg/L)	SW2	6.4	2	30
2430	September-17	Chloride	Milligrams/L (mg/L)	SW7	4.57	2	30
2431	September-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.67	0.32	30
2432	September-17	Chloride	Milligrams/L (mg/L)	SW8	8.58	2	30
2433	September-17	Chloride	Milligrams/L (mg/L)	SW9a	5.08	2	30
2434	September-17	Sulfate	Milligrams/L (mg/L)	SW9a	77.8	72	30
2435	August-17	Chloride	Milligrams/L (mg/L)	GW2	13.5	2	31
2436	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.53	0.32	31
2437	August-17	Sulfate	Milligrams/L (mg/L)	GW2	75.3	72	31
2438	August-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	311	290	31
2439	August-17	Chloride	Milligrams/L (mg/L)	JJ15	15.5	2	31
2440	August-17	Chloride	Milligrams/L (mg/L)	JJ18	2.01	2	31
2441	August-17	Chloride	Milligrams/L (mg/L)	JJ20	7.74	2	31
2442	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.06	1.33	31
2443	August-17	Chloride	Milligrams/L (mg/L)	MW14	20.5	2	31
2444	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.93	1.33	31

Attachment A

	A	B	C	D	E	F	G
2445	August-17	Specific Conductance (Field)	Micromhos/cm	MW14	851	486	31
2446	August-17	Sulfate	Milligrams/L (mg/L)	MW14	314	69.5	31
2447	August-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	605	290	31
2448	August-17	Chloride	Milligrams/L (mg/L)	MW15	15.6	2	31
2449	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	2.98	1.33	31
2450	August-17	Specific Conductance (Field)	Micromhos/cm	MW15	703.4	486	31
2451	August-17	Sulfate	Milligrams/L (mg/L)	MW15	231	69.5	31
2452	August-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	438	290	31
2453	August-17	Chloride	Milligrams/L (mg/L)	MW2R	18	2	31
2454	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.12	1.33	31
2455	August-17	Specific Conductance (Field)	Micromhos/cm	MW2R	859	486	31
2456	August-17	Sulfate	Milligrams/L (mg/L)	MW2R	331	69.5	31
2457	August-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	599	290	31
2458	August-17	Chloride	Milligrams/L (mg/L)	MW7	11.4	2	31
2459	August-17	Chloride	Milligrams/L (mg/L)	MW9	7.66	2	31
2460	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.785	0.32	31
2461	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.41	0.32	31
2462	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.81	0.32	31
2463	August-17	Chloride	Milligrams/L (mg/L)	SW2	6.9	2	31
2464	August-17	Chloride	Milligrams/L (mg/L)	SW7	4.83	2	31
2465	August-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.843	0.32	31
2466	August-17	Chloride	Milligrams/L (mg/L)	SW8	9.7	2	31
2467	July-17	Chloride	Milligrams/L (mg/L)	GW2	15.2	2	31
2468	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.11	0.32	31
2469	July-17	Sulfate	Milligrams/L (mg/L)	GW2	81.2	72	31
2470	July-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	302	290	31
2471	July-17	Chloride	Milligrams/L (mg/L)	JJ14	13.4	2	31
2472	July-17	Specific Conductance (Field)	Micromhos/cm	JJ14	500	486	31
2473	July-17	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	322	290	31
2474	July-17	Chloride	Milligrams/L (mg/L)	JJ15	13.9	2	31
2475	July-17	Chloride	Milligrams/L (mg/L)	JJ20	8.04	2	31

Attachment A

	A	B	C	D	E	F	G
2476	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.72	1.33	31
2477	July-17	Chloride	Milligrams/L (mg/L)	MW14	25.7	2	31
2478	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.23	1.33	31
2479	July-17	Specific Conductance (Field)	Micromhos/cm	MW14	991	486	31
2480	July-17	Sulfate	Milligrams/L (mg/L)	MW14	390	69.5	31
2481	July-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	705	290	31
2482	July-17	Chloride	Milligrams/L (mg/L)	MW15	15.5	2	31
2483	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.23	1.33	31
2484	July-17	Specific Conductance (Field)	Micromhos/cm	MW15	761	486	31
2485	July-17	Sulfate	Milligrams/L (mg/L)	MW15	261	69.5	31
2486	July-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	510	290	31
2487	July-17	Chloride	Milligrams/L (mg/L)	MW2R	16.4	2	31
2488	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.51	1.33	31
2489	July-17	Specific Conductance (Field)	Micromhos/cm	MW2R	843	486	31
2490	July-17	Sulfate	Milligrams/L (mg/L)	MW2R	328	69.5	31
2491	July-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	579	290	31
2492	July-17	Chloride	Milligrams/L (mg/L)	MW7	4.33	2	31
2493	July-17	Chloride	Milligrams/L (mg/L)	MW9	6.31	2	31
2494	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.59	0.32	31
2495	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.365	0.32	31
2496	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.21	0.32	31
2497	July-17	Chloride	Milligrams/L (mg/L)	SW2	6.53	2	31
2498	July-17	Chloride	Milligrams/L (mg/L)	SW7	5.82	2	31
2499	July-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.895	0.32	31
2500	July-17	Chloride	Milligrams/L (mg/L)	SW8	12.6	2	31
2501	June-17	Chloride	Milligrams/L (mg/L)	GB12	3.54	2	30
2502	June-17	Specific Conductance (Field)	Micromhos/cm	GB12	730	486	30
2503	June-17	Sulfate	Milligrams/L (mg/L)	GB12	268	69.5	30
2504	June-17	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	502	290	30
2505	June-17	Chloride	Milligrams/L (mg/L)	GW2	16.7	2	30
2506	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4.86	0.32	30

Attachment A

	A	B	C	D	E	F	G
2507	June-17	Sulfate	Milligrams/L (mg/L)	GW2	85.2	72	30
2508	June-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	298	290	30
2509	June-17	Chloride	Milligrams/L (mg/L)	JJ14	9.86	2	30
2510	June-17	Chloride	Milligrams/L (mg/L)	JJ15	12.7	2	30
2511	June-17	Chloride	Milligrams/L (mg/L)	JJ16	3.79	2	30
2512	June-17	Specific Conductance (Field)	Micromhos/cm	JJ16	724.6	486	30
2513	June-17	Sulfate	Milligrams/L (mg/L)	JJ16	265	69.5	30
2514	June-17	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	489	290	30
2515	June-17	Chloride	Milligrams/L (mg/L)	JJ20	9.95	2	30
2516	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.98	1.33	30
2517	June-17	Chloride	Milligrams/L (mg/L)	JJ26	12	2	30
2518	June-17	Chloride	Milligrams/L (mg/L)	MW14	28.9	2	30
2519	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.36	1.33	30
2520	June-17	Specific Conductance (Field)	Micromhos/cm	MW14	1041	486	30
2521	June-17	Sulfate	Milligrams/L (mg/L)	MW14	420	69.5	30
2522	June-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	760	290	30
2523	June-17	Chloride	Milligrams/L (mg/L)	MW15	21.8	2	30
2524	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.95	1.33	30
2525	June-17	Specific Conductance (Field)	Micromhos/cm	MW15	723.4	486	30
2526	June-17	Sulfate	Milligrams/L (mg/L)	MW15	206	69.5	30
2527	June-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	476	290	30
2528	June-17	Chloride	Milligrams/L (mg/L)	MW2R	13	2	30
2529	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.16	1.33	30
2530	June-17	Specific Conductance (Field)	Micromhos/cm	MW2R	799	486	30
2531	June-17	Sulfate	Milligrams/L (mg/L)	MW2R	323	69.5	30
2532	June-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	549	290	30
2533	June-17	Chloride	Milligrams/L (mg/L)	MW7	2.92	2	30
2534	June-17	Chloride	Milligrams/L (mg/L)	MW9	5.71	2	30
2535	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.359	0.32	30
2536	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.446	0.32	30
2537	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.995	0.32	30

Attachment A

	A	B	C	D	E	F	G
2538	June-17	Chloride	Milligrams/L (mg/L)	SW2	6.09	2	30
2539	June-17	Chloride	Milligrams/L (mg/L)	SW7	7.02	2	30
2540	June-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.01	0.32	30
2541	June-17	Chloride	Milligrams/L (mg/L)	SW8	10.2	2	30
2542	June-17	Chloride	Milligrams/L (mg/L)	SW9a	6.66	2	30
2543	June-17	Sulfate	Milligrams/L (mg/L)	SW9a	153	72	30
2544	May-17	Chloride	Milligrams/L (mg/L)	GB11	2.55	2	31
2545	May-17	Specific Conductance (Field)	Micromhos/cm	GB11	621	486	31
2546	May-17	Sulfate	Milligrams/L (mg/L)	GB11	237	69.5	31
2547	May-17	Total Dissolved Solids	Milligrams/L (mg/L)	GB11	441	290	31
2548	May-17	Chloride	Milligrams/L (mg/L)	GB12	3.26	2	31
2549	May-17	Specific Conductance (Field)	Micromhos/cm	GB12	673.15	486	31
2550	May-17	Sulfate	Milligrams/L (mg/L)	GB12	245.5	69.5	31
2551	May-17	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	481	290	31
2552	May-17	Chloride	Milligrams/L (mg/L)	GW2	19.5	2	31
2553	May-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	3.76	0.32	31
2554	May-17	Sulfate	Milligrams/L (mg/L)	GW2	88.1	72	31
2555	May-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	313	290	31
2556	May-17	Chloride	Milligrams/L (mg/L)	JJ14	9.87	2	31
2557	May-17	Chloride	Milligrams/L (mg/L)	JJ15	11.8	2	31
2558	May-17	Chloride	Milligrams/L (mg/L)	JJ16	5.12	2	31
2559	May-17	Specific Conductance (Field)	Micromhos/cm	JJ16	659.6	486	31
2560	May-17	Sulfate	Milligrams/L (mg/L)	JJ16	262	69.5	31
2561	May-17	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	484	290	31
2562	May-17	Chloride	Milligrams/L (mg/L)	JJ20	6.7	2	31
2563	May-17	Chloride	Milligrams/L (mg/L)	JJ26	10.9	2	31
2564	May-17	Chloride	Milligrams/L (mg/L)	MW14	19.55	2	31
2565	May-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.2	1.33	31
2566	May-17	Specific Conductance (Field)	Micromhos/cm	MW14	1030.5	486	31
2567	May-17	Sulfate	Milligrams/L (mg/L)	MW14	418.5	69.5	31
2568	May-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	740.5	290	31

Attachment A

	A	B	C	D	E	F	G
2569	May-17	Chloride	Milligrams/L (mg/L)	MW15	11.7	2	31
2570	May-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	2.875	1.33	31
2571	May-17	Specific Conductance (Field)	Micromhos/cm	MW15	615.45	486	31
2572	May-17	Sulfate	Milligrams/L (mg/L)	MW15	189.5	69.5	31
2573	May-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	422	290	31
2574	May-17	Chloride	Milligrams/L (mg/L)	MW2R	13.3	2	31
2575	May-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.295	1.33	31
2576	May-17	Specific Conductance (Field)	Micromhos/cm	MW2R	758.5	486	31
2577	May-17	Sulfate	Milligrams/L (mg/L)	MW2R	288.5	69.5	31
2578	May-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	526	290	31
2579	May-17	Chloride	Milligrams/L (mg/L)	MW7	4.16	2	31
2580	May-17	Chloride	Milligrams/L (mg/L)	MW9	5.59	2	31
2581	May-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.417	0.32	31
2582	May-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	0.614	0.32	31
2583	May-17	Chloride	Milligrams/L (mg/L)	SW2	4.66	2	31
2584	May-17	Chloride	Milligrams/L (mg/L)	SW7	4.52	2	31
2585	May-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.385	0.32	31
2586	May-17	Chloride	Milligrams/L (mg/L)	SW8	7.95	2	31
2587	May-17	Chloride	Milligrams/L (mg/L)	SW9a	2.94	2	31
2588	May-17	Sulfate	Milligrams/L (mg/L)	SW9a	80.55	72	31
2589	April-17	Chloride	Milligrams/L (mg/L)	GW2	24.13	2	30
2590	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4.35	0.32	30
2591	April-17	Sulfate	Milligrams/L (mg/L)	GW2	82.43	72	30
2592	April-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	312	290	30
2593	April-17	Chloride	Milligrams/L (mg/L)	JJ14	9.82	2	30
2594	April-17	Chloride	Milligrams/L (mg/L)	JJ15	12.3	2	30
2595	April-17	Chloride	Milligrams/L (mg/L)	JJ18	2.79	2	30
2596	April-17	Chloride	Milligrams/L (mg/L)	JJ20	6.63	2	30
2597	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.51	1.33	30
2598	April-17	Chloride	Milligrams/L (mg/L)	JJ26	10.6	2	30
2599	April-17	Chloride	Milligrams/L (mg/L)	MW14	11.3	2	30

Attachment A

	A	B	C	D	E	F	G
2600	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.61	1.33	30
2601	April-17	Specific Conductance (Field)	Micromhos/cm	MW14	538.7	486	30
2602	April-17	Sulfate	Milligrams/L (mg/L)	MW14	105	69.5	30
2603	April-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	342	290	30
2604	April-17	Chloride	Milligrams/L (mg/L)	MW15	16.2	2	30
2605	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.8	1.33	30
2606	April-17	Specific Conductance (Field)	Micromhos/cm	MW15	720.8	486	30
2607	April-17	Sulfate	Milligrams/L (mg/L)	MW15	206	69.5	30
2608	April-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	479	290	30
2609	April-17	Chloride	Milligrams/L (mg/L)	MW7	8.61	2	30
2610	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.55	1.33	30
2611	April-17	Chloride	Milligrams/L (mg/L)	MW9	8.73	2	30
2612	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.613	0.32	30
2613	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.645	0.32	30
2614	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.59	0.32	30
2615	April-17	Chloride	Milligrams/L (mg/L)	SW2	4.48	2	30
2616	April-17	Chloride	Milligrams/L (mg/L)	SW4	2.71	2	30
2617	April-17	Chloride	Milligrams/L (mg/L)	SW7	5.75	2	30
2618	April-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.21	0.32	30
2619	April-17	Chloride	Milligrams/L (mg/L)	SW8	5.73	2	30
2620	March-17	Chloride	Milligrams/L (mg/L)	GW2	14.1	2	31
2621	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.37	0.32	31
2622	March-17	Sulfate	Milligrams/L (mg/L)	GW2	73.9	72	31
2623	March-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	303	290	31
2624	March-17	Chloride	Milligrams/L (mg/L)	JJ15	13.7	2	31
2625	March-17	Chloride	Milligrams/L (mg/L)	JJ18	3.17	2	31
2626	March-17	Chloride	Milligrams/L (mg/L)	JJ20	8.87	2	31
2627	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.24	1.33	31
2628	March-17	Chloride	Milligrams/L (mg/L)	MW14	14.1	2	31
2629	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.62	1.33	31
2630	March-17	Specific Conductance (Field)	Micromhos/cm	MW14	509.7	486	31

Attachment A

	A	B	C	D	E	F	G
2631	March-17	Sulfate	Milligrams/L (mg/L)	MW14	118	69.5	31
2632	March-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	310	290	31
2633	March-17	Chloride	Milligrams/L (mg/L)	MW15	15.9	2	31
2634	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.47	1.33	31
2635	March-17	Specific Conductance (Field)	Micromhos/cm	MW15	768	486	31
2636	March-17	Sulfate	Milligrams/L (mg/L)	MW15	250	69.5	31
2637	March-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	523	290	31
2638	March-17	Chloride	Milligrams/L (mg/L)	MW7	7.25	2	31
2639	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.66	1.33	31
2640	March-17	Chloride	Milligrams/L (mg/L)	MW9	9.31	2	31
2641	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.47	0.32	31
2642	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	1.03	0.32	31
2643	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.04	0.32	31
2644	March-17	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	303	290	31
2645	March-17	Chloride	Milligrams/L (mg/L)	SW2	4.67	2	31
2646	March-17	Chloride	Milligrams/L (mg/L)	SW7	4.42	2	31
2647	March-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.668	0.32	31
2648	March-17	Chloride	Milligrams/L (mg/L)	SW8	6.7	2	31
2649	February-17	Chloride	Milligrams/L (mg/L)	GW2	14.9	2	28
2650	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.32	0.32	28
2651	February-17	Sulfate	Milligrams/L (mg/L)	GW2	79.1	72	28
2652	February-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	325	290	28
2653	February-17	Chloride	Milligrams/L (mg/L)	JJ15	15.6	2	28
2654	February-17	Chloride	Milligrams/L (mg/L)	JJ18	3.3	2	28
2655	February-17	Chloride	Milligrams/L (mg/L)	JJ20	5.49	2	28
2656	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.81	1.33	28
2657	February-17	Chloride	Milligrams/L (mg/L)	MW14	13.9	2	28
2658	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.44	1.33	28
2659	February-17	Specific Conductance (Field)	Micromhos/cm	MW14	503.2	486	28
2660	February-17	Sulfate	Milligrams/L (mg/L)	MW14	124	69.5	28
2661	February-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	331	290	28

Attachment A

	A	B	C	D	E	F	G
2662	February-17	Chloride	Milligrams/L (mg/L)	MW15	16.9	2	28
2663	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.66	1.33	28
2664	February-17	Specific Conductance (Field)	Micromhos/cm	MW15	748.5	486	28
2665	February-17	Sulfate	Milligrams/L (mg/L)	MW15	246	69.5	28
2666	February-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	514	290	28
2667	February-17	Chloride	Milligrams/L (mg/L)	MW7	4.12	2	28
2668	February-17	Chloride	Milligrams/L (mg/L)	MW9	10.5	2	28
2669	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.41	0.32	28
2670	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	1.15	0.32	28
2671	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.94	0.32	28
2672	February-17	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	294	290	28
2673	February-17	Chloride	Milligrams/L (mg/L)	SW2	5.3	2	28
2674	February-17	Chloride	Milligrams/L (mg/L)	SW7	4.38	2	28
2675	February-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.784	0.32	28
2676	February-17	Chloride	Milligrams/L (mg/L)	SW8	6.51	2	28
2677	January-17	Chloride	Milligrams/L (mg/L)	GW2	15	2	31
2678	January-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.02	0.32	31
2679	January-17	Sulfate	Milligrams/L (mg/L)	GW2	77.5	72	31
2680	January-17	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	295	290	31
2681	January-17	Chloride	Milligrams/L (mg/L)	JJ15	16.2	2	31
2682	January-17	Chloride	Milligrams/L (mg/L)	JJ18	3.19	2	31
2683	January-17	Chloride	Milligrams/L (mg/L)	JJ20	3.75	2	31
2684	January-17	Chloride	Milligrams/L (mg/L)	MW14	15.5	2	31
2685	January-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.48	1.33	31
2686	January-17	Specific Conductance (Field)	Micromhos/cm	MW14	538.4	486	31
2687	January-17	Sulfate	Milligrams/L (mg/L)	MW14	134	69.5	31
2688	January-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	347	290	31
2689	January-17	Chloride	Milligrams/L (mg/L)	MW15	18.2	2	31
2690	January-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.91	1.33	31
2691	January-17	Specific Conductance (Field)	Micromhos/cm	MW15	733.3	486	31
2692	January-17	Sulfate	Milligrams/L (mg/L)	MW15	235	69.5	31

Attachment A

	A	B	C	D	E	F	G
2693	January-17	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	500	290	31
2694	January-17	Chloride	Milligrams/L (mg/L)	MW7	4.7	2	31
2695	January-17	Chloride	Milligrams/L (mg/L)	MW9	10.5	2	31
2696	January-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	1.02	0.32	31
2697	January-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.84	0.32	31
2698	January-17	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	292	290	31
2699	January-17	Chloride	Milligrams/L (mg/L)	SW2	5.12	2	31
2700	January-17	Chloride	Milligrams/L (mg/L)	SW7	3.89	2	31
2701	January-17	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.888	0.32	31
2702	January-17	Chloride	Milligrams/L (mg/L)	SW8	6.27	2	31
2703	December-16	Chloride	Milligrams/L (mg/L)	GW2	14.9	2	31
2704	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.93	0.32	31
2705	December-16	Sulfate	Milligrams/L (mg/L)	GW2	80.8	72	31
2706	December-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	292	290	31
2707	December-16	Chloride	Milligrams/L (mg/L)	JJ15	16.7	2	31
2708	December-16	Chloride	Milligrams/L (mg/L)	JJ18	3.08	2	31
2709	December-16	Chloride	Milligrams/L (mg/L)	JJ20	6.02	2	31
2710	December-16	Chloride	Milligrams/L (mg/L)	MW14	15.9	2	31
2711	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.97	1.33	31
2712	December-16	Specific Conductance (Field)	Micromhos/cm	MW14	593.3	486	31
2713	December-16	Sulfate	Milligrams/L (mg/L)	MW14	162	69.5	31
2714	December-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	380	290	31
2715	December-16	Chloride	Milligrams/L (mg/L)	MW15	17.9	2	31
2716	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.26	1.33	31
2717	December-16	Specific Conductance (Field)	Micromhos/cm	MW15	736.9	486	31
2718	December-16	Sulfate	Milligrams/L (mg/L)	MW15	218	69.5	31
2719	December-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	471	290	31
2720	December-16	Chloride	Milligrams/L (mg/L)	MW2R	16	2	31
2721	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.65	1.33	31
2722	December-16	Specific Conductance (Field)	Micromhos/cm	MW2R	804	486	31
2723	December-16	Sulfate	Milligrams/L (mg/L)	MW2R	341	69.5	31

Attachment A

	A	B	C	D	E	F	G
2724	December-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	578	290	31
2725	December-16	Chloride	Milligrams/L (mg/L)	MW7	5.95	2	31
2726	December-16	Chloride	Milligrams/L (mg/L)	MW9	12.9	2	31
2727	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.908	0.32	31
2728	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	1.13	0.32	31
2729	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.13	0.32	31
2730	December-16	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	309	290	31
2731	December-16	Chloride	Milligrams/L (mg/L)	SW2	3.91	2	31
2732	December-16	Chloride	Milligrams/L (mg/L)	SW7	4.58	2	31
2733	December-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.612	0.32	31
2734	December-16	Chloride	Milligrams/L (mg/L)	SW8	6.25	2	31
2735	November-16	Chloride	Milligrams/L (mg/L)	GW2	15	2	30
2736	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.62	0.32	30
2737	November-16	Sulfate	Milligrams/L (mg/L)	GW2	85	72	30
2738	November-16	Chloride	Milligrams/L (mg/L)	JJ14	11.7	2	30
2739	November-16	Chloride	Milligrams/L (mg/L)	JJ15	15.7	2	30
2740	November-16	Chloride	Milligrams/L (mg/L)	JJ18	3.29	2	30
2741	November-16	Chloride	Milligrams/L (mg/L)	JJ20	4.93	2	30
2742	November-16	Chloride	Milligrams/L (mg/L)	JJ26	11.7	2	30
2743	November-16	Chloride	Milligrams/L (mg/L)	MW14	15.7	2	30
2744	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.73	1.33	30
2745	November-16	Specific Conductance (Field)	Micromhos/cm	MW14	600.9	486	30
2746	November-16	Sulfate	Milligrams/L (mg/L)	MW14	169	69.5	30
2747	November-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	375	290	30
2748	November-16	Chloride	Milligrams/L (mg/L)	MW15	18.1	2	30
2749	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.15	1.33	30
2750	November-16	Specific Conductance (Field)	Micromhos/cm	MW15	723.1	486	30
2751	November-16	Sulfate	Milligrams/L (mg/L)	MW15	205	69.5	30
2752	November-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	497	290	30
2753	November-16	Chloride	Milligrams/L (mg/L)	MW2R	16.5	2	30
2754	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.42	1.33	30

Attachment A

	A	B	C	D	E	F	G
2755	November-16	Specific Conductance (Field)	Micromhos/cm	MW2R	832	486	30
2756	November-16	Sulfate	Milligrams/L (mg/L)	MW2R	321	69.5	30
2757	November-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	592	290	30
2758	November-16	Chloride	Milligrams/L (mg/L)	MW7	6.46	2	30
2759	November-16	Chloride	Milligrams/L (mg/L)	MW9	10.8	2	30
2760	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.648	0.32	30
2761	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.816	0.32	30
2762	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.67	0.32	30
2763	November-16	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	298	290	30
2764	November-16	Chloride	Milligrams/L (mg/L)	SW2	3.88	2	30
2765	November-16	Chloride	Milligrams/L (mg/L)	SW7	4.66	2	30
2766	November-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.875	0.32	30
2767	November-16	Chloride	Milligrams/L (mg/L)	SW8	5.88	2	30
2768	October-16	Chloride	Milligrams/L (mg/L)	GW2	13	2	31
2769	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.08	0.32	31
2770	October-16	Sulfate	Milligrams/L (mg/L)	GW2	79.4	72	31
2771	October-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	306	290	31
2772	October-16	Chloride	Milligrams/L (mg/L)	JJ15	16.2	2	31
2773	October-16	Chloride	Milligrams/L (mg/L)	JJ18	3.1	2	31
2774	October-16	Chloride	Milligrams/L (mg/L)	JJ20	7.66	2	31
2775	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.83	1.33	31
2776	October-16	Chloride	Milligrams/L (mg/L)	MW14	16.1	2	31
2777	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.81	1.33	31
2778	October-16	Specific Conductance (Field)	Micromhos/cm	MW14	601	486	31
2779	October-16	Sulfate	Milligrams/L (mg/L)	MW14	164	69.5	31
2780	October-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	400	290	31
2781	October-16	Chloride	Milligrams/L (mg/L)	MW15	18.8	2	31
2782	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.35	1.33	31
2783	October-16	Specific Conductance (Field)	Micromhos/cm	MW15	709.2	486	31
2784	October-16	Sulfate	Milligrams/L (mg/L)	MW15	193	69.5	31
2785	October-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	448	290	31

Attachment A

	A	B	C	D	E	F	G
2786	October-16	Chloride	Milligrams/L (mg/L)	MW2R	18.3	2	31
2787	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.72	1.33	31
2788	October-16	Specific Conductance (Field)	Micromhos/cm	MW2R	829	486	31
2789	October-16	Sulfate	Milligrams/L (mg/L)	MW2R	305	69.5	31
2790	October-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	574	290	31
2791	October-16	Chloride	Milligrams/L (mg/L)	MW7	7.64	2	31
2792	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.71	1.33	31
2793	October-16	Chloride	Milligrams/L (mg/L)	MW9	11.1	2	31
2794	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.586	0.32	31
2795	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.675	0.32	31
2796	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	4.035	0.32	31
2797	October-16	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	299.5	290	31
2798	October-16	Chloride	Milligrams/L (mg/L)	SW2	4.48	2	31
2799	October-16	Chloride	Milligrams/L (mg/L)	SW7	4.61	2	31
2800	October-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.532	0.32	31
2801	October-16	Chloride	Milligrams/L (mg/L)	SW8	6.25	2	31
2802	September-16	Chloride	Milligrams/L (mg/L)	GW2	14.7	2	30
2803	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.07	0.32	30
2804	September-16	Sulfate	Milligrams/L (mg/L)	GW2	84.2	72	30
2805	September-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	307	290	30
2806	September-16	Chloride	Milligrams/L (mg/L)	JJ15	13.7	2	30
2807	September-16	Chloride	Milligrams/L (mg/L)	JJ18	3.57	2	30
2808	September-16	Chloride	Milligrams/L (mg/L)	JJ20	8.09	2	30
2809	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.6	1.33	30
2810	September-16	Chloride	Milligrams/L (mg/L)	MW14	17.7	2	30
2811	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.68	1.33	30
2812	September-16	Specific Conductance (Field)	Micromhos/cm	MW14	678	486	30
2813	September-16	Sulfate	Milligrams/L (mg/L)	MW14	206	69.5	30
2814	September-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	448	290	30
2815	September-16	Chloride	Milligrams/L (mg/L)	MW15	16.4	2	30
2816	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.26	1.33	30

Attachment A

	A	B	C	D	E	F	G
2817	September-16	Specific Conductance (Field)	Micromhos/cm	MW15	694.3	486	30
2818	September-16	Sulfate	Milligrams/L (mg/L)	MW15	191	69.5	30
2819	September-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	444	290	30
2820	September-16	Chloride	Milligrams/L (mg/L)	MW18	7.43	2	30
2821	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	37.9	1.33	30
2822	September-16	Specific Conductance (Field)	Micromhos/cm	MW18	689	486	30
2823	September-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	561	290	30
2824	September-16	Chloride	Milligrams/L (mg/L)	MW2R	18.7	2	30
2825	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.5	1.33	30
2826	September-16	Specific Conductance (Field)	Micromhos/cm	MW2R	832	486	30
2827	September-16	Sulfate	Milligrams/L (mg/L)	MW2R	312	69.5	30
2828	September-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	576	290	30
2829	September-16	Chloride	Milligrams/L (mg/L)	MW7	8.59	2	30
2830	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.72	1.33	30
2831	September-16	Chloride	Milligrams/L (mg/L)	MW9	11.2	2	30
2832	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.461	0.32	30
2833	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.641	0.32	30
2834	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.945	0.32	30
2835	September-16	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	309	290	30
2836	September-16	Chloride	Milligrams/L (mg/L)	SW2	4.23	2	30
2837	September-16	Chloride	Milligrams/L (mg/L)	SW7	5.55	2	30
2838	September-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.03	0.32	30
2839	September-16	Chloride	Milligrams/L (mg/L)	SW8	7.08	2	30
2840	August-16	Chloride	Milligrams/L (mg/L)	GW2	15.4	2	31
2841	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.47	0.32	31
2842	August-16	Sulfate	Milligrams/L (mg/L)	GW2	85.1	72	31
2843	August-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	298	290	31
2844	August-16	Chloride	Milligrams/L (mg/L)	JJ14	12.6	2	31
2845	August-16	Specific Conductance (Field)	Micromhos/cm	JJ14	521.5	486	31
2846	August-16	Total Dissolved Solids	Milligrams/L (mg/L)	JJ14	300	290	31
2847	August-16	Chloride	Milligrams/L (mg/L)	JJ15	12.7	2	31

Attachment A

	A	B	C	D	E	F	G
2848	August-16	Chloride	Milligrams/L (mg/L)	JJ18	4.03	2	31
2849	August-16	Chloride	Milligrams/L (mg/L)	JJ20	6.71	2	31
2850	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.5	1.33	31
2851	August-16	Chloride	Milligrams/L (mg/L)	MW14	20.2	2	31
2852	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.93	1.33	31
2853	August-16	Specific Conductance (Field)	Micromhos/cm	MW14	775	486	31
2854	August-16	Sulfate	Milligrams/L (mg/L)	MW14	267	69.5	31
2855	August-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	498	290	31
2856	August-16	Chloride	Milligrams/L (mg/L)	MW15	17.7	2	31
2857	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.12	1.33	31
2858	August-16	Specific Conductance (Field)	Micromhos/cm	MW15	700.1	486	31
2859	August-16	Sulfate	Milligrams/L (mg/L)	MW15	224	69.5	31
2860	August-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	454	290	31
2861	August-16	Chloride	Milligrams/L (mg/L)	MW18	8.16	2	31
2862	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	39.4	1.33	31
2863	August-16	Specific Conductance (Field)	Micromhos/cm	MW18	664	486	31
2864	August-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	510	290	31
2865	August-16	Chloride	Milligrams/L (mg/L)	MW2R	17.7	2	31
2866	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.12	1.33	31
2867	August-16	Specific Conductance (Field)	Micromhos/cm	MW2R	818	486	31
2868	August-16	Sulfate	Milligrams/L (mg/L)	MW2R	318	69.5	31
2869	August-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	531	290	31
2870	August-16	Chloride	Milligrams/L (mg/L)	MW7	9.48	2	31
2871	August-16	Chloride	Milligrams/L (mg/L)	MW9	11.4	2	31
2872	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.419	0.32	31
2873	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.333	0.32	31
2874	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.41	0.32	31
2875	August-16	Chloride	Milligrams/L (mg/L)	SW2	4.03	2	31
2876	August-16	Chloride	Milligrams/L (mg/L)	SW7	5.01	2	31
2877	August-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.821	0.32	31
2878	August-16	Chloride	Milligrams/L (mg/L)	SW8	7.35	2	31

Attachment A

	A	B	C	D	E	F	G
2879	July-16	Chloride	Milligrams/L (mg/L)	GW2	15.6	2	31
2880	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.63	0.32	31
2881	July-16	Sulfate	Milligrams/L (mg/L)	GW2	89.7	72	31
2882	July-16	Chloride	Milligrams/L (mg/L)	JJ14	13	2	31
2883	July-16	Specific Conductance (Field)	Micromhos/cm	JJ14	492.4	486	31
2884	July-16	Chloride	Milligrams/L (mg/L)	JJ15	12.3	2	31
2885	July-16	Chloride	Milligrams/L (mg/L)	JJ18	3.5	2	31
2886	July-16	Chloride	Milligrams/L (mg/L)	JJ20	6.34	2	31
2887	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.59	1.33	31
2888	July-16	Chloride	Milligrams/L (mg/L)	JJ26	14.5	2	31
2889	July-16	Sulfate	Milligrams/L (mg/L)	JJ26	78.4	69.5	31
2890	July-16	Chloride	Milligrams/L (mg/L)	MW14	22.4	2	31
2891	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.52	1.33	31
2892	July-16	Specific Conductance (Field)	Micromhos/cm	MW14	834	486	31
2893	July-16	Sulfate	Milligrams/L (mg/L)	MW14	314	69.5	31
2894	July-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	548	290	31
2895	July-16	Chloride	Milligrams/L (mg/L)	MW15	17.9	2	31
2896	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.55	1.33	31
2897	July-16	Specific Conductance (Field)	Micromhos/cm	MW15	702.9	486	31
2898	July-16	Sulfate	Milligrams/L (mg/L)	MW15	227	69.5	31
2899	July-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	442	290	31
2900	July-16	Chloride	Milligrams/L (mg/L)	MW18	7.58	2	31
2901	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	42.4	1.33	31
2902	July-16	Specific Conductance (Field)	Micromhos/cm	MW18	782	486	31
2903	July-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	607	290	31
2904	July-16	Chloride	Milligrams/L (mg/L)	MW2R	16.7	2	31
2905	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.28	1.33	31
2906	July-16	Specific Conductance (Field)	Micromhos/cm	MW2R	809	486	31
2907	July-16	Sulfate	Milligrams/L (mg/L)	MW2R	320	69.5	31
2908	July-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	526	290	31
2909	July-16	Chloride	Milligrams/L (mg/L)	MW7	9.78	2	31

Attachment A

	A	B	C	D	E	F	G
2910	July-16	Chloride	Milligrams/L (mg/L)	MW9	10.7	2	31
2911	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.549	0.32	31
2912	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.461	0.32	31
2913	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.33	0.32	31
2914	July-16	Chloride	Milligrams/L (mg/L)	SW2	4.14	2	31
2915	July-16	Chloride	Milligrams/L (mg/L)	SW7	5.14	2	31
2916	July-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.937	0.32	31
2917	July-16	Chloride	Milligrams/L (mg/L)	SW8	8.3	2	31
2918	June-16	Chloride	Milligrams/L (mg/L)	GW2	13.6	2	30
2919	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.13	0.32	30
2920	June-16	Sulfate	Milligrams/L (mg/L)	GW2	75.1	72	30
2921	June-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	304	290	30
2922	June-16	Chloride	Milligrams/L (mg/L)	JJ14	10.8	2	30
2923	June-16	Chloride	Milligrams/L (mg/L)	JJ15	26	2	30
2924	June-16	Specific Conductance (Field)	Micromhos/cm	JJ15	507	486	30
2925	June-16	Chloride	Milligrams/L (mg/L)	JJ18	3.01	2	30
2926	June-16	Chloride	Milligrams/L (mg/L)	JJ20	7.57	2	30
2927	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2	1.33	30
2928	June-16	Chloride	Milligrams/L (mg/L)	JJ26	12.4	2	30
2929	June-16	Chloride	Milligrams/L (mg/L)	MW14	28.5	2	30
2930	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.84	1.33	30
2931	June-16	Specific Conductance (Field)	Micromhos/cm	MW14	1040	486	30
2932	June-16	Sulfate	Milligrams/L (mg/L)	MW14	372	69.5	30
2933	June-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	709	290	30
2934	June-16	Chloride	Milligrams/L (mg/L)	MW15	17.8	2	30
2935	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.7	1.33	30
2936	June-16	Specific Conductance (Field)	Micromhos/cm	MW15	795	486	30
2937	June-16	Sulfate	Milligrams/L (mg/L)	MW15	266	69.5	30
2938	June-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	536	290	30
2939	June-16	Chloride	Milligrams/L (mg/L)	MW18	6.38	2	30
2940	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	37.7	1.33	30

Attachment A

	A	B	C	D	E	F	G
2941	June-16	Specific Conductance (Field)	Micromhos/cm	MW18	824	486	30
2942	June-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	624	290	30
2943	June-16	Chloride	Milligrams/L (mg/L)	MW2R	15.8	2	30
2944	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.23	1.33	30
2945	June-16	Specific Conductance (Field)	Micromhos/cm	MW2R	808	486	30
2946	June-16	Sulfate	Milligrams/L (mg/L)	MW2R	286	69.5	30
2947	June-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	528	290	30
2948	June-16	Chloride	Milligrams/L (mg/L)	MW7	5.87	2	30
2949	June-16	Chloride	Milligrams/L (mg/L)	MW9	7.54	2	30
2950	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.466	0.32	30
2951	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.777	0.32	30
2952	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.32	0.32	30
2953	June-16	Chloride	Milligrams/L (mg/L)	SW2	3.65	2	30
2954	June-16	Chloride	Milligrams/L (mg/L)	SW7	5.49	2	30
2955	June-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.962	0.32	30
2956	June-16	Chloride	Milligrams/L (mg/L)	SW8	6.47	2	30
2957	May-16	Chloride	Milligrams/L (mg/L)	GB12	4.92	2	31
2958	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GB12	1.645	1.33	31
2959	May-16	Specific Conductance (Field)	Micromhos/cm	GB12	924	486	31
2960	May-16	Sulfate	Milligrams/L (mg/L)	GB12	361.5	69.5	31
2961	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	669	290	31
2962	May-16	Chloride	Milligrams/L (mg/L)	GW2	18.3	2	31
2963	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4.27	0.32	31
2964	May-16	Sulfate	Milligrams/L (mg/L)	GW2	82.4	72	31
2965	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	310	290	31
2966	May-16	Chloride	Milligrams/L (mg/L)	JJ14	7.15	2	31
2967	May-16	Chloride	Milligrams/L (mg/L)	JJ15	72.66	2	31
2968	May-16	Specific Conductance (Field)	Micromhos/cm	JJ15	619	486	31
2969	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	JJ15	382	290	31
2970	May-16	Chloride	Milligrams/L (mg/L)	JJ16	7.8	2	31
2971	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.41	1.33	31

Attachment A

	A	B	C	D	E	F	G
2972	May-16	Specific Conductance (Field)	Micromhos/cm	JJ16	913	486	31
2973	May-16	Sulfate	Milligrams/L (mg/L)	JJ16	361	69.5	31
2974	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	639	290	31
2975	May-16	Chloride	Milligrams/L (mg/L)	JJ18	2.8	2	31
2976	May-16	Chloride	Milligrams/L (mg/L)	JJ20	9.35	2	31
2977	May-16	Chloride	Milligrams/L (mg/L)	JJ26	11.7	2	31
2978	May-16	Chloride	Milligrams/L (mg/L)	MW14	29.15	2	31
2979	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.68	1.33	31
2980	May-16	Specific Conductance (Field)	Micromhos/cm	MW14	1065	486	31
2981	May-16	Sulfate	Milligrams/L (mg/L)	MW14	408	69.5	31
2982	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	757	290	31
2983	May-16	Chloride	Milligrams/L (mg/L)	MW15	14.7	2	31
2984	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.03	1.33	31
2985	May-16	Specific Conductance (Field)	Micromhos/cm	MW15	715	486	31
2986	May-16	Sulfate	Milligrams/L (mg/L)	MW15	224.5	69.5	31
2987	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	467	290	31
2988	May-16	Chloride	Milligrams/L (mg/L)	MW18	8.63	2	31
2989	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW18	38.53	1.33	31
2990	May-16	Specific Conductance (Field)	Micromhos/cm	MW18	887	486	31
2991	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW18	650	290	31
2992	May-16	Chloride	Milligrams/L (mg/L)	MW2R	15.35	2	31
2993	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.98	1.33	31
2994	May-16	Specific Conductance (Field)	Micromhos/cm	MW2R	783	486	31
2995	May-16	Sulfate	Milligrams/L (mg/L)	MW2R	285	69.5	31
2996	May-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	518	290	31
2997	May-16	Chloride	Milligrams/L (mg/L)	MW7	5.33	2	31
2998	May-16	Chloride	Milligrams/L (mg/L)	MW9	7.06	2	31
2999	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.324	0.32	31
3000	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.792	0.32	31
3001	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.36	0.32	31
3002	May-16	Chloride	Milligrams/L (mg/L)	SW2	3.3	2	31

Attachment A

	A	B	C	D	E	F	G
3003	May-16	Chloride	Milligrams/L (mg/L)	SW7	6.57	2	31
3004	May-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.635	0.32	31
3005	May-16	Chloride	Milligrams/L (mg/L)	SW8	5.66	2	31
3006	April-16	Chloride	Milligrams/L (mg/L)	GB11	2.7	2	30
3007	April-16	Specific Conductance (Field)	Micromhos/cm	GB11	889	486	30
3008	April-16	Sulfate	Milligrams/L (mg/L)	GB11	381	69.5	30
3009	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	GB11	651	290	30
3010	April-16	Chloride	Milligrams/L (mg/L)	GB12	3.02	2	30
3011	April-16	Specific Conductance (Field)	Micromhos/cm	GB12	742	486	30
3012	April-16	Sulfate	Milligrams/L (mg/L)	GB12	372	69.5	30
3013	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	628	290	30
3014	April-16	Chloride	Milligrams/L (mg/L)	GBES	3.68	2	30
3015	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GBES	1.7	1.33	30
3016	April-16	Specific Conductance (Field)	Micromhos/cm	GBES	736	486	30
3017	April-16	Sulfate	Milligrams/L (mg/L)	GBES	281	69.5	30
3018	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	GBES	473	290	30
3019	April-16	Chloride	Milligrams/L (mg/L)	GW2	26.4	2	30
3020	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	3.1	0.32	30
3021	April-16	Sulfate	Milligrams/L (mg/L)	GW2	90.2	72	30
3022	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	340	290	30
3023	April-16	Chloride	Milligrams/L (mg/L)	JJ14	9.99	2	30
3024	April-16	Chloride	Milligrams/L (mg/L)	JJ15	28.7	2	30
3025	April-16	Chloride	Milligrams/L (mg/L)	JJ16	3.86	2	30
3026	April-16	Specific Conductance (Field)	Micromhos/cm	JJ16	903	486	30
3027	April-16	Sulfate	Milligrams/L (mg/L)	JJ16	390	69.5	30
3028	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	648	290	30
3029	April-16	Chloride	Milligrams/L (mg/L)	JJ18	5.78	2	30
3030	April-16	Chloride	Milligrams/L (mg/L)	JJ20	12.4	2	30
3031	April-16	Chloride	Milligrams/L (mg/L)	JJ26	9.37	2	30
3032	April-16	Chloride	Milligrams/L (mg/L)	MW14	17.95	2	30
3033	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.485	1.33	30

Attachment A

	A	B	C	D	E	F	G
3034	April-16	Specific Conductance (Field)	Micromhos/cm	MW14	990	486	30
3035	April-16	Sulfate	Milligrams/L (mg/L)	MW14	367.5	69.5	30
3036	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	694	290	30
3037	April-16	Chloride	Milligrams/L (mg/L)	MW15	13.85	2	30
3038	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	2.73	1.33	30
3039	April-16	Specific Conductance (Field)	Micromhos/cm	MW15	626	486	30
3040	April-16	Sulfate	Milligrams/L (mg/L)	MW15	167.5	69.5	30
3041	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	399	290	30
3042	April-16	Chloride	Milligrams/L (mg/L)	MW2R	15.7	2	30
3043	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.185	1.33	30
3044	April-16	Specific Conductance (Field)	Micromhos/cm	MW2R	766	486	30
3045	April-16	Sulfate	Milligrams/L (mg/L)	MW2R	272.5	69.5	30
3046	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	521	290	30
3047	April-16	Chloride	Milligrams/L (mg/L)	MW7	7.16	2	30
3048	April-16	Chloride	Milligrams/L (mg/L)	MW9	7.96	2	30
3049	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW12	0.534	0.32	30
3050	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.525	0.32	30
3051	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.4	0.32	30
3052	April-16	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	296	290	30
3053	April-16	Chloride	Milligrams/L (mg/L)	SW2	3.73	2	30
3054	April-16	Chloride	Milligrams/L (mg/L)	SW7	11.8	2	30
3055	April-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.2	0.32	30
3056	April-16	Chloride	Milligrams/L (mg/L)	SW8	4.53	2	30
3057	April-16	Chloride	Milligrams/L (mg/L)	SW9a	3.01	2	30
3058	April-16	Sulfate	Milligrams/L (mg/L)	SW9a	134.6	72	30
3059	March-16	Chloride	Milligrams/L (mg/L)	GW2	18.5	2	31
3060	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4.62	0.32	31
3061	March-16	Sulfate	Milligrams/L (mg/L)	GW2	75.1	72	31
3062	March-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	299	290	31
3063	March-16	Chloride	Milligrams/L (mg/L)	JJ14	8.94	2	31
3064	March-16	Chloride	Milligrams/L (mg/L)	JJ15	10	2	31

Attachment A

	A	B	C	D	E	F	G
3065	March-16	Chloride	Milligrams/L (mg/L)	JJ18	5.15	2	31
3066	March-16	Chloride	Milligrams/L (mg/L)	JJ20	6.24	2	31
3067	March-16	Chloride	Milligrams/L (mg/L)	MW14	16	2	31
3068	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.62	1.33	31
3069	March-16	Specific Conductance (Field)	Micromhos/cm	MW14	523	486	31
3070	March-16	Sulfate	Milligrams/L (mg/L)	MW14	111	69.5	31
3071	March-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	325	290	31
3072	March-16	Chloride	Milligrams/L (mg/L)	MW15	18.5	2	31
3073	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.87	1.33	31
3074	March-16	Specific Conductance (Field)	Micromhos/cm	MW15	756	486	31
3075	March-16	Sulfate	Milligrams/L (mg/L)	MW15	220	69.5	31
3076	March-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	430	290	31
3077	March-16	Chloride	Milligrams/L (mg/L)	MW2R	18.7	2	31
3078	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.74	1.33	31
3079	March-16	Specific Conductance (Field)	Micromhos/cm	MW2R	667	486	31
3080	March-16	Sulfate	Milligrams/L (mg/L)	MW2R	204	69.5	31
3081	March-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	382	290	31
3082	March-16	Chloride	Milligrams/L (mg/L)	MW7	5.25	2	31
3083	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.51	1.33	31
3084	March-16	Chloride	Milligrams/L (mg/L)	MW9	8.55	2	31
3085	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.631	0.32	31
3086	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	4.61	0.32	31
3087	March-16	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	303	290	31
3088	March-16	Chloride	Milligrams/L (mg/L)	SW2	3.46	2	31
3089	March-16	Chloride	Milligrams/L (mg/L)	SW7	4.63	2	31
3090	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.02	0.32	31
3091	March-16	Chloride	Milligrams/L (mg/L)	SW8	5.13	2	31
3092	March-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW8	0.384	0.32	31
3093	February-16	Chloride	Milligrams/L (mg/L)	GW2	13.5	2	28
3094	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.75	0.32	28
3095	February-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	311	290	28

Attachment A

	A	B	C	D	E	F	G
3096	February-16	Chloride	Milligrams/L (mg/L)	JJ14	9.97	2	28
3097	February-16	Chloride	Milligrams/L (mg/L)	JJ15	8.99	2	28
3098	February-16	Chloride	Milligrams/L (mg/L)	JJ18	4.66	2	28
3099	February-16	Chloride	Milligrams/L (mg/L)	JJ20	10.4	2	28
3100	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.89	1.33	28
3101	February-16	Chloride	Milligrams/L (mg/L)	MW14	18.6	2	28
3102	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.91	1.33	28
3103	February-16	Specific Conductance (Field)	Micromhos/cm	MW14	533	486	28
3104	February-16	Sulfate	Milligrams/L (mg/L)	MW14	125	69.5	28
3105	February-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	335	290	28
3106	February-16	Chloride	Milligrams/L (mg/L)	MW15	18.3	2	28
3107	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.22	1.33	28
3108	February-16	Specific Conductance (Field)	Micromhos/cm	MW15	739	486	28
3109	February-16	Sulfate	Milligrams/L (mg/L)	MW15	214	69.5	28
3110	February-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	472	290	28
3111	February-16	Chloride	Milligrams/L (mg/L)	MW2R	19.1	2	28
3112	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	3.48	1.33	28
3113	February-16	Specific Conductance (Field)	Micromhos/cm	MW2R	621	486	28
3114	February-16	Sulfate	Milligrams/L (mg/L)	MW2R	186	69.5	28
3115	February-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	419	290	28
3116	February-16	Chloride	Milligrams/L (mg/L)	MW7	7.28	2	28
3117	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.51	1.33	28
3118	February-16	Chloride	Milligrams/L (mg/L)	MW9	8.73	2	28
3119	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.564	0.32	28
3120	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	4.82	0.32	28
3121	February-16	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	291	290	28
3122	February-16	Chloride	Milligrams/L (mg/L)	SW2	3.77	2	28
3123	February-16	Chloride	Milligrams/L (mg/L)	SW7	7.5	2	28
3124	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.93	0.32	28
3125	February-16	Chloride	Milligrams/L (mg/L)	SW8	5.28	2	28
3126	February-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW8	0.324	0.32	28

Attachment A

	A	B	C	D	E	F	G
3127	January-16	Chloride	Milligrams/L (mg/L)	GW2	11.9	2	31
3128	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.87	0.32	31
3129	January-16	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	292	290	31
3130	January-16	Chloride	Milligrams/L (mg/L)	JJ14	10.9	2	31
3131	January-16	Chloride	Milligrams/L (mg/L)	JJ15	8.59	2	31
3132	January-16	Chloride	Milligrams/L (mg/L)	JJ18	4.5	2	31
3133	January-16	Chloride	Milligrams/L (mg/L)	JJ20	8.7	2	31
3134	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.29	1.33	31
3135	January-16	Chloride	Milligrams/L (mg/L)	MW14	18.2	2	31
3136	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.41	1.33	31
3137	January-16	Specific Conductance (Field)	Micromhos/cm	MW14	526	486	31
3138	January-16	Sulfate	Milligrams/L (mg/L)	MW14	119	69.5	31
3139	January-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	337	290	31
3140	January-16	Chloride	Milligrams/L (mg/L)	MW15	15.8	2	31
3141	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.4	1.33	31
3142	January-16	Specific Conductance (Field)	Micromhos/cm	MW15	722	486	31
3143	January-16	Sulfate	Milligrams/L (mg/L)	MW15	182	69.5	31
3144	January-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	470	290	31
3145	January-16	Chloride	Milligrams/L (mg/L)	MW2R	19.4	2	31
3146	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.25	1.33	31
3147	January-16	Specific Conductance (Field)	Micromhos/cm	MW2R	622	486	31
3148	January-16	Sulfate	Milligrams/L (mg/L)	MW2R	174	69.5	31
3149	January-16	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	390	290	31
3150	January-16	Chloride	Milligrams/L (mg/L)	MW7	7.52	2	31
3151	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.77	1.33	31
3152	January-16	Chloride	Milligrams/L (mg/L)	MW9	10.5	2	31
3153	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.734	0.32	31
3154	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.593	0.32	31
3155	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.41	0.32	31
3156	January-16	Chloride	Milligrams/L (mg/L)	SW2	3.63	2	31
3157	January-16	Chloride	Milligrams/L (mg/L)	SW7	5.68	2	31

Attachment A

	A	B	C	D	E	F	G
3158	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.768	0.32	31
3159	January-16	Chloride	Milligrams/L (mg/L)	SW8	5.36	2	31
3160	January-16	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW8	0.433	0.32	31
3161	December-15	Chloride	Milligrams/L (mg/L)	GW2	12.7	2	31
3162	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	6.26	0.32	31
3163	December-15	Sulfate	Milligrams/L (mg/L)	GW2	75.2	72	31
3164	December-15	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	308	290	31
3165	December-15	Chloride	Milligrams/L (mg/L)	JJ15	8.83	2	31
3166	December-15	Chloride	Milligrams/L (mg/L)	JJ18	5.07	2	31
3167	December-15	Chloride	Milligrams/L (mg/L)	JJ20	9.43	2	31
3168	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.66	1.33	31
3169	December-15	Chloride	Milligrams/L (mg/L)	MW14	17.1	2	31
3170	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.6	1.33	31
3171	December-15	Sulfate	Milligrams/L (mg/L)	MW14	108	69.5	31
3172	December-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	308	290	31
3173	December-15	Chloride	Milligrams/L (mg/L)	MW15	17.4	2	31
3174	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.84	1.33	31
3175	December-15	Specific Conductance (Field)	Micromhos/cm	MW15	757	486	31
3176	December-15	Sulfate	Milligrams/L (mg/L)	MW15	252	69.5	31
3177	December-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	529	290	31
3178	December-15	Chloride	Milligrams/L (mg/L)	MW2R	19.7	2	31
3179	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.36	1.33	31
3180	December-15	Specific Conductance (Field)	Micromhos/cm	MW2R	624	486	31
3181	December-15	Sulfate	Milligrams/L (mg/L)	MW2R	175	69.5	31
3182	December-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	424	290	31
3183	December-15	Chloride	Milligrams/L (mg/L)	MW7	8.34	2	31
3184	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.28	1.33	31
3185	December-15	Chloride	Milligrams/L (mg/L)	MW9	9.32	2	31
3186	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.562	0.32	31
3187	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.471	0.32	31
3188	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.51	0.32	31

Attachment A

	A	B	C	D	E	F	G
3189	December-15	Chloride	Milligrams/L (mg/L)	SW2	3.47	2	31
3190	December-15	Chloride	Milligrams/L (mg/L)	SW7	5.67	2	31
3191	December-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.464	0.32	31
3192	December-15	Chloride	Milligrams/L (mg/L)	SW8	4.89	2	31
3193	November-15	Chloride	Milligrams/L (mg/L)	GW2	11.9	2	30
3194	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.84	0.32	30
3195	November-15	Sulfate	Milligrams/L (mg/L)	GW2	73	72	30
3196	November-15	Chloride	Milligrams/L (mg/L)	JJ15	7.85	2	30
3197	November-15	Chloride	Milligrams/L (mg/L)	JJ18	4.64	2	30
3198	November-15	Chloride	Milligrams/L (mg/L)	JJ20	2.64	2	30
3199	November-15	Chloride	Milligrams/L (mg/L)	MW14	16.5	2	30
3200	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.83	1.33	30
3201	November-15	Specific Conductance (Field)	Micromhos/cm	MW14	491	486	30
3202	November-15	Sulfate	Milligrams/L (mg/L)	MW14	108	69.5	30
3203	November-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	315	290	30
3204	November-15	Chloride	Milligrams/L (mg/L)	MW15	15.6	2	30
3205	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.87	1.33	30
3206	November-15	Specific Conductance (Field)	Micromhos/cm	MW15	753	486	30
3207	November-15	Sulfate	Milligrams/L (mg/L)	MW15	244	69.5	30
3208	November-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	534	290	30
3209	November-15	Chloride	Milligrams/L (mg/L)	MW2R	18.7	2	30
3210	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.26	1.33	30
3211	November-15	Specific Conductance (Field)	Micromhos/cm	MW2R	668	486	30
3212	November-15	Sulfate	Milligrams/L (mg/L)	MW2R	213	69.5	30
3213	November-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	459	290	30
3214	November-15	Chloride	Milligrams/L (mg/L)	MW7	6.94	2	30
3215	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.16	1.33	30
3216	November-15	Chloride	Milligrams/L (mg/L)	MW9	8.71	2	30
3217	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.54	1.33	30
3218	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.35	0.32	30
3219	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.49	0.32	30

Attachment A

	A	B	C	D	E	F	G
3220	November-15	Chloride	Milligrams/L (mg/L)	SW2	3.3	2	30
3221	November-15	Chloride	Milligrams/L (mg/L)	SW7	5.03	2	30
3222	November-15	Chloride	Milligrams/L (mg/L)	SW8	5.01	2	30
3223	November-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW8	0.323	0.32	30
3224	October-15	Chloride	Milligrams/L (mg/L)	GW2	12.7	2	31
3225	October-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.59	0.32	31
3226	October-15	Sulfate	Milligrams/L (mg/L)	GW2	73.8	72	31
3227	October-15	Chloride	Milligrams/L (mg/L)	JJ15	7.98	2	31
3228	October-15	Chloride	Milligrams/L (mg/L)	JJ18	5.12	2	31
3229	October-15	Chloride	Milligrams/L (mg/L)	JJ20	3.03	2	31
3230	October-15	Chloride	Milligrams/L (mg/L)	MW14	17	2	31
3231	October-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	2.7	1.33	31
3232	October-15	Specific Conductance (Field)	Micromhos/cm	MW14	538	486	31
3233	October-15	Sulfate	Milligrams/L (mg/L)	MW14	120	69.5	31
3234	October-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	311	290	31
3235	October-15	Chloride	Milligrams/L (mg/L)	MW15	16	2	31
3236	October-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.79	1.33	31
3237	October-15	Specific Conductance (Field)	Micromhos/cm	MW15	793	486	31
3238	October-15	Sulfate	Milligrams/L (mg/L)	MW15	251	69.5	31
3239	October-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	534	290	31
3240	October-15	Chloride	Milligrams/L (mg/L)	MW2R	19.5	2	31
3241	October-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.49	1.33	31
3242	October-15	Specific Conductance (Field)	Micromhos/cm	MW2R	737	486	31
3243	October-15	Sulfate	Milligrams/L (mg/L)	MW2R	247	69.5	31
3244	October-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	526	290	31
3245	October-15	Chloride	Milligrams/L (mg/L)	MW7	8.08	2	31
3246	October-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.49	1.33	31
3247	October-15	Chloride	Milligrams/L (mg/L)	MW9	9.18	2	31
3248	October-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.185	0.32	31
3249	October-15	Chloride	Milligrams/L (mg/L)	SW2	3.23	2	31
3250	October-15	Chloride	Milligrams/L (mg/L)	SW7	7.92	2	31

Attachment A

	A	B	C	D	E	F	G
3251	October-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	2.14	0.32	31
3252	October-15	Chloride	Milligrams/L (mg/L)	SW8	5.2	2	31
3253	September-15	Chloride	Milligrams/L (mg/L)	GW2	13.2	2	30
3254	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.48	0.32	30
3255	September-15	Sulfate	Milligrams/L (mg/L)	GW2	76	72	30
3256	September-15	Chloride	Milligrams/L (mg/L)	JJ15	8.18	2	30
3257	September-15	Chloride	Milligrams/L (mg/L)	JJ18	5.72	2	30
3258	September-15	Chloride	Milligrams/L (mg/L)	JJ20	8.42	2	30
3259	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	3.36	1.33	30
3260	September-15	Chloride	Milligrams/L (mg/L)	MW14	20.5	2	30
3261	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.15	1.33	30
3262	September-15	Specific Conductance (Field)	Micromhos/cm	MW14	576	486	30
3263	September-15	Sulfate	Milligrams/L (mg/L)	MW14	162	69.5	30
3264	September-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	385	290	30
3265	September-15	Chloride	Milligrams/L (mg/L)	MW15	18.2	2	30
3266	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.07	1.33	30
3267	September-15	Specific Conductance (Field)	Micromhos/cm	MW15	762	486	30
3268	September-15	Sulfate	Milligrams/L (mg/L)	MW15	258	69.5	30
3269	September-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	534	290	30
3270	September-15	Chloride	Milligrams/L (mg/L)	MW2R	22.8	2	30
3271	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.7	1.33	30
3272	September-15	Specific Conductance (Field)	Micromhos/cm	MW2R	773	486	30
3273	September-15	Sulfate	Milligrams/L (mg/L)	MW2R	285	69.5	30
3274	September-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	547	290	30
3275	September-15	Chloride	Milligrams/L (mg/L)	MW7	8.54	2	30
3276	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.16	1.33	30
3277	September-15	Chloride	Milligrams/L (mg/L)	MW9	9.34	2	30
3278	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.371	0.32	30
3279	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.36	0.32	30
3280	September-15	Chloride	Milligrams/L (mg/L)	SW2	3.51	2	30
3281	September-15	Chloride	Milligrams/L (mg/L)	SW7	5.46	2	30

Attachment A

	A	B	C	D	E	F	G
3282	September-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.39	0.32	30
3283	September-15	Chloride	Milligrams/L (mg/L)	SW8	5.66	2	30
3284	August-15	Chloride	Milligrams/L (mg/L)	GW2	12.7	2	31
3285	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.95	0.32	31
3286	August-15	Sulfate	Milligrams/L (mg/L)	GW2	72.5	72	31
3287	August-15	Chloride	Milligrams/L (mg/L)	JJ15	8.01	2	31
3288	August-15	Chloride	Milligrams/L (mg/L)	JJ18	5.79	2	31
3289	August-15	Chloride	Milligrams/L (mg/L)	JJ20	5.33	2	31
3290	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.78	1.33	31
3291	August-15	Chloride	Milligrams/L (mg/L)	MW14	19.7	2	31
3292	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.26	1.33	31
3293	August-15	Specific Conductance (Field)	Micromhos/cm	MW14	628	486	31
3294	August-15	Sulfate	Milligrams/L (mg/L)	MW14	175	69.5	31
3295	August-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	407	290	31
3296	August-15	Chloride	Milligrams/L (mg/L)	MW15	16.1	2	31
3297	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	3.79	1.33	31
3298	August-15	Specific Conductance (Field)	Micromhos/cm	MW15	771	486	31
3299	August-15	Sulfate	Milligrams/L (mg/L)	MW15	248	69.5	31
3300	August-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	517	290	31
3301	August-15	Chloride	Milligrams/L (mg/L)	MW2R	18.8	2	31
3302	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.9	1.33	31
3303	August-15	Specific Conductance (Field)	Micromhos/cm	MW2R	778	486	31
3304	August-15	Sulfate	Milligrams/L (mg/L)	MW2R	278	69.5	31
3305	August-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	546	290	31
3306	August-15	Chloride	Milligrams/L (mg/L)	MW7	7.69	2	31
3307	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.52	1.33	31
3308	August-15	Chloride	Milligrams/L (mg/L)	MW9	9.3	2	31
3309	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.396	0.32	31
3310	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.15	0.32	31
3311	August-15	Chloride	Milligrams/L (mg/L)	SW2	3.35	2	31
3312	August-15	Chloride	Milligrams/L (mg/L)	SW7	5.07	2	31

Attachment A

	A	B	C	D	E	F	G
3313	August-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.885	0.32	31
3314	August-15	Chloride	Milligrams/L (mg/L)	SW8	5.38	2	31
3315	July-15	Chloride	Milligrams/L (mg/L)	GW2	15.7	2	31
3316	July-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.09	0.32	31
3317	July-15	Sulfate	Milligrams/L (mg/L)	GW2	75.6	72	31
3318	July-15	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	292	290	31
3319	July-15	Chloride	Milligrams/L (mg/L)	JJ15	8.5	2	31
3320	July-15	Chloride	Milligrams/L (mg/L)	JJ18	6.24	2	31
3321	July-15	Chloride	Milligrams/L (mg/L)	JJ20	4.45	2	31
3322	July-15	Chloride	Milligrams/L (mg/L)	MW14	20.5	2	31
3323	July-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.69	1.33	31
3324	July-15	Specific Conductance (Field)	Micromhos/cm	MW14	678	486	31
3325	July-15	Sulfate	Milligrams/L (mg/L)	MW14	216	69.5	31
3326	July-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	459	290	31
3327	July-15	Chloride	Milligrams/L (mg/L)	MW15	16.2	2	31
3328	July-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.53	1.33	31
3329	July-15	Specific Conductance (Field)	Micromhos/cm	MW15	728	486	31
3330	July-15	Sulfate	Milligrams/L (mg/L)	MW15	214	69.5	31
3331	July-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	483	290	31
3332	July-15	Chloride	Milligrams/L (mg/L)	MW2R	17.9	2	31
3333	July-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.73	1.33	31
3334	July-15	Specific Conductance (Field)	Micromhos/cm	MW2R	773	486	31
3335	July-15	Sulfate	Milligrams/L (mg/L)	MW2R	280	69.5	31
3336	July-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	524	290	31
3337	July-15	Chloride	Milligrams/L (mg/L)	MW7	5.98	2	31
3338	July-15	Chloride	Milligrams/L (mg/L)	MW9	10.1	2	31
3339	July-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.816	0.32	31
3340	July-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	1.47	0.32	31
3341	July-15	Chloride	Milligrams/L (mg/L)	SW2	4.26	2	31
3342	July-15	Chloride	Milligrams/L (mg/L)	SW7	5.19	2	31
3343	July-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.27	0.32	31

Attachment A

	A	B	C	D	E	F	G
3344	July-15	Chloride	Milligrams/L (mg/L)	SW8	5.88	2	31
3345	June-15	Chloride	Milligrams/L (mg/L)	GW2	14.7	2	30
3346	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.22	0.32	30
3347	June-15	Sulfate	Milligrams/L (mg/L)	GW2	80.6	72	30
3348	June-15	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	300	290	30
3349	June-15	Chloride	Milligrams/L (mg/L)	JJ14	11.4	2	30
3350	June-15	Chloride	Milligrams/L (mg/L)	JJ15	8.89	2	30
3351	June-15	Chloride	Milligrams/L (mg/L)	JJ18	5.78	2	30
3352	June-15	Chloride	Milligrams/L (mg/L)	JJ20	6.16	2	30
3353	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.52	1.33	30
3354	June-15	Chloride	Milligrams/L (mg/L)	JJ26	10.5	2	30
3355	June-15	Chloride	Milligrams/L (mg/L)	MW14	22.9	2	30
3356	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.85	1.33	30
3357	June-15	Specific Conductance (Field)	Micromhos/cm	MW14	701	486	30
3358	June-15	Sulfate	Milligrams/L (mg/L)	MW14	225	69.5	30
3359	June-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	475	290	30
3360	June-15	Chloride	Milligrams/L (mg/L)	MW15	16.3	2	30
3361	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.47	1.33	30
3362	June-15	Specific Conductance (Field)	Micromhos/cm	MW15	697	486	30
3363	June-15	Sulfate	Milligrams/L (mg/L)	MW15	200	69.5	30
3364	June-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	453	290	30
3365	June-15	Chloride	Milligrams/L (mg/L)	MW2R	17.8	2	30
3366	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.65	1.33	30
3367	June-15	Specific Conductance (Field)	Micromhos/cm	MW2R	752	486	30
3368	June-15	Sulfate	Milligrams/L (mg/L)	MW2R	257	69.5	30
3369	June-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	517	290	30
3370	June-15	Chloride	Milligrams/L (mg/L)	MW7	7.52	2	30
3371	June-15	Chloride	Milligrams/L (mg/L)	MW9	9.47	2	30
3372	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.545	0.32	30
3373	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.501	0.32	30
3374	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	2.51	0.32	30

Attachment A

	A	B	C	D	E	F	G
3375	June-15	Chloride	Milligrams/L (mg/L)	SW2	3.57	2	30
3376	June-15	Chloride	Milligrams/L (mg/L)	SW7	5.2	2	30
3377	June-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.928	0.32	30
3378	June-15	Chloride	Milligrams/L (mg/L)	SW8	6.16	2	30
3379	May-15	Chloride	Milligrams/L (mg/L)	GW2	16.4	2	31
3380	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4.68	0.32	31
3381	May-15	Sulfate	Milligrams/L (mg/L)	GW2	81.5	72	31
3382	May-15	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	293	290	31
3383	May-15	Chloride	Milligrams/L (mg/L)	JJ14	11.4	2	31
3384	May-15	Chloride	Milligrams/L (mg/L)	JJ15	9.72	2	31
3385	May-15	Chloride	Milligrams/L (mg/L)	JJ16	5.1	2	31
3386	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.53	1.33	31
3387	May-15	Specific Conductance (Field)	Micromhos/cm	JJ16	842	486	31
3388	May-15	Sulfate	Milligrams/L (mg/L)	JJ16	312	69.5	31
3389	May-15	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	602	290	31
3390	May-15	Chloride	Milligrams/L (mg/L)	JJ18	6.24	2	31
3391	May-15	Chloride	Milligrams/L (mg/L)	JJ20	5.19	2	31
3392	May-15	Chloride	Milligrams/L (mg/L)	JJ26	11.2	2	31
3393	May-15	Chloride	Milligrams/L (mg/L)	MW14	22.2	2	31
3394	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	4.04	1.33	31
3395	May-15	Specific Conductance (Field)	Micromhos/cm	MW14	744	486	31
3396	May-15	Sulfate	Milligrams/L (mg/L)	MW14	235	69.5	31
3397	May-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	476	290	31
3398	May-15	Chloride	Milligrams/L (mg/L)	MW15	15.5	2	31
3399	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.32	1.33	31
3400	May-15	Specific Conductance (Field)	Micromhos/cm	MW15	684	486	31
3401	May-15	Sulfate	Milligrams/L (mg/L)	MW15	190	69.5	31
3402	May-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	440	290	31
3403	May-15	Chloride	Milligrams/L (mg/L)	MW2R	18	2	31
3404	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.51	1.33	31
3405	May-15	Specific Conductance (Field)	Micromhos/cm	MW2R	768	486	31

Attachment A

	A	B	C	D	E	F	G
3406	May-15	Sulfate	Milligrams/L (mg/L)	MW2R	280	69.5	31
3407	May-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	506	290	31
3408	May-15	Chloride	Milligrams/L (mg/L)	MW7	7.54	2	31
3409	May-15	Chloride	Milligrams/L (mg/L)	MW9	10.8	2	31
3410	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.724	0.32	31
3411	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.781	0.32	31
3412	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.05	0.32	31
3413	May-15	Chloride	Milligrams/L (mg/L)	SW2	3.71	2	31
3414	May-15	Chloride	Milligrams/L (mg/L)	SW7	5.18	2	31
3415	May-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	0.87	0.32	31
3416	May-15	Chloride	Milligrams/L (mg/L)	SW8	6.5	2	31
3417	April-15	Chloride	Milligrams/L (mg/L)	GB12	3.77	2	30
3418	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GB12	1.38	1.33	30
3419	April-15	Specific Conductance (Field)	Micromhos/cm	GB12	794	486	30
3420	April-15	Sulfate	Milligrams/L (mg/L)	GB12	276	69.5	30
3421	April-15	Total Dissolved Solids	Milligrams/L (mg/L)	GB12	556	290	30
3422	April-15	Chloride	Milligrams/L (mg/L)	GW2	16.8	2	30
3423	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	4.26	0.32	30
3424	April-15	Sulfate	Milligrams/L (mg/L)	GW2	78.1	72	30
3425	April-15	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	311	290	30
3426	April-15	Chloride	Milligrams/L (mg/L)	JJ14	10.9	2	30
3427	April-15	Chloride	Milligrams/L (mg/L)	JJ15	10.4	2	30
3428	April-15	Chloride	Milligrams/L (mg/L)	JJ16	4.68	2	30
3429	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.6	1.33	30
3430	April-15	Specific Conductance (Field)	Micromhos/cm	JJ16	797	486	30
3431	April-15	Sulfate	Milligrams/L (mg/L)	JJ16	286	69.5	30
3432	April-15	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	560	290	30
3433	April-15	Chloride	Milligrams/L (mg/L)	JJ18	6	2	30
3434	April-15	Chloride	Milligrams/L (mg/L)	JJ20	6.5	2	30
3435	April-15	Chloride	Milligrams/L (mg/L)	JJ26	10.4	2	30
3436	April-15	Chloride	Milligrams/L (mg/L)	MW14	22.7	2	30

Attachment A

	A	B	C	D	E	F	G
3437	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	4.18	1.33	30
3438	April-15	Specific Conductance (Field)	Micromhos/cm	MW14	780	486	30
3439	April-15	Sulfate	Milligrams/L (mg/L)	MW14	257	69.5	30
3440	April-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	529	290	30
3441	April-15	Chloride	Milligrams/L (mg/L)	MW15	16.5	2	30
3442	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.5	1.33	30
3443	April-15	Specific Conductance (Field)	Micromhos/cm	MW15	680	486	30
3444	April-15	Sulfate	Milligrams/L (mg/L)	MW15	191	69.5	30
3445	April-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	379	290	30
3446	April-15	Chloride	Milligrams/L (mg/L)	MW2R	17.8	2	30
3447	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.58	1.33	30
3448	April-15	Specific Conductance (Field)	Micromhos/cm	MW2R	773	486	30
3449	April-15	Sulfate	Milligrams/L (mg/L)	MW2R	281	69.5	30
3450	April-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	530	290	30
3451	April-15	Chloride	Milligrams/L (mg/L)	MW7	8.2	2	30
3452	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	1.34	1.33	30
3453	April-15	Chloride	Milligrams/L (mg/L)	MW9	9.46	2	30
3454	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW9	1.91	1.33	30
3455	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.681	0.32	30
3456	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.985	0.32	30
3457	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	3.29	0.32	30
3458	April-15	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	303	290	30
3459	April-15	Chloride	Milligrams/L (mg/L)	SW2	3.8	2	30
3460	April-15	Chloride	Milligrams/L (mg/L)	SW7	6.87	2	30
3461	April-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.06	0.32	30
3462	April-15	Chloride	Milligrams/L (mg/L)	SW8	6.12	2	30
3463	March-15	Chloride	Milligrams/L (mg/L)	GW2	15.9	2	31
3464	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.13	0.32	31
3465	March-15	Sulfate	Milligrams/L (mg/L)	GW2	75.1	72	31
3466	March-15	Total Dissolved Solids	Milligrams/L (mg/L)	GW2	295	290	31
3467	March-15	Chloride	Milligrams/L (mg/L)	JJ14	10.3	2	31

Attachment A

	A	B	C	D	E	F	G
3468	March-15	Chloride	Milligrams/L (mg/L)	JJ15	10.4	2	31
3469	March-15	Chloride	Milligrams/L (mg/L)	JJ18	5.91	2	31
3470	March-15	Chloride	Milligrams/L (mg/L)	JJ20	7.72	2	31
3471	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	1.91	1.33	31
3472	March-15	Chloride	Milligrams/L (mg/L)	MW14	25.9	2	31
3473	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	4.25	1.33	31
3474	March-15	Specific Conductance (Field)	Micromhos/cm	MW14	725	486	31
3475	March-15	Sulfate	Milligrams/L (mg/L)	MW14	211	69.5	31
3476	March-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	487	290	31
3477	March-15	Chloride	Milligrams/L (mg/L)	MW15	16.4	2	31
3478	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.47	1.33	31
3479	March-15	Specific Conductance (Field)	Micromhos/cm	MW15	695	486	31
3480	March-15	Sulfate	Milligrams/L (mg/L)	MW15	190	69.5	31
3481	March-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	471	290	31
3482	March-15	Chloride	Milligrams/L (mg/L)	MW2R	17.9	2	31
3483	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.73	1.33	31
3484	March-15	Specific Conductance (Field)	Micromhos/cm	MW2R	800	486	31
3485	March-15	Sulfate	Milligrams/L (mg/L)	MW2R	284	69.5	31
3486	March-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	561	290	31
3487	March-15	Chloride	Milligrams/L (mg/L)	MW7	8.81	2	31
3488	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.72	1.33	31
3489	March-15	Chloride	Milligrams/L (mg/L)	MW9	10.5	2	31
3490	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	0.954	0.32	31
3491	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	1.12	0.32	31
3492	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	4.47	0.32	31
3493	March-15	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	295	290	31
3494	March-15	Chloride	Milligrams/L (mg/L)	SW2	3.58	2	31
3495	March-15	Chloride	Milligrams/L (mg/L)	SW7	7.31	2	31
3496	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.58	0.32	31
3497	March-15	Chloride	Milligrams/L (mg/L)	SW8	5.05	2	31
3498	March-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW8	0.33	0.32	31

Attachment A

	A	B	C	D	E	F	G
3499	February-15	Chloride	Milligrams/L (mg/L)	GW2	12.1	2	28
3500	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	GW2	5.1	0.32	28
3501	February-15	Sulfate	Milligrams/L (mg/L)	GW2	72.3	72	28
3502	February-15	Chloride	Milligrams/L (mg/L)	JJ15	11.3	2	28
3503	February-15	Chloride	Milligrams/L (mg/L)	JJ16	9.49	2	28
3504	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ16	1.91	1.33	28
3505	February-15	Specific Conductance (Field)	Micromhos/cm	JJ16	729	486	28
3506	February-15	Sulfate	Milligrams/L (mg/L)	JJ16	273	69.5	28
3507	February-15	Total Dissolved Solids	Milligrams/L (mg/L)	JJ16	502	290	28
3508	February-15	Chloride	Milligrams/L (mg/L)	JJ18	5.82	2	28
3509	February-15	Chloride	Milligrams/L (mg/L)	JJ20	6.75	2	28
3510	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	JJ20	2.44	1.33	28
3511	February-15	Chloride	Milligrams/L (mg/L)	MW14	24	2	28
3512	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW14	3.78	1.33	28
3513	February-15	Specific Conductance (Field)	Micromhos/cm	MW14	665	486	28
3514	February-15	Sulfate	Milligrams/L (mg/L)	MW14	183	69.5	28
3515	February-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW14	445	290	28
3516	February-15	Chloride	Milligrams/L (mg/L)	MW15	18.3	2	28
3517	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW15	4.98	1.33	28
3518	February-15	Specific Conductance (Field)	Micromhos/cm	MW15	730	486	28
3519	February-15	Sulfate	Milligrams/L (mg/L)	MW15	205	69.5	28
3520	February-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW15	491	290	28
3521	February-15	Chloride	Milligrams/L (mg/L)	MW2R	18.6	2	28
3522	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW2R	4.68	1.33	28
3523	February-15	Specific Conductance (Field)	Micromhos/cm	MW2R	787	486	28
3524	February-15	Sulfate	Milligrams/L (mg/L)	MW2R	282	69.5	28
3525	February-15	Total Dissolved Solids	Milligrams/L (mg/L)	MW2R	541	290	28
3526	February-15	Chloride	Milligrams/L (mg/L)	MW7	9.71	2	28
3527	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	MW7	2.95	1.33	28
3528	February-15	Chloride	Milligrams/L (mg/L)	MW9	10.6	2	28
3529	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW11	1.19	0.32	28

Attachment A

	A	B	C	D	E	F	G
3530	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW13	0.862	0.32	28
3531	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW14	5.63	0.32	28
3532	February-15	Total Dissolved Solids	Milligrams/L (mg/L)	SW14	291	290	28
3533	February-15	Chloride	Milligrams/L (mg/L)	SW2	3.75	2	28
3534	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW2	0.339	0.32	28
3535	February-15	Chloride	Milligrams/L (mg/L)	SW7	6.87	2	28
3536	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW7	1.95	0.32	28
3537	February-15	Chloride	Milligrams/L (mg/L)	SW8	5.14	2	28
3538	February-15	Nitrate + Nitrite (as N)	Milligrams/L (mg/L)	SW8	0.334	0.32	28
3539	February-15	Chloride	Milligrams/L (mg/L)	SW9a	2.27	2	28
3540						Total Days Across All Monitoring Periods	107668